

**SPC**  
**SORBENTS & SPILL CONTAINMENT**

[WWW.BRADYID.COM/SPC](http://WWW.BRADYID.COM/SPC)



# **MORE STRENGTH.**

## **UP TO 59% MORE ABSORBENCY.**


### **LESS DISPOSAL COSTS.**

Introducing MAXX™ Technology from SPC! An innovative and proprietary new process for manufacturing meltblown polypropylene (MBPP) sorbent pads.

Let's face it, it's not business as usual anymore and business challenges should drive creativity and technological advancement. *So why not make a better sorbent?*

Offering enhanced quality and improved performance, SPC pads made with MAXX defy conventional wisdom that you must add weight to the product and charge your customers more money to increase the quality of their sorbents.

SPC has applied this new technology to several of its more popular products and in *every case* the pads perform significantly better than their pre-MAXX versions:



**ENV™** Average Increase  
in Absorbency: **37%**  
*ENV200 – 59% increase!*

**GP™** Average Increase  
in Absorbency: **39%**  
*GP200 – 58% increase!*

**SPC™** Average Increase  
in Absorbency: **22%**  
*SPC200 – 25% increase!*

Compared to your standard sorbent pad – SPC pads made with MAXX Technology are stronger, more absorbent and better looking pads *and even lighter in some cases*. Less weight means reducing your shipping charges and a decrease in your disposal costs. **MAXX delivers greater strength and absorbency in a more cost-effective product.**

# INTRODUCING THE MAXX SERIES

ITEM #	DESCRIPTION	QUANTITY
<b>MXU1000</b>	15" x 19" Universal Pad made with MAXX	100/Case
<b>MXO1000</b>	15" x 19" Oil Only Pad made with MAXX	100/Case



## ABSORBS UP TO **23X** ITS WEIGHT IN OIL

Is your pad up to the test? MAXX's combination of quality, performance and price is taking on all challengers. Using ASTM guidelines, SPC pads made with MAXX absorb up to **23 times** their own weight in oil! With traditional meltblown polypropylene pads absorbing between 10 and 14 times their weight, you could benefit from a 100% increase in absorbency with MAXX. Using the same nationally recognized testing methods, how will your sorbent pad perform?

## ENGINEERED TO **MINIMIZE WASTE** AND **DISPOSAL COSTS**

Our customers and their end users have gone to great lengths to hold their organizations to higher standards, ISO 14000 or otherwise. MAXX respects those efforts and offers superior performance while reducing the waste generated from sorbents on a daily basis.

## UNIVERSAL PADS AND ROLLS YOUR INDOOR CLEAN-UP SPECIALISTS!

Use these all-purpose sorbents to clean up oils, coolants, solvents and water-based fluids anywhere in your facility. Around machinery, under leaky pipes or fittings, in messy traffic areas, for general maintenance projects – they are your first choice for indoor spill control. Plus, their gray color masks spills and stains – helping you resist the urge to pick up the sorbent before it is fully saturated.


### MRO Plus™

- 3-Ply
- Truly all purpose – offering quality, cost-effective performance on virtually all your leaks, drips and spills
- Heavy and medium weight grades offer versatility (*price, absorption, etc.*)
- Perforated to minimize waste (*you only take what you need*)



### MAXX Enhanced GP™

- Single ply
- Economy sorbent
- MAXX Technology:
  - Ounce for ounce a stronger and more absorbent product than the original GP



### UXT™


- 3-Ply
- Very low linting
- Extra tough and durable
- Great for wipe down applications
- Better suited for wringing and re-using
- Perforated



### High Traffic

Featuring BattleMat™

- 3-Ply
- Designed for heavy foot and equipment traffic
- Tough enough for just about any working environment
- BattleMat features a camouflage pattern to hide spills
- 300' HT rolls offer exceptional value
- Perforated









## THE TECHNOLOGY:

The technology or structure behind each of the universal products helps determine the strength and absorbency of each sorbent. This information along with the product's characteristics (grade, perforations, etc.) is what helps you decide which sorbent is best for your application.

All of these universal pads and rolls start with a highly absorbent meltblown polypropylene (MBPP) core - the difference is what happens from there...

<b>MRO:</b>	MBPP coverstock is added to both sides of the core for additional durability and absorption capacity. Also, the coverstock generates less lint.		meltblown meltblown meltblown
<b>GP:</b>	Pure and simple – Now MAXX enhanced, it's a single ply, economy product.		single ply meltblown
<b>UXT:</b>	Spunbond coverstock is added – making it virtually lint free, exceptionally strong, wringable and re-usable.		spunbond meltblown spunbond
<b>HT:</b>	This hybrid features heavy-duty spunbond coverstock on top and a MBPP coverstock on the bottom – increasing durability and absorption while creating a tough work surface ideal for high traffic areas.		spunbond meltblown meltblown

Feature:	MRO	GP	UXT	HT
Durability	✓✓✓	✓✓	✓✓✓✓	✓✓✓✓
Low Linting	✓✓✓	✓✓	✓✓✓✓	✓✓✓✓
Absorption	✓✓✓✓	✓✓✓	✓✓✓	✓✓✓✓
Relative Cost	\$\$	\$	\$\$	\$\$

### May We Also Suggest...

Don't forget this modular and mobile storage unit for storing your universal SPC sorbents. Strategically place them throughout your facility or take your spill control efforts on the go. Either way, you'll be better prepared for the leaks, drips and spills you deal with everyday. The Sorbent Center can be found on pages 36 and 37.



## MRO PLUS™

SPC's number one universal sorbent and the standard in all-purpose, gray maintenance sorbents.



### Features & Benefits:

- Absorbs all industrial liquids (water, petroleum and chemical-based fluids)
- Three-ply construction makes it stronger, more durable and reduces lint
- Perforated to help you use only what you need – reduce waste
- Gray color masks drips and spills
- Heavy and medium weight alternatives

### Applications:

Basically anywhere there is a leak, drip or spill, for example:

- Production/machine areas
- Under assembly lines or equipment
- Maintenance areas
- Liquid storage areas


### MRO Plus

HEAVY	ITEM #		DESCRIPTION
	MR0100	15" x 19", 100/case	Heavy weight, all-purpose pad
	MR0100-2	15" x 19", 50/bale	Heavy weight half pack
	MR050	30" x 30", 50/bale	Jumbo heavy weight pad
	MR0150DND	15" x 19", 150/case	MR0100 pads with Dispense-n-Dispose system
MEDIUM	ITEM #		DESCRIPTION
	MR0300	15" x 19", 100/case	Medium weight pad

HEAVY	ITEM #		DESCRIPTION
12" ROLLS	MR012P	12" x 150', 1/bale	Heavy weight, perfed every 12"
15" ROLLS	MR015	15" x 150', 1/case	New efficient heavy weight width
	MR015P	15" x 150', 1/case	Heavy weight, perfed every 18"
	MR015DP	15" x 150', 1/case	Heavy weight, perfed every 9" & up center
	MR015DPS	15" x 73', 1/bale	Heavy weight refill for Spill Kaddie
24" ROLLS	MR024DP	24" x 150', 1/bale	Heavy weight, perfed every 12" & up center
30" ROLLS	MR030	30" x 150', 1/case	Heavy weight, full-size blanket
	MR030P	30" x 150', 1/case	Heavy weight, perfed every 30"
	MR030DP	30" x 150', 1/case	Heavy weight, perfed every 15" & up center
MEDIUM	ITEM #		DESCRIPTION
15" ROLLS	MR0315P	15" x 150', 1/case	Medium weight roll, perfed every 18"
30" ROLLS	MR0350	30" x 150', 1/case	Medium weight roll
	MR0350DP	30" x 150', 1/case	Medium weight, double perfed roll

## SPC'S **DISPENSE-N-DISPOSE** SYSTEM

Using our MRO150DND is as easy as...



**1.** Cut the tape holding the two boxes together.



**2.** Lift off the box top...



**3.** Turn the box top over, insert the industrial-grade bag and your Dispense-n-Dispose system is complete!

### Features & Benefits:

- Holds 150 MRO100 pads (15"x19" heavy weight, universal pads)
- More pads per order means less overall cost for shipping
- Lower price per pad than MRO100
- Includes industrial-grade bag to be used in the box top as a temporary waste receptacle

*There is also an oil only version of the Dispense-n-Dispose system, see the Oil Plus™ section on page 16.*




## GP™ — Now made with MAXX Technology!

This economical, general purpose sorbent now offers the look and feel as well as the performance of a premium product.

### Features & Benefits:

- Universal in nature so it absorbs basically all fluids (water, petroleum and chemical-based)
- Efficient single-ply construction
- Made with MAXX: greater performance without the extra weight!



### Applications:


A variety of industrial settings, for example:

- Machine shop
- Refineries
- Transportation maintenance
- Steel manufacturing
- Paper mills
- Just about anywhere you have a leak, drip or spill!

### GP™

HEAVY	ITEM #		DESCRIPTION
	GP100	15"x19", 100/bale	Heavy weight, full size
LIGHT	ITEM #		DESCRIPTION
	GP200	15"x19", 200/bale	Economy weight, double coverage
	GP500	15"x19", 100/bale	Economy weight

HEAVY	ITEM #		DESCRIPTION
30" ROLLS	GP30	30" x 150', 1/bale	Wide area coverage





## UXT™ — “Xtra Tough” Sorbents

Premium sorbent pads and rolls for your toughest applications

### Features & Benefits:

- High performance, all-purpose sorbent made to handle virtually any liquid (water, petroleum and chemical-based)
- Spunbond coverstock on both sides offers:
  - Maximum durability and very low linting
  - Both abrasion resistant and non-abrasive performance – perfect for wipe down applications
  - The extra strength required for the wringing and re-using of sorbents
- Perforated to help you use only what you need – reduces waste



### Applications


Ideal for applications where low linting is required:

- Printing
- High Tech Industries
- Pharmaceutical
- Food Processing
- Machining of small parts
- Paint room

### UXT™

HEAVY	ITEM #		DESCRIPTION
	UXT100	15"x19", 100/case	Heavy weight, full size perfed
LIGHT	ITEM #		DESCRIPTION
	UXT200	15"x19", 200/case	Light weight, full size perfed

HEAVY	ITEM #		DESCRIPTION
15" ROLLS	UXT15P	15"x150', 1/case	Heavy weight, perfed every 18"
30" ROLLS	UXT30DP	30"x150', 1/case	Heavy weight, perfed every 15" & up center



## SPC PROVIDES 2 DISTINCTIVE SOLUTIONS FOR HIGH TRAFFIC AREAS

Heavy foot and forklift traffic combined with problem spill areas are no problem for this collection of some of SPC's strongest and most absorbent universal sorbents.

### Features & Benefits:


- BattleMat is as tough as it looks, featuring an industrial camouflage and a heavy duty approach to cleaning up spills
- The HT series has a gray coverstock to mask spills and includes an economical 300 foot roll
- The entire collection features:
  - A tough, universal three-ply construction – perfect for use as a mat in high traffic areas
  - A durable, abrasion-resistant upper layer
  - Perforations to help you use only what you need – reduces waste

### Applications:

- Walkways and high traffic areas
- In production and machine areas
- Under assembly lines, equipment or vehicles
- On workbenches or as a work surface

## BATTLEMAT™

BattleMat rolls and pads, with their unique construction and camouflage pattern, are tough enough to take whatever you dish out. Ideal as walk-on mats or single use absorbents in manufacturing plants and similar environments.



### BATTLEMAT

HEAVY	ITEM #		DESCRIPTION
15" ROLLS	BM15	15" x 150', 1/case	Heavy weight, camo, double-perfed roll
30" ROLLS	BM30	30" x 150', 1/case	Heavy weight, camo, double-perfed roll
	BM30X	30" x 150', 1/case	Heavy weight, camo, un-perfed roll

HEAVY	ITEM #		DESCRIPTION
	BM100	15" x 19", 100/bale	Heavy weight, camo, perfed pads



## HT SERIES

Built for durability and high absorbency, the economical “High Traffic” or HT Roll is ideal for your busy problem areas. The HT Roll will quickly become your mat of choice for saving time and money on your industrial applications.



### HT

HEAVY	ITEM #		DESCRIPTION
15" ROLLS	HT15	15" x 150', 1/case	Heavy weight, single-perfed roll
	HT555	15" x 150', 1/case	Heavy weight, multi-perfed roll
30" ROLLS	HT30	30" x 150', 1/case	Heavy weight, double-perfed roll
MEDIUM	ITEM #		DESCRIPTION
15" ROLLS	HT153	15" x 300', 1/bale	Medium weight, single-perfed roll
30" ROLLS	HT303	30" x 300', 1/bale	Medium weight, double-perfed roll

## THE HT555 MULTI-PERFED ROLL

The HT555 with its convenient dispenser box is a multi-use product: use it as a pad, a wipe, a roll or even a soc!

- Triple perfed lengthwise every 5 inches
- Additional perforation cross-wise every 18 inches
- It's always just the right size!



As a pad!



As a roll!



As a soc!




As a wipe!

## CLEANING UP SPILLS ON LAND OR WATER!

Specialized for oil and other petroleum-based spills, oil only pads and rolls will not absorb water and will float indefinitely. These sorbents are unaffected by temperature and impervious to rot and mildew. Ideal for outside use, SPC's oil only products are equally effective in soaking up petroleum-based solvents and paints, vegetable oils and other non-water soluble chemicals.

### ENV™ - MAXX Enhanced

- Single ply economy
- Contractor grade, oil only sorbent
- MAXX Technology: - Ounce for ounce a stronger, more absorbent product than the original ENV



### Static Resistant (SR) Oil Sorbents

- Single ply, ENV grade pads and rolls
- Treated to resist static electricity build up
- Perfect for fueling applications



### SPC™ Oil Sorbents Made With MAXX

- SPC's original oil only solution sorbent now stronger and more absorbent with MAXX Technology
- Heavier and dimpled for additional strength and lower linting
- Perforated for ease of use



### Oil Plus™

- Multi-ply
- Top quality you can feel in every pad or roll
- Heavy and medium weight grades offer versatility (*price, absorption, etc.*)
- Perforated to minimize waste (*you only take what you need*)



### SXT™

- 3-Ply
- Extra tough and durable
- Very low linting
- Great for wipe down applications
- Better suited for wringing and re-using
- Perforated





## THE TECHNOLOGY:

The technology or structure behind each of the oil only products helps determine the strength and absorbency of each sorbent. This information along with the product's characteristics (grade, perforations, etc.) is what helps you decide which sorbent is best for your application.

All of these oil only pads and rolls start with a highly absorbent meltblown polypropylene (MBPP) core - the difference is what happens from there...

<b>ENV:</b>	Pure and simple – now MAXX enhanced, it's a single ply, economy product.		single ply meltblown
<b>SR:</b>	Single ply (ENV Grade) specially treated to resist static build up.		single ply meltblown
<b>SPC:</b>	Still single ply and made with MAXX, but heavier – featuring dimples and perforations.		single ply meltblown
<b>OIL PLUS:</b>	MBPP coverstock is added to the core for additional durability and absorption capacity. Also, the coverstock generates less lint than the core material.		meltblown meltblown meltblown
<b>SXT:</b>	Spunbond coverstock is added – making it virtually lint free, exceptionally strong, wringable and re-usable.		spunbond meltblown spunbond

Feature:	ENV	SR	SPC	OP	SXT
Durability	✓✓	✓✓	✓✓	✓✓✓	✓✓✓✓
Low Linting	✓✓	✓	✓✓	✓✓✓	✓✓✓✓
Absorption	✓✓✓	✓✓	✓✓✓	✓✓✓✓	✓✓✓
Relative Cost	\$	\$\$\$	\$\$	\$\$	\$\$

SPC sorbents are ideal for disposal by incineration – incinerating to less than .02% ash.

+

### May We Also Suggest...

Try oil only SOC's or pillows. These flexible products fit into odd spaces, mold around corners and conform to uneven surfaces. SOC's are featured on page 26 while pillows appear on page 28.



## ENV™ NOW MADE WITH MAXX TECHNOLOGY!

A contractor grade oil sorbent offering MAXX enhanced performance at an economical price.



### Features & Benefits:

- Oil only sorbent equally effective on land or water
- Repels water and floats indefinitely – even when saturated
- Efficient single-ply construction
- MAXX means greater performance without the extra weight

### Applications:

Ideal for marine applications where low cost and high absorption capacity is desired:

- Emergency spill response
- Off-shore spills
- A low-cost industrial alternative

### ENV Oil Sorbents

PADS	HEAVY	ITEM #	DESCRIPTION	
		ENV100	15" x 19", 100/bale	Heavy weight economy
PADS	MEDIUM	ITEM #	DESCRIPTION	
		ENV300	15" x 19", 100/bale	Medium weight economy
		ENV50	30" x 30", 50/bale	Medium weight pad
PADS	LIGHT	ITEM #	DESCRIPTION	
		ENV200	15" x 19", 200/bale	Light weight economy, double coverage
		ENV500	15" x 19", 100/bale	Light weight economy
ROLL	MEDIUM	ITEM #	DESCRIPTION	
	30" ROLLS	ENV150	30" x 150', 1/bale	Medium weight, value roll



## SPC™ MAXX ENHANCED!

Convenient and cost-effective, SPC's original sorbent is still one of our most popular lines and is now made with MAXX Technology.

### Features & Benefits:

- Hydrophobic nature makes it ideal for outdoor applications
- Heavier and bonded to enhance strength and reduce linting
- Dimpled and perforated, single-ply sorbents
- MAXX means greater performance without the extra weight



### Applications:

- Spill response and clean up
- Off-shore or ship-board spills
- Outdoor industrial applications where lint is not a concern

### SPC - MAXX Enhanced

PADS	HEAVY		ITEM #	DESCRIPTION	
			SPC100	15" x 19", 100/bale	Heavy weight, dimpled and perfed
			SPC50	33" x 39", 50/bale	Heavy weight, dimpled jumbo size
	MEDIUM		ITEM #	DESCRIPTION	
			SPC300	15" x 19", 100/bale	Medium weight, dimpled and perfed
	LIGHT		ITEM #	DESCRIPTION	
		SPC200	15" x 19", 200/bale	Light weight, dimpled and perfed, double the coverage	
		SPC500	15" x 19", 100/bale	Light weight, dimpled and perfed	

ROLLS	HEAVY		ITEM #	DESCRIPTION	
	38" ROLLS		SPC150	38" x 144', 1/bale	Heavy weight and dimpled
	19" ROLLS		SPC152	19" x 144', 2/bale	Heavy weight and dimpled, convenient width



Before



## OIL PLUS™

OP's performance gives users a durable and highly absorbent tool for cleaning up petroleum-based spills and leaks.



### Features & Benefits:

- Absorbs petroleum-based oils, solvents and other non-water soluble liquids
- Dimpled and perforated to help you use only what you need – reduces waste
- Multi-ply, heavyweight quality you can count on day in and day out
- OP150DND features 150 heavyweight pads and SPC's unique "Dispense-n-Dispose" system

### Applications:

Effective in both industrial and environmental applications:

- Heavy manufacturing
- Indoor/outdoor petroleum clean up

See the **MRO150DND** on page 7 for more information.



## OIL Plus™

PADS	HEAVY		ITEM #	DESCRIPTION	
			OP100	15" x 19", 100/case	Heavy weight, full size perfed pad
			OP50	30" x 30", 50/bale	Heavy weight jumbo pad
			OP150DND	15" x 19", 150/case	OP100 pads with Dispense-n-Dispose system
	MEDIUM		ITEM #	DESCRIPTION	
			OP300	15" x 19", 100/case	Medium weight, full-size pad

ROLLS	HEAVY		ITEM #	DESCRIPTION		
	15" ROLLS		OP15	15" x 150', 1/case	Heavy weight, new efficient width	
			OP15P	15" x 150', 1/case	Heavy weight, perfed every 18"	
			OP15DP	15" x 150', 1/case	Heavy weight, perfed every 9" & up center	
			OP15DPS	15" x 73', 1/bale	Heavy weight refill for Spill Kaddie	
	30" ROLLS		OP30	30" x 150', 1/case	Heavy weight, full size blanket	
			OP30P	30" x 150', 1/case	Heavy weight, perfed every 30"	
			OP30DP	30" x 150', 1/case	Heavy weight, perfed every 15" & up center	
		MEDIUM		ITEM #	DESCRIPTION	
		15" ROLLS		OP315P	15" x 150', 1/case	Medium weight, perfed every 18"
		30" ROLLS		OP350DP	30" x 150', 1/case	Medium weight, double perfed



## SXT™

The ultimate oil only “wipe down” sorbent.

### Features & Benefits:

- High performance, oil only sorbent made to handle petroleum-based spills
- Remains intact even when saturated
- Spunbond coverstock on both sides offers:
  - Maximum durability and very low linting
  - Both abrasion resistant and non-abrasive performance – ideal for workstations involving the wipe down of tools or component parts
  - The extra strength required for the wringing and re-using of sorbents
- Perforated to help you use only what you need – reduces waste



### Applications:

Ideal for applications where low linting is required:

- High Tech Industries
- Paper Industry
- Pharmaceutical
- Food Processing
- Machining of small parts

### SXT™

PADS	HEAVY	ITEM #	DESCRIPTION
		SXT100	15" x 19", 100/case
LIGHT	ITEM #	DESCRIPTION	
	SXT200	15" x 19", 200/case	Light weight, full size perfed

ROLLS	HEAVY	ITEM #	DESCRIPTION
	15" ROLLS	SXT15P	15" x 150', 1/case
30" ROLLS	SXT30DP	30" x 150', 1/case	Heavy weight, perfed every 15" & up center



## STATIC RESISTANT

Specially treated oil only pads and rolls.



### Features & Benefits:

- Treated to resist static electricity build up
- Oil only so they do not absorb water – perfect for outdoor use
- Single ply
- Meets National Fire Protection Association (NFPA) specifications

### Applications:

Employed wherever static electricity is a concern:

- Around fuel or other ignitable fumes
- Computer production
- Especially effective in cold environments

### Static Resistant

	HEAVY	ITEM #		DESCRIPTION
PADS		SR1825	15" x 19", 25/bale	Economy packed
		SR1850	15" x 19", 50/bale	Quality tested
		SR3625	30" x 30", 25/bale	Jumbo sized

	HEAVY	ITEM #		DESCRIPTION
ROLLS	30" ROLLS	SR3600	30" x 150', 1/bale	Blankets large areas



## DID YOU KNOW?

---

Surveying a facility for potential trouble spots, proper sorbent usage and product selection brings additional knowledge and experience to local distributor reps and plant personnel. For example, environmental and site surveys, especially at larger plants where many different departments buy sorbents from many different sources, often uncover excellent opportunities for product standardization and consolidation. As a value-added service, SPC and its distributors can help plants make better application decisions and reduce costs.



### **Environmental Survey**

---

SPC's Environmental Survey is a free service – helping facilities keep their employees as well as their equipment clean and safe while remaining in compliance with OSHA, EPA and SPCC regulations. This detailed survey asks the right questions and identifies the areas where SPC and its distributor can provide solutions for the proper use of sorbents in the plant. In the past, end users have used these surveys as an “Environmental Audit” and kept them on file.

### **Cost Savings Worksheet**

---

Seeing is believing! This simple worksheet helps you compare the sorbents you are currently buying with our recommendations – automatically calculating the price difference and displaying your cost savings.

### **Cross Reference**

---

This web-based tool allows you to quickly choose which SPC product is the best alternative to your current sorbent. Just click on the manufacturer and then their product to see which SPC product is the right choice. The Cross Reference can be easily accessed from the navigation bar on the SPC U.S. home page. The website ([www.bradyid.com/spc](http://www.bradyid.com/spc)) is a fully functional information resource center for distributors and their customers – including interactive product selection guides, product applications, searchable Cross Reference, access to MSDS, etc.

# CHEMICALSORBENTS

## WHEN YOU NEED YOUR PADS AND ROLLS COLOR-CODED FOR SAFETY

Alert your employees to the presence of hazardous fluids with green and yellow chemical sorbents from SPC. These surfactant-treated polypropylene pads and rolls can be used on a wide range of chemicals, including hydrofluoric acid and are chemically inert, so they will not react with aggressive fluids.

**NEW**

### MAXX Chemical

- Single ply, value sorbent
- Made with MAXX Technology – delivering increased performance without increasing the weight
- Yellow color is a warning for hazardous materials
- Available in a variety of sizes and configurations



### Universal Plus™


- 3-Ply premium product
- Color-coded green for safety
- Available as a wiper, full-size pad, or roll (15" and 30")
- Perforated to minimize waste



### May We Also Suggest...

Turn to page 34 and 35 to see the latest way SPC is helping businesses guard against the leaks, drips and spills that create safety and environmental hazards in the workplace.





## THE TECHNOLOGY:

The technology or structure behind each of the chemical products helps determine the strength and absorbency of each sorbent. This information along with the product's characteristics (grade, perforations, etc.) is what helps you decide which sorbent is best for your application.

All of these chemical pads and rolls start with a highly absorbent meltblown polypropylene (MBPP) core - the difference is what happens from there...

**MAXX Chemical:** MAXX-enhanced single ply product, dimpled and perfed.



single ply  
meltblown

**Universal Plus:** MBPP coverstock is added to both sides of the core for additional durability and absorption capacity. Also, the coverstock generates less lint than the core material.



meltblown  
meltblown  
meltblown

Feature:	MAXX Chemical	UN+
Durability	✓✓	✓✓✓
Low Linting	✓✓	✓✓✓
Absorption	✓✓✓	✓✓✓
Relative Cost	\$\$	\$\$\$

SPC sorbents are ideal for disposal by incineration – incinerating to less than .02% ash.

## MAXX CHEMICAL

Yellow value sorbent enhanced with MAXX Technology – an ideal choice for all of your chemical applications.



### Features & Benefits:

- MAXX means greater performance without the extra weight
- Color-coded yellow for safety and easy separation of hazardous waste
- Product will not react with aggressive fluids

### Applications:


For use where hazardous chemicals and acids are involved:

- Nuclear Power Facilities
- Labs and Hospitals
- Chemical Spill Response Units
- Any industry utilizing aggressive fluids

### MAXX Chemical

PADS	ITEM #		DESCRIPTION
		CH1212	12" x 12", 50/bag, 4 bags/case
	CH100	15" x 19", 100/case	Full size perfed pad

ROLLS	ITEM #		DESCRIPTION
	15" ROLLS	CH15P	15" x 150', 1/case
30" ROLLS	CH30DP	30" x 150', 1/case	Perfed every 15" & up center



## UNIVERSAL PLUS

SPC's green universal sorbent for any liquid including oil and hazardous chemicals & acids.



### Features & Benefits:

- Chemically inert making it ideal for use with aggressive fluids
- Three-ply construction makes it stronger, more durable and reduces lint
- Perforated to help you use only what you need – reduces waste
- The product's green color (the universal symbol for safety) indicates that it is intended for use on hazardous materials

### Applications:

For use where hazardous chemicals and acids are involved:

- Labs
- Hospitals
- Pharmaceutical
- Any industry utilizing aggressive fluids

### Universal Plus

PADS	ITEM #		DESCRIPTION
		UN1113	12" x 12", 50/bag, 4 bags/case
	UN1719	15" x 19", 100/case	Full size perforated pad

ROLLS	ITEM #		DESCRIPTION
	15" ROLLS	UN1019	15" x 150', 2/case
30" ROLLS	UN3800	30" x 150', 1/case	Perforated every 15" & up center



## HOW DO YOU CHOOSE A SORBENT?

Actually, start at the end, in the trash. One of the best ways to help you pick the right sorbent is to see what they look like when you're done with them. Take a look...


These sorbents are being used in a traffic area – choose a tough sorbent like **BattleMat™** or one of our **High Traffic rolls** (page 10) to get durability and high absorbency. Looking for something even tougher? Try one of our industrial rugs like **SIR™** (page 31).

Too much sorbent for the application. Save some money by choosing a medium or lightweight pad like the **MRO300** (page 6) or **GP200** (page 8).

Not Enough Sorbent! Consider a heavyweight pad to increase performance and cut down on the number of lighter pads you go through everyday. Start with **MRO100** (page 6) - it's our number one selling product for a reason!

This pad isn't standing up to the wear and tear of this application. Try one of our extra tough sorbents that feature spunbond on both sides of the pad or roll. **UXT** (page 9) and **SXT** (page 17) are ideal for wipe down applications. If the application is floor based, consider one of our **high traffic products** (highlighted above).

Looks like this sorbent is containing a leak – consider using a **SOC** (page 26) for containing leaky equipment. SPC offers a variety of **SOCs** to meet your needs.





Having the right sorbent for the job makes a big difference. Proper product selection will cut down on employee frustration and make their job easier, create a safer work environment, and even save you money! And once you have all the right sorbents, where are you going to keep them? Have I mentioned the Sorbent Center yet? Check out page 36 to learn more about this mobile and modular storage cabinet for sorbents.

Still have a question (or need someone to go through your used sorbents)? Our Regional Sorbent Sales Managers (RSSMs) are there to help you make the best (and most informed) decisions regarding your leak, drip and spill control efforts. You can easily locate your sales manager on our website – [www.bradyid.com/spc](http://www.bradyid.com/spc) or by calling our office at **1-800-333-7672**.



## DID YOU KNOW?

### STILL USING CLAY?

There is a negative financial impact of using clay to clean up your leaks, drips and spills. It may be cheaper to buy, but the benefits stop there. For example...let's say over the period of a month you clean up 40 gallons or just over a gallon a day. Here are the facts:\*

- 40 gallons spilled = 10 bags of clay or 1.5 bales of SPC pads.
- 10 bags of clay cost roughly \$50 and 1.5 bales of pads costs around \$90.
- After you clean up a spill, clay takes up two to three times as many 55-gallon disposal drums than the pads do.
- Let's estimate the disposal costs at \$350 per drum – making your final cost of using clay easily double the cost of using SPC sorbents.

Still not convinced... consider these points:

- OSHA considers silica a serious health hazard.
- Granular clean up is difficult and labor intensive.
- The small particles can easily enter and damage machinery or your finished product.
- Clay has limited chemical resistance.

\* This is a basic analysis using estimations and averages. Individual situations may vary. Contact your Regional Sorbent Sales Manager to do a more in-depth and customized analysis of your costs.



# SOCS

Routine spill containment and control

## Features & Benefits:

- Dependable, flexible tubes that contain and absorb liquids
- Molds around corners and conforms to uneven surfaces
- Available in a wide variety of types and sizes
- Everyday working tool for all major industries

## SLIKWIK®

- Corncob-filled SOC
- Exceptional value for picking up of all but aggressive fluids



	ITEM #	DESCRIPTION
SLIKWIK®	SW46	3" x 42", 40/case

## OIL ONLY

- Specialized oil-only polypropylene SOC
- Will not absorb water or water-based solutions
- Wringable and incinerable



	ITEM #	DESCRIPTION
OIL ONLY	OIL430	3" x 4', 30/case
	OIL412	3" x 4', 12/case
	OIL806	3" x 8', 6/case
	OIL124	3" x 12', 4/case



Before

**ALLWIK®**

- All-purpose polypropylene SOC
- Suitable for most industrial applications
- Wringable and incinerable



	ITEM #	DESCRIPTION
<b>ALLWIK®</b>	AW430	3" x 4', 30/case
	AW412	3" x 4', 12/case
	AW806	3" x 8', 6/case
	AW124	3" x 12', 4/case

**HAZWIK®**

- Polypropylene SOC ideal for chemical clean up
- Color-coded green for safety
- Wringable and incinerable



	ITEM #	DESCRIPTION
<b>HAZWIK®</b>	HAZ412	3" x 4', 12/case
	HAZ124	3" x 12', 4/case

**MULTIWIWIK™**

- Universal economy SOC
- Not for use with aggressive fluids
- Wringable and incinerable



	ITEM #	DESCRIPTION
<b>MULTIWIWIK™</b>	MS50	3" x 4', 40/case

**COBRA COIL™**

- Excellent diking SOC filled with a granular absorbent
- Suitable for most fluids



	ITEM #	DESCRIPTION
<b>COBRA COIL™</b>	CC400	3" x 4', 12/case

## INDUSTRIAL SPILL SPECIALTY ITEMS

A variety of spill control tools designed for specific industrial applications.

### PILLOWS

#### Features & Benefits:

- Great for absorbing spills and leaking fluids in tight spaces
- Oil only pillows are ideal for use in waste troughs, coolant tanks, fluid reservoirs and sump wells
- Allwik® pillows absorb all oil and water-based fluids
- Hazwik® pillows are color-coded green to indicate their use with hazardous materials



	ITEM #	DESCRIPTION
<b>OIL ONLY</b>	OIL1818	18" x 18", 16/case
	OIL1818-2	18" x 18", 8/case
	OIL99	9" x 9", 32/case
<b>ALLWIK®</b>	AW1818	18" x 18", 16/case
	AW1818-2	18" x 18", 8/case
	AW99	9" x 9", 32/case
<b>HAZWIK®</b>	HAZ1818	18" x 18", 16/case
	HAZ1818-2	18" x 18", 8/case
	HAZ99	9" x 9", 32/case

### DRIP PANS

#### Features & Benefits:

- Durable, low profile, polyethylene drip pans fit conveniently under leaky drum spigots and other problem areas
- Pan and universal fill captures up to 3/4 of a gallon of any liquid
- Wide base prevents tipping



	ITEM #	DESCRIPTION
<b>ALLWIK®</b>	DPA24	10" x 10", 24/case

### PRIMASORB SUPER HEAVYWEIGHT PAD

#### Features & Benefits:

- Anywhere you need a super heavyweight pad
- Ideal for controlling spills and leaks within your spill pallets



	ITEM #	DESCRIPTION
<b>OIL ONLY</b>	PS500	20" x 20", 50/case

## DRUM TOP COVERS

### Features & Benefits:

- Pre-cut to fit 55-gallon drums with either one or two bungholes
- Keeps drums, the floor and surrounding storage areas clean
- Available in Allwik® for absorbing all liquids or in Oil Only




	ITEM #	DESCRIPTION
<b>OIL ONLY</b>	DT025	22" diameter, 25/case
<b>ALLWIK®</b>	DTA25	22" diameter, 25/case

## SPC DRAIN PLUGS

### Features & Benefits:

- Keeps spills and leaks from entering the drainage system
- Conical-shaped drain plugs made from durable, chemical-resistant PVC
- Features a "metal eye" for easy insertion or removal
- Available in four sizes to fit 2", 3", 4" and 5" drains
- Just rinse and re-use when finished



	ITEM #	DESCRIPTION
<b>DRAIN PLUGS</b>	PLUG2	2" plug
	PLUG3	3" plug
	PLUG4	4" plug
	PLUG6	5" plug

\* All Drain Plugs are drop ship only.

## SPC SLIKSTOPPER™

### Features & Benefits:

- Seals drains tightly to prevent spills from spreading
- Made from chemical-resistant, flexible PVC
- Resists water, oil and most aggressive fluids
- Available in four sizes
- Easy application and soap and water cleanup for re-use



	ITEM #	DESCRIPTION
<b>SLIKSTOPPER™</b>	PVC18	18" x 18" 1/case
	PVC24	24" x 24" 1/case
	PVC36	36" x 36" 1/case
	PVC42	42" x 42" 1/case

## TRACKMAT™

This ultimate barrier sorbent for high volume petroleum spills was originally designed for use between and outside railroad tracks. *But it's not just for railroads anymore!*



### Features & Benefits:

- Three-ply construction features:
  - Extremely strong and durable, UV-resistant top layer
  - Highly absorbent polypropylene core
  - Non-leaking, non-slip barrier backing
- Available in pads and rolls, TrackMat™ is still considered the most absorbent barrier mat available

### Applications:

- Transportation companies
- Refineries
- Military
- Utilities
- Steel Mills
- Anywhere high absorbency and retention of petroleum-based fluids is a must

### Trackmat

	HEAVY	ITEM #		DESCRIPTION
ROLLS		TM58	58" x 80', 1/bale	Fits between standard rails
		TM19	19" x 80', 2/bale	Fits outside standard rails
		TM29	29" x 80', 1/bale	Wider coverage outside rails
PADS	HEAVY	ITEM #		DESCRIPTION
		TM30	29" x 29", 30/bale	Jumbo Pad




## INDUSTRIAL RUGS

Increase safety in the workplace with absorbent industrial rugs for heavy traffic areas and workstations.

### Barrier Spill Matting (BSM™)

- Industrial rug made from needle-punched polypropylene
- Non-slip backing sticks to the floor and prevents fluids from leaking through to the floor
- Tear resistant and will not curl or buckle
- Absorbs water, oil or chemicals



ITEM #	DESCRIPTION	
<b>BSM3650</b>	36" x 50', 1/case	Keep aisles and walkways slip free
<b>BSM100</b>	36" x 100', 1/bale	New, convenient length
<b>BSM300</b>	36" x 300', 1/bale	Jumbo roll

### Sorbent Industrial Rug (SIR™)


- Made of durable, needle-punched polypropylene fibers
- Eliminates slippery areas and unsightly tracking between the plant and office areas
- Can stand up to most aggressive fluids
- Gray color masks drips and spills



ITEM #	DESCRIPTION	
<b>SIR36</b>	36" x 300', 1/bale	Best seller for most applications
<b>SIR72</b>	72" x 150', 1/bale	Double wide for extra coverage

### Rag Rug

- Economy rug made from recycled cotton and polyester fibers
- Provides good footing, masks dirt and absorbs spills
- Soaks up oil, water-based and solvent-based liquids
- Ideal for maintenance, repair and industrial environments



ITEM #	DESCRIPTION	
<b>RAG36150</b>	36" x 150', 1/bale	Absorbent and durable, recycled fibers

## MARINE SORBENTS

Specifically designed for cleaning up oil spills on the water, these products have been used for nearly thirty years.

### SORBENT BOOMS

#### Features & Benefits:

- Premium SPC™ booms are lint free and easy to handle
- Economical ENV™ booms feature a lint-free blue sleeve



	ITEM #	DESCRIPTION	
<b>BOOMS</b>	SPC810	8" x 10', 4/bale	Strong, lint-free booms with no gaps
	SPC510	5" x 10', 4/bale	Easy to handle even when saturated
	SPC5510	5" x 10', 2/bale	Double 5" boom lies flat for more surface area
	SPC818	8" x 18", 10/bale	Bilge boom
	ENV810	8" x 10', 4/bale	Economy boom with blue sleeve, lint free
	ENV510	5" x 10', 4/bale	Economy boom with blue sleeve, lint free

### CONTAINMENT BOOMS


#### Features & Benefits:

- Cost-effective solution for containment of oil spills on water
- Also used as barriers in holding ponds to retain waste and debris



	ITEM #	DESCRIPTION
<b>CONTRACTOR BOOM</b>	CB612	6" Float, 12" Skirt, 100' sections
<b>BANTAM BOOM</b>	CB305	3" Float, 4.5" Skirt, 25' sections

\* CB305 drop ship only.






## SWEEP & PILLOWS

### Features & Benefits:

- Literally “sweep” the water to remove surface oil and clean up a spill
  - 100’ sections are ideal for dragging behind or connecting between two ships
- Jumbo pillow is enclosed in a heavy duty netting



	ITEM #	DESCRIPTION	
<b>SWEEP</b>	SPC1900	19” x 100’, 1/bale	Durable blue coverstock for extra strength
<b>PILLOWS</b>	SPC10	14” x 25”, 10/bale	Lint free, jumbo pillows

## OIL NETS™/DRAG NETS™

### Features & Benefits:

- Flat, chemical-resistant filaments in half-pound units
- Float in water and entrap heavy oil
- Can be re-used after draining or dousing with #1 or #2 weight oils
- Extracted oil can be recycled or downgraded as fuel oil
- Use the Drag Net as a sweep between two boats or deployed along a shoreline



	ITEM #	DESCRIPTION
<b>NETS</b>	ON030	Oil Net 30/bale
	ODN08	Oil Drag Net, 30 oil nets per 50’ section



## SPILL **CONTAINMENT**

SPC's first generation of spill containment products are designed with your efficiency in mind — keeping your employees and work environment safe from unexpected drum spills or leaks.

### Features & Benefits:

- **Solid Construction:** All of SPC's spill decks and pallets are manufactured utilizing injection molding — ensuring exceptional durability and consistent specifications.
- **Nestable:** Remove the grates and stack the decks or pallets within each other for more efficient storage and shipping.
- **Standard Lip and Grate Heights:** All SPC spill decks and spill pallets are manufactured to standard heights to allow uninhibited movement between multiple decks and between two and four-drum pallets.
- **Grate Pins:** Pins keep the grates in place during use and prevent the walls from bulging — prolonging the life of the spill deck.
- **Interchangeable Grates with Large Openings:** These removable grates can be used with both your SPC spill decks and spill pallets (even between two and four drum pallets). They also feature large openings for easy leak detection and liquid removal.
- **Forklift Friendly:** Whether you're in North America, Europe, or elsewhere around the globe, these decks have been engineered to make sure you can easily use your forklift to re-locate your decks or pallets and drums.



## SPILL DECKS

### Features & Benefits:

With their 21.2-gallon capacity, these low profile, two-drum spill decks are a cost effective means for containing potentially hazardous leaks in your drum storage and dispensing areas. Each modular deck has built-in clips to easily and safely connect multiple decks – creating a 4, 6, 8 or more drum storage platform.



Built-in clips to increase the length or width of your spill decks – no tools or additional purchases required!



Minimize stock space and increase your transportation efficiency with “nestable” decks.

DESCRIPTION	PART #	EXTERNAL DIMENSIONS	SUMP CAP.	LOAD CAP.	WEIGHT
<b>SPILL DECK, 2 drum</b>	SC-SD2	26” x 52” x 6”	21.2 gallons	2,500 lbs	30.79 lbs
<b>SUMP DRAIN KIT</b>	SC-DK	Install the optional sump kit to share capacity across multiple decks.			

## SPILL PALLETS

### Features & Benefits:

Whether you are looking to comply with governmental secondary containment regulations or just want the security of knowing your facility is protected, SPC spill pallets offer ample capacity (even if an entire drum empties into the unit). Available in both a two-drum and four-drum configuration, the pallets offer up to 128.9 gallons of containment – far superior to other 4-drum pallets on the market.



Make better use of plant, warehouse or trailer space with “nestable” units.



Optional ramp works with both the two-drum and four drum spill pallets.



Purchase PrimaSorb pads — made especially for our spill pallets.

DESCRIPTION	ITEM #	EXTERNAL DIMENSIONS	SUMP CAP.	LOAD CAP.	WEIGHT
<b>SPILL PALLET, 2 drum</b>	SC-DP2	26” x 52” x 17”	68.70 gallon	2,500 lbs	46.4 lbs
<b>SPILL PALLET, 4 drum</b>	SC-DP4	52” x 52” x 17”	128.9 gallon	5,000 lbs	88.54 lbs
<b>RAMP</b>	SC-DPR	32.5” x 70”		650 lbs	47.5 lbs
<b>PRIMASORB Pallet Pad</b>	PS500	20” x 20”			

## A BETTER WAY TO STORE & ACCESS SORBENTS



### Features & Benefits:

- Fill your Sorbent Center with just about any SPC sorbent you need
- Holds up to a 38" roll and full bales of product – no special refills required!
- Buy one and hang it on the wall or place it under your workbench
- Buy two or three to make a custom sorbent cabinet
- Optional accessories include casters, wall mounting bracket, dowel rods and an accessory pack (goggles, gloves, disposal bags and emergency handbook)

### Applications:

- Sorbent deployment station
- Mobile spill control unit
- Extension of your bin system and managed inventory program
- New tool in your "Lean" efforts  
(supports two of the "5S" principles - Set In Order or "Seiton" and Shine or "Seiso")

DESCRIPTION	ITEM #	SHIPPING WEIGHT (LBS.)
<b>SORBENT CENTER ONLY:</b>		
Cabinet only	SC-3000	49

Dimensions: Unassembled - 50"L x 26"W x 7.75"H  
Assembled - 50"L x 20.5"W x 26"H

## Accessories:

- Set of 3" Casters
- Accessory Pack
- Wall Mounting Bracket
- Dowel Rods: 15" Dowel Rod & 40" Dowel Rod



	ITEM #	SHIPPING WEIGHT (LBS.)
<b>SET OF CASTERS</b>	SC-4	3
<b>ACCESSORY PACK</b>	SC-ACC	2
<b>WALL MOUNTING BRACKET</b>	SC-MB	2
<b>15" DOWEL ROD</b>	SC-D15	1
<b>40" DOWEL ROD</b>	SC-D40	1

## DID YOU KNOW?

Worker productivity and efficiencies can be improved dramatically by placing Sorbent Centers strategically around the facility and closer to the areas of need. For both emergency response and routine maintenance and safety, you don't want employees wandering away from their workstation to the other side of the plant or tool room to check out the sorbent materials they need.



Punctuate your company's safety program with Sorbent Centers branded in your corporate colors or with custom labels (*certain minimums apply*). The inside of each door is indented for you to post your organization's safety guidelines, ISO requirements or the "What To Do When A Spill Occurs" label included with each Sorbent Center.

## PORTABLE SPILL KITS

Accidents happen. Be prepared with SPC's emergency spill kits.

- Wide variety of spill kits
- Handle spills from 5 to nearly 260 gallons
- All kits come in Universal (Allwik), Oil Only or Chemical (Hazwik)

### Economy Spill Kit™

Highly visible yellow PVC bag is "just right" for small spills. The right price, the right size and the right value. **Absorbs up to 5 gallons per kit.** Sold 5 kits per case.



KIND	ITEM #
Oil Only	SKO-PP
Allwik	SKA-PP
Hazwik	SKH-PP

- Contents:**
- 10 pads (15" x 19")
  - 2 SOC's (3" x 4')
  - Nitrile gloves
  - 1 Disposal bag
  - Instruction sheet

### Attack Pac™

Efficient, space saving, single use kit, packed in puncture and UV resistant foil bag (includes grommet for hanging). **Absorbs up to 7 gallons per kit.** Sold 4 kits per case.



KIND	ITEM #
Oil Only	SKO-ATK
Allwik	SKA-ATK
Hazwik	SKH-ATK

- Contents:**
- 15 pads (15" x 19")
  - 3 SOC's (3" x 4')
  - Nitrile gloves
  - 1 Disposal bag
  - Instruction sheet
  - Goggles

### Emergency Spill Sak™

Easily portable economy spill kit packed in reusable stuff sack. **Absorbs up to 9 gallons per kit.**



KIND	ITEM #
Oil Only	SKO-SAK
Allwik	SKA-SAK
Hazwik	SKH-SAK

- Contents:**
- 10 pads (15" x 19")
  - 2 SOC's (3" x 12')
  - 1 pillow (18" x 18")
  - Nitrile gloves
  - 1 Disposal bag
  - Instruction sheet

### Emergency Response Kit

The value of this kit is as clear as the front of the bag. Quickly assess the sorbents you have, throw the kit over your shoulder and respond to the spill. **Absorbs up to 15 gallons per kit.** Sold 2 kits per case.



KIND	ITEM #
Oil Only	SKO-CFB
Allwik	SKA-CFB
Hazwik	SKH-CFB

- Contents:**
- 32 pads (15" x 19")
  - 5 SOC's (3" x 4')
  - 1 pillow (18" x 18")
  - Nitrile gloves
  - 2 Disposal bags
  - Instruction sheet
  - Goggles

## DRUM SPILL KITS

### 6.5 Gallon Spill Bucket

Extremely accessible spill kit in a reusable bucket. For small response.  
**Absorbs up to 9 gallons per kit.**

KIND	ITEM #
Oil Only	SKO-BKT
Allwik	SKA-BKT
Hazwik	SKH-BKT

**Contents:**  
 10 pads (15" x 19")  
 3 SOC's (3" x 4')  
 Nitrile gloves  
 2 Disposal bags  
 Instruction sheet



### 20 Gallon Lab Pack

UN approved water and chemical resistant polyethylene Lab Pack container with screw top lid for small to medium response.  
**Absorbs up to 15 gallons per kit.**

KIND	ITEM #
Oil Only	SKO-20
Allwik	SKA-20
Hazwik	SKH-20

**Contents:**  
 12 pads (15" x 19")  
 3 SOC's (3" x 12')  
 2 pillows (18" x 18")  
 Goggles  
 Nitrile gloves  
 3 Disposal bags  
 Emergency Response Handbook



### 55 Gallon Drum

Open and close this lever locked 55 gallon drum for fast response.  
 Drum meets UN specifications. For medium spill response.  
**Absorbs up to 38 gallons per kit.**

KIND	ITEM #
Oil Only	SKO-55
Allwik	SKA-55
Hazwik	SKH-55

**Contents:**  
 50 pads (15" x 19")  
 4 SOC's (3" x 12')  
 8 pillows (18" x 18")  
 Goggles  
 Nitrile gloves  
 5 Disposal bags  
 Emergency Response Handbook



### 95 Gallon Overpack

Tough, secure and highly visible, this top quality screw topped overpack drum meets UN and DOT specifications. For larger spill response.  
**Absorbs up to 75 gallons per kit.**

KIND	ITEM #
Oil Only	SKO-95
Allwik	SKA-95
Hazwik	SKH-95

**Contents:**  
 110 pads (15" x 19")  
 12 SOC's (3" x 4')  
 8 SOC's (3" x 12')  
 8 pillows (18" x 18")  
 Goggles  
 Nitrile gloves  
 10 Disposal bags  
 Emergency Response Handbook



## MOBILE SPILL KITS

### Spill Kaddie

Mobile, compact Emergency Spill Kit is for fast spill response or maintenance mess prevention anywhere in the plant. (Size: 18"L x 17" W x 39" H).  
**Absorbs up to 22 gallons per kit.**

KIND	ITEM #
Oil Only	SKO-K2
Allwik	SKA-K2
Hazwik	SKH-K2

**Contents:**

- 1 roll (15" x 73") – perforates into 200 pads (7.5" x 9")
- 5 SOC's (3" x 4')
- 8 pillows (9" x 9")
- Goggles
- Nitrile gloves
- 5 Disposal bags
- Emergency Response Handbook



### Large Spill Truck

Large and Extra Large polyethylene bins are chemical and water resistant. Wheel mounted for maximum mobility, spill trucks provide highest level of readiness.

KIND	ITEM #
Oil Only	SKO-LT
Allwik	SKA-LT
Hazwik	SKH-LT
Marine	SKM-LT

**Contents for SKO-LT, SKA-LT, SKH-LT:**

- Absorbs up to 126 gallons**
- 200 pads (15" x 19")
  - 8 pillows (18" x 18")
  - 3 pairs of nitrile gloves
  - Emergency Response Handbook
  - 24 SOC's (3" x 4')
  - 12 SOC's (3" x 12')
  - Goggles
  - 15 disposal bags

KIND	ITEM #
Empty Bin	SC-LBIN

**Contents for SKM-LT:**

- Absorbs up to 153 gallons**
- 400 pads (15" x 19")
  - Goggles
  - Emergency Response Handbook
  - 4 booms (5" x 10')
  - 1 sweep (19" x 100')
  - 6 pairs of nitrile gloves
  - 15 disposal bags



### Extra Large Spill Truck

KIND	ITEM #
Oil Only	SKO-XLT
Allwik	SKA-XLT
Hazwik	SKH-XLT
Marine	SKM-XLT

**Contents for SKO-XLT, SKA-XLT, SKH-XLT:**

- Absorbs up to 174 gallons**
- 250 pads (15" x 19")
  - 8 pillows (18" x 18")
  - 3 pairs of nitrile gloves
  - Emergency Response Handbook
  - 36 SOC's (3" x 4')
  - 20 SOC's (3" x 12')
  - Goggles
  - 30 disposal bags

KIND	ITEM #
Empty Bin	SC-XLBIN

**Contents for SKM-XLT:**

- Absorbs up to 258 gallons**
- 600 pads (15" x 19")
  - Goggles
  - Emergency Response Handbook
  - 8 booms (5" x 10')
  - 2 sweep (19" x 100')
  - 6 pairs of nitrile gloves
  - 30 disposal bags



*Spill Trucks Are Available With or Without Contents.*





## LOOSE GRANULAR

Multi-purpose absorbents for spill clean-up, lab packing and stabilization of free liquids.

### Dri-Zorb®

- All-natural corncob product
- Useful alternative to clay that quickly absorbs cutting oils, grease, water and other liquids
- Well-suited for use in aircraft maintenance, machine shops, food processing, filling lines and bulk liquid transfer stations
- Not for use with aggressive fluids

\* Only available in full pallets, FOB Delphi, Indiana.



### Cansorb™

- Organic, oil only absorbent made from high quality large fiber sphagnum Peat Moss
- Absorbs 8x its weight in fluids

\* Drop ship only in full pallets, FOB Berwick, Nova Scotia.



### Oil Gator®

- All-natural, biodegradable absorbent
- Encapsulates 2 to 6 times its weight in oil or oil-based products
- Recycled waste product containing naturally occurring micro-organisms and nutrients
- Will not harm the environment and stops the leaching of contaminants into the soil and groundwater

\* Only available in full pallets.



ITEM #	DESCRIPTION	
DZ100	Dri-Zorb	40 lbs/bag, 48 bags/pallet
CS-CB-18	Cansorb/Compressed, Oil Only	18 lbs/bag, 50 bags/pallet
CS-LFB-10	Cansorb/Loose, Oil Only	10 lbs/bag, 4 bags/case
GS-10	Oil Gator	30 lbs/bag, 60 bags/pallet

# CHEMICAL APPLICATION GUIDE

Listing of common industrial fluids and the sorbents to use

<b>Oil Only Polypropylene include:</b>	SPC Oil Sorbents • Oil Plus • SXT • Oil Only SOC's & Pillows • Trackmat • ENV Oil Sorbents
<b>Universal &amp; Chemical Polypropylene include:</b>	MRO Plus • UXT • Universal Plus • Allwik & Hazwik SOC's & Pillows • SIR • BSM • BattleMat • GP • Cobra Coil • High Traffic
<b>Universal/Organic non-aggressive include:</b>	Multiwik SOC • Slikwik SOC • Dri-zorb • Rag Rug • SW46

CHEMICAL POLYPROPYLENE	OIL ONLY POLYPROPYLENE	UNIVERSAL POLYPROPYLENE	UNIVERSAL ORGANIC	CHEMICAL POLYPROPYLENE	OIL ONLY POLYPROPYLENE	UNIVERSAL POLYPROPYLENE	UNIVERSAL ORGANIC
Acetaldehyde		✓	✓	Heptane	✓	✓	✓
Acetic Acid		✓	✓	Hexane	✓	✓	✓
Acetic Anhydride		✓		Hydrazine		✓	
Acetone	✓	✓	✓	Hydrochloric Acid		✓	
Acetyl Chloride		✓		Hydrofluoric Acid		✓	
Acrolein	✓	✓		Hydrogen Cyanide	✓	✓	
Acrylonitrile		✓	✓	Hydrogen Peroxide		✓	✓
Acrylic Acid		✓		Isobutyl Alcohol	✓	✓	✓
Acrylic Emulsions		✓	✓	Isobutyric Acid	✓	✓	✓
Allyl Alcohol		✓	✓	Isopropyl Acetate		✓	✓
Aminobenzoic Acid		✓		Isopropyl Alcohol	✓	✓	✓
Ammonia (Anhydrous)	✓	✓	✓	Kerosene	✓	✓	✓
Ammonium Hydroxide	✓	✓	✓	Keytones	✓	✓	✓
Amyl Acetate	✓	✓		Linseed Oil	✓	✓	✓
Amyl Alcohol		✓	✓	Lubricating Oil	✓	✓	✓
Aniline		✓	✓	Magnesium Hydroxide		✓	✓
Antifreeze		✓	✓	Methyl Alcohol	✓	✓	✓
Aqua Regia		✓		Methyl Chloride	✓	✓	✓
Aviation Fuel	✓	✓	✓	Methyl Ether	✓	✓	✓
Benzene	✓	✓	✓	Methyl Ethyl Ketone	✓	✓	✓
Benzoic Acid		✓		Methyl Propionate	✓	✓	✓
Benzonitrile		✓		Mineral Oil	✓	✓	✓
Benzoyl Chloride		✓		Motor Oil	✓	✓	✓
Benzyl Alcohol		✓	✓	Naphthalene	✓	✓	✓
Boric Acid		✓		Nitric Acid		✓	✓
Brake Fluid	✓	✓	✓	Nitrobenzene		✓	✓
Bromine		✓		Nitrobenzoic Acid		✓	✓
Butyl Acetate	✓	✓		Nitrotoluene	✓	✓	✓
Butyl Alcohol	✓	✓	✓	Octane	✓	✓	✓
Butyric Acid	✓	✓		Oleic Acid		✓	✓
Butylamine		✓	✓	Olive Oil	✓	✓	✓
Butyric Acid	✓	✓		Paraffin	✓	✓	✓
Calcium Hydroxide		✓		Perchloroethylene		✓	✓
Carbolic Acid		✓		Petroleum Ether	✓	✓	✓
Carbon Disulfide		✓		Phenol		✓	✓
Carbon Tetrachloride		✓	✓	Phosphoric Acid		✓	✓
Castor Oil	✓	✓	✓	Plating Solutions		✓	✓
Chlorine Water		✓		Potassium Hydroxide		✓	✓
Chloroacetic Acid		✓		Propanol		✓	✓
Chlorobenzene		✓		Propionic Acid	✓	✓	✓
Chloroform	✓	✓	✓	Propyl Alcohol	✓	✓	✓
Chromic Acid (50%)		✓		Propylene Glycol	✓	✓	✓
Chlorosulfonic Acid		✓		Quinoline		✓	✓
Citric Acid		✓		Resorcinol		✓	✓
Clorox (Full Strength Bleach)		✓	✓	Salt Solutions (metallic)		✓	✓
Corn Oil	✓	✓	✓	Silicone Oil	✓	✓	✓
Cottonseed Oil	✓	✓	✓	Silver Nitrate		✓	✓
Cresol	✓	✓	✓	Soap Solution (concentrated)	✓	✓	✓
Cyclohexane	✓	✓	✓	Sodium Bicarbonate		✓	✓
Detergents		✓	✓	Sodium Chloride		✓	✓
Dichlorobenzene	✓	✓		Sodium Hydroxide		✓	✓
Diethylamine	✓	✓		Sodium Hypochlorite		✓	✓
Diethyl Ether	✓	✓	✓	Sodium Nitrate		✓	✓
Disooctyl Phthalate	✓	✓		Stannic Chloride		✓	✓
Dinitrobenzene	✓	✓		Starch		✓	✓
Dioxan		✓	✓	Styrene	✓	✓	✓
Ether	✓	✓	✓	Sucrose		✓	✓
Ethyl Acetate	✓	✓	✓	Sulfuric Acid		✓	✓
Ethyl Alcohol	✓	✓	✓	Synthetic Motor Oil	✓	✓	✓
Ethyl Benzene	✓	✓		Tannic Acid		✓	✓
Ethyl Chloride	✓	✓		Toluene	✓	✓	✓
Ethyl Ether	✓	✓	✓	Transformer Oil	✓	✓	✓
Ethyl Propionate	✓	✓		Trichloroethylene	✓	✓	✓
Ethylene Glycol		✓	✓	Triethylene Glycol	✓	✓	✓
Formaldehyde		✓	✓	Turpentine	✓	✓	✓
Formic Acid		✓		Urine		✓	✓
Fuel Oil	✓	✓	✓	Vinyl Acetate	✓	✓	✓
Gasoline	✓	✓	✓	Vinegar	✓	✓	✓
Gearbox Oil	✓	✓	✓	Xylene	✓	✓	✓
Glacial Acetic Acid		✓					
Glycerol		✓	✓				

Disclaimer: The above information is provided as a guide only. No claims or warranties are expressed or implied as to the absolute accuracy of the data supplied. In all cases it is assumed chemicals in question are at ambient temperatures and pressure and are used in basic state, not in combination or mixtures. **Small test samplings by users is always recommended to ensure safe application.**

# INDEX

**UNIVERSAL**
**OIL ONLY**
**CHEMICAL**
**PLASTICS**

ITEM NO	SIZE	PACKAGING	SHIPPING WEIGHT (lbs)	ABSORBANCY FACTOR (gl/gal)	CAP. (gallons)	STATIC RESISTANT	PERFORATED	WEIGHT: HEAVY, MEDIUM, LIGHT	PALLET QUANTITY	PAGE #
<b>PADS</b>										
BM100	15"x19"	100/BALE	16.5	12.5	27.5	✓	✓	Heavy	40	10
CH100	15"x19"	100/CASE	16	18	30	✓	✓	Medium	30	22
CH1212	12"x12"	200/CASE	14.5	18	30	✓	✓	Medium	24	22
ENV100	15"x19"	100/BALE	12.5	20	33			Heavy	30	14
ENV200	15"x19"	200/BALE	16	23	51			Light	18	14
ENV300	15"x19"	100/BALE	10	20	28			Medium	36	14
ENV50	30"x30"	50/BALE	19	20	50			Medium	10	14
ENV500	15"x19"	100/BALE	8	23	16			Light	48	14
GP100	15"x19"	100/BALE	14.5	18	30	✓		Heavy	30	8
GP200	15"x19"	200/BALE	16	20	44	✓		Light	18	8
GP500	15"x19"	100/BALE	8.2	20	22	✓		Light	30	8
MRO100	15"x19"	100/CASE	17.5	12.5	26	✓	✓	Heavy	30	6
MRO100-2	15"x19"	50/BALE	8	12.5	13.5	✓	✓	Heavy	36	6
MRO150DND	15"x19"	150/CASE	27	12.5	39	✓	✓	Heavy	18	6
MRO300	15"x19"	100/CASE	14	12.5	20.5	✓	✓	Medium	36	6
MRO50	30"x30"	50/BALE	24.5	12.5	41	✓		Heavy	13	6
MXO1000	15"x19"	100/CASE	11	23	26		✓		36	2
MXU1000	15"x19"	100/CASE	11	24	27		✓		36	3
OP100	15"x19"	100/CASE	17.5	12.5	26		✓	Heavy	30	16
OP150DND	15"x19"	150/CASE	27	12.5	39		✓	Heavy	18	16
OP300	15"x19"	100/CASE	14	12.5	26		✓	Medium	36	16
OP50	30"x30"	50/BALE	17.5	12.5	41			Heavy	10	16
PS500	20"x20"	50/BALE	16.5	16	31.7			Heavy	24	28
SPC100	15"x19"	100/BALE	14	18	35		✓	Heavy	30	15
SPC200	15"x19"	200/BALE	16	18	35		✓	Light	18	15
SPC300	15"x19"	100/BALE	11	18	30		✓	Medium	36	15
SPC500	15"x19"	100/BALE	8.2	18	20		✓	Light	48	15
SPC50	33"x39"	50/BALE	33.5	15	74			Heavy	10	15
SR1825	15"x19"	25/BALE	4	15	6	✓		Heavy	90	18
SR1850	15"x19"	50/BALE	4.5	15	9	✓		Light	78	18
SR3625	30"x30"	25/BALE	10	15	16	✓		Heavy	14	18
SXT100	15"x19"	100/CASE	14.5	12	19.5		✓	Heavy	36	17
SXT200	15"x19"	200/CASE	18.6	10	31.5		✓	Light	30	17
TM30	29"x29"	30/BALE	15	9	25			Heavy	15	30
UN1113	12"x12"	50/BAG, 4 BAGS/CASE	16	12.5	20	✓		Medium	30	23
UN1719	15"x19"	100/CASE	14.5	12.5	20.5	✓	✓	Medium	36	23
UXT100	15"x19"	100/CASE	14.5	11	19	✓	✓	Heavy	36	9
UXT200	15"x19"	200/CASE	18.5	10	31.5	✓	✓	Light	30	9
<b>ROLLS</b>										
BM15	15"x150'	1/CASE	18	12.5	25	✓	✓	Heavy	30	10
BM30	30"x150'	1/CASE	34.5	12.5	52	✓	✓	Heavy	15	10
BM30X	30"x150'	1/CASE	34.5	12.5	52	✓		Heavy	18	10
CH15P	15"x150'	1/BALE	14	12.5	20	✓	✓	Medium	30	22
CH30DP	30"x150'	1/CASE	25	12.5	40	✓	✓	Medium	15	22
ENV150	30"x150'	1/BALE	22	15	44			Medium	18	14
GP30	30"x150'	1/BALE	28	12.5	48	✓		Heavy	18	8
HT15	15"x150'	1/CASE	16	12.5	23		✓	Heavy	30	11
HT153	15"x300'	1/BALE	20	12.5	32	✓	✓	Medium	24	11
HT30	30"x150'	1/CASE	32	12.5	47		✓	Heavy	15	11
HT303	30"x300'	1/BALE	40	12.5	63	✓	✓	Medium	12	11
HT555	15"x150'	1/CASE	16	12.5	23	✓	✓	Heavy	30	11
MRO12P	12"x150'	1/BALE	11.5	12.5	20	✓	✓	Heavy	45	6
MRO15	15"x150'	1/CASE	17.5	12.5	24	✓		Heavy	30	6
MRO15DP	15"x150'	1/CASE	17.5	12.5	24	✓	✓	Heavy	30	6

Shipping weight and absorbency calculations are based on SPC's General Product Specifications (GPS). Some variations (within tolerances) may occur during the manufacturing process. The absorbency specification and testing method is based on the protocol of ASTM F726, using SAE20 non-detergent as the oil type, medium viscosity. Pallet quantities listed are typical and may vary depending on order size.

# INDEX

UNIVERSAL

OIL ONLY

CHEMICAL

PLASTICS

ITEM NO	SIZE	PACKAGING	SHIPPING WEIGHT (lbs)	ABSORBANCY FACTOR (gl/g)	ABSORBANCY CAP. (gallons)	STATIC RESISTANT	PERFORATED	WEIGHT: HEAVY, MEDIUM, LIGHT	PALLET QUANTITY	PAGE #
<b>ROLLS CONT.</b>										
MRO15DPS	15"x73'	1/BALE	8	12.5	12	✓	✓	Heavy	80	6
MRO15P	15"x150'	1/CASE	17.5	12.5	24	✓	✓	Heavy	30	6
MRO24DP	24"x150'	1/BALE	22.5	12.5	39	✓	✓	Heavy	27	6
MRO30	30"x150'	1/CASE	33	12.5	49	✓		Heavy	15	6
MRO30DP	30"x150'	1/CASE	32	12.5	49	✓	✓	Heavy	15	6
MRO30P	30"x150'	1/CASE	32	12.5	49	✓	✓	Heavy	15	6
MRO315P	15"x150'	1/CASE	14	12.5	20	✓	✓	Medium	30	6
MRO350	30"x150'	1/CASE	26.5	12.5	38	✓		Medium	15	6
MRO350DP	30"x150'	1/CASE	26.5	12.5	38	✓	✓	Medium	15	6
OP15	15"x150'	1/CASE	17.5	12.5	24			Heavy	30	16
OP15DP	15"x150'	1/CASE	17.5	12.5	24		✓	Heavy	30	16
OP15DPS	15"x73'	1/BALE	8	12.5	12		✓	Heavy	80	16
OP15P	15"x150'	1/CASE	17.5	12.5	24		✓	Heavy	30	16
OP30	30"x150'	1/CASE	33	12.5	49			Heavy	15	16
OP30DP	30"x150'	1/CASE	32.5	12.5	49		✓	Heavy	15	16
OP30P	30"x150'	1/CASE	32.5	12.5	49		✓	Heavy	15	16
OP315P	15"x150'	1/CASE	14	12.5	19		✓	Medium	30	16
OP350DP	30"x150'	1/CASE	26.5	12.5	38		✓	Medium	15	16
SPC150	38"x144'	1/BALE	33	15	70			Heavy	18	15
SPC152	19"x144'	2/BALE	33	15	70			Heavy	18	15
SR3600	30"x150'	1/BALE	22	15	44	✓		Heavy	18	18
SXT15P	15"x150'	1/CASE	14	12	18		✓	Heavy	30	17
SXT30DP	30"x150'	1/CASE	26.5	12	37		✓	Heavy	15	17
TM19	19"x80'	2/BALE	22	9	36			Heavy	18	30
TM29	29"x80'	1/BALE	17	9	27			Heavy	32	30
TM58	58"x80'	1/BALE	34	9	55			Heavy	9	30
UXT15P	15"x150'	1/CASE	14.5	11	17	✓	✓	Heavy	30	9
UXT30DP	30"x150'	1/CASE	27.5	11	35	✓	✓	Medium	15	9
UN1019	15"x150'	2/CASE	24	12.5	39	✓	✓	Medium	15	23
UN3800	30"x150'	1/CASE	27	12.5	39	✓	✓	Medium	15	23
<b>RUGS</b>										
BSM100	36"x100'	1/BALE	24	8	25	✓		Medium	40	31
BSM300	36"x300'	1/BALE	67	8	74	✓		Medium	12	31
BSM3650	36"x50'	1/CASE	12	8	12	✓		Medium	40	31
RAG36150	36"x150'	1/BALE	47	9	55	✓		Heavy	10	31
SIR36	36"x300'	1/BALE	50	8.5	59	✓		Medium	12	31
SIR72	72"x150'	1/BALE	50	8.5	59	✓		Medium	12	31
<b>SOCs</b>										
AW124	3"x12'	4/CASE	12	9	12	✓			40	27
AW412	3"x4'	12/CASE	12	9	12	✓			40	27
AW430	3"x4'	30/CASE	26	9	30	✓			20	27
AW806	3"x8'	6/CASE	12	9	12	✓			40	27
CC400	3"x4'	12/CASE	29	8.5	3.3				32	27
HAZ124	3"x12'	4/CASE	12	9	12	✓			40	27
HAZ412	3"x4'	12/CASE	12	9	12	✓			40	27
MS50	3"x4'	40/CASE	43	7	38				15	27
OIL124	3"x12'	4/CASE	11	9	12				40	26
OIL412	3"x4'	12/CASE	11	9	12				40	26
OIL430	3"x4'	30/CASE	30	9	28				20	26
OIL806	3"x8'	6/CASE	11	9	12				40	26
SW46	3"x42"	40/CASE	45-50	3	20				16	26

Shipping weight and absorbency calculations are based on SPC's General Product Specifications (GPS). Some variations (within tolerances) may occur during the manufacturing process. The absorbency specification and testing method is based on the protocol of ASTM F726, using SAE20 non-detergent as the oil type, medium viscosity. Pallet quantities listed are typical and may vary depending on order size.

# INDEX

**UNIVERSAL**
**OIL ONLY**
**CHEMICAL**
**PLASTICS**

ITEM NO	SIZE	PACKAGING	SHIPPING WEIGHT (lbs)	ABSORBANCY. FACTOR (gl/gs)	CAP. (gallons)	STATIC RESISTANT	PERFORATED	WEIGHT: HEAVY, MEDIUM, LIGHT	PALLET QUANTITY	PAGE #
<b>BOOMS</b>										
ENV810	8"x10'	4/BALE	38	13	65				10	32
ENV510	5"x10'	4/BALE	19	13	32				16	32
SPC810	8"x10'	4/BALE	40	13	71				10	32
SPC510	5"x10'	4/BALE	19	13	32				16	32
SPC5510	5"x 10'	2/BALE	38	12	61				12	32
<b>PILLOWS &amp; BILGE BOOMS</b>										
AW1818	18"x18"	16/CASE	19	12.5	28	✓			20	28
AW1818-2	18"x18"	8/CASE	9.5	12.5	14	✓			40	28
AW99	9"x9"	32/CASE	10	12.5	14	✓			40	28
HAZ1818	18"x18"	16/CASE	9.5	12.5	14	✓			20	28
HAZ1818-2	18"x18"	8/CASE	9.5	12.5	14	✓			40	28
HAZ99	9"x9"	32/CASE	14	12.5	10	✓			40	28
OIL1818	18"x18"	16/CASE	19	12.5	28				20	28
OIL1818-2	18"x18"	8/CASE	9.5	12.5	14	✓			40	28
OIL99	9"x9"	32/CASE	10	12.5	14				40	28
SPC10	14"x25"	10/BALE	30	12.5	52				10	33
SPC818	8"x18"	10/BALE	17	12.5	28				16	32
<b>DRIP PANS</b>										
DPA24	10"x10"	24/CASE	30	9	24	✓			20	28
<b>DRUM TOP COVERS</b>										
DTA25	22" DIAMETER	25/CASE	6	12.5	6	✓		Medium	48	29
DTO25	22" DIAMETER	25/CASE	6	12.5	6			Medium	48	29
<b>SWEEP</b>										
SPC1900	19"X100'	1/BALE	13	15	26			Medium	36	33
<b>OIL NETS, DRAG NETS, CONTAINMENT BOOMS</b>										
CB305	3"FLOAT, 4.5"SKIRT, 25' SECTIONS BANTAM BOOM		22.5	N/A	N/A				11	33
CB612	6"FLOAT, 12"SKIRT, 100' SECTIONS CONTRACTOR BOOM		200	N/A	N/A				3	33
ODN08	30 HALF-POUND UNITS ON A ROPE	1/BALE	16	15	15				24	33
ON030	HALF POUND PLASTIC FILAMENTS	30/BALE	17	15	15				24	33
<b>LOOSE GRANULAR</b>										
CS-CB-18	2 Cu. Ft. Peat Moss	1 BAG	20	8	18				50	41
CS-LFB-10	1.5 Cu. Ft. Peat Moss	4/CASE	40	8	40				16	41
DZ100	DRI-ZORB (CORN COB)	1 BAG	40	1.5	8.5				50	41
GS-10	OIL GATOR	1 BAG	30	2 to 6					60	41
OGA-40	FULLER'S EARTH	1 BAG	40	1	5				50	41
<b>SORBENT CENTER</b>										
SC-3000	50"L X 26"W X 7.75"H	1/EACH	50	N/A	N/A				15	36
SC-4		5/EACH	3	N/A	N/A				50	37
SC-ACC		1/EACH	2	N/A	N/A					37
SC-D15	15" Dowel	1/EACH	1	N/A	N/A					37
SC-D40	40" Dowel	1/EACH	1	N/A	N/A					37
SC-MB		1/EACH	2	N/A	N/A					37
<b>SPILL KITS</b>										
SC-LBIN	47"L X 34"W X 43"H	1/EACH	58	N/A	N/A				1	40
SC-XLBIN	57.5"L X 40.5"W X 47"H	1/EACH	70	N/A	N/A				1	40
SKA-20	21"Dia. X 18"H	1/EACH	27	N/A	15				20	39
SKA-55	24"Dia. X 37"H	1/EACH	57	N/A	38				8	39

Shipping weight and absorbency calculations are based on SPC's General Product Specifications (GPS). Some variations (within tolerances) may occur during the manufacturing process. The absorbency specification and testing method is based on the protocol of ASTM F726, using SAE20 non-detergent as the oil type, medium viscosity. Pallet quantities listed are typical and may vary depending on order size.

# INDEX

UNIVERSAL

OIL ONLY

CHEMICAL

PLASTICS

ITEM NO	SIZE	PACKAGING	SHIPPING WEIGHT (lbs)	ABSORBANCY FACTOR (gl/gal)	CAP. (gallons)	STATIC RESISTANT	PERFORATED	WEIGHT: HEAVY, MEDIUM, LIGHT	PALLET QUANTITY	PAGE #
<b>SPILL KITS CONT.</b>										
SKA-95	31.5" Dia. X 35"H	1/EACH	107	N/A	75				4	39
SKA-ATK	20.5"L X 20.5"W X 18.25"H	4/CASE	36.5	N/A	7				24	38
SKA-BKT	14" Dia. X 18"H	1/EACH	9	N/A	9				20	39
SKA-CFB	25.5"L X 17"W X 21.5"H	2 KITS/CASE	24.9	N/A	15				40	40
SKA-K2	18"L X 17"W X 39"H	1/EACH	42	N/A	22				12	40
SKA-LT	47"L X 34"W X 43"H	1/EACH	164	N/A	126				1	40
SKA-PP	20"L X 16"W X 4"H	5/CASE	24	N/A	5				50	38
SKA-SAK	18"L X 24"W X 8"H	1/CASE	11	N/A	9					38
SKA-XLT	57.5"L X 40.5"W X 47"H	1/EACH	221	N/A	174				1	40
SKH-20	21" Dia. X 18"H	1/EACH	26	N/A	15				20	39
SKH-55	24" Dia. X 37"H	1/EACH	52	N/A	38				8	39
SKH-95	31.5" Dia. X 35"H	1/EACH	104	N/A	75				4	39
SKH-ATK	20.5"L X 20.5"W X 18.25"H	4/CASE	25	N/A	7				24	38
SKH-BKT	14" Dia. X 18"H	1/EACH	8	N/A	9				20	39
SKH-CFB	25.5"L X 17"W X 21.5"H	2 KITS/CASE	24.9	N/A	13.3				20	38
SKH-K2	18"L X 17"W X 39"H	1/EACH	42	N/A	22				12	40
SKH-LT	47"L X 34"W X 43"H	1/EACH	158	N/A	115				1	40
SKH-PP	20"L X 16"W X 4"H	5/CASE	24	N/A	5				50	38
SKH-SAK	18"L X 24"W X 8"H	4/CASE	10	N/A	9				30	38
SKH-XLT	57.5"L X 40.5"W X 47"H	1/EACH	221	N/A	160				1	40
SKM-LT	47"L X 34"W X 43"H	1/EACH	146	N/A	153				1	40
SKM-XLT	57.5"L X 40.5"W X 47"H	1/EACH	222	N/A	258				1	40
SKO-20	21" Dia. X 18"H	1/EACH	20	N/A	15				20	39
SKO-55	24" Dia. X 37"H	1/EACH	56	N/A	38				8	39
SKO-95	31.5" Dia. X 35"H	1/EACH	107	N/A	75				4	39
SKO-ATK	20.5"L X 20.5"W X 18.25"H	4/CASE	23	N/A	7				24	38
SKO-BKT	14" Dia. X 18"H	1/EACH	9	N/A	9					39
SKO-CFB	25.5"L X 17"W X 21.5"H	2 KITS/CASE	24.9	N/A	15				20	38
SKO-K2	18"L X 17"W X 39"H	1/EACH	42	N/A	22				12	40
SKO-LT	47"L X 34"W X 43"H	1/EACH	185	N/A	126				1	40
SKO-PP	20"L X 16"W X 4"H	5/CASE	24	N/A	5				50	38
SKO-SAK	18"L X 24"W X 8"H	1/CASE	10	N/A	9				30	38
SKO-XLT	57.5"L X 40.5"W X 47"H	1/EACH	221	N/A	174				1	40

### SPILL CONTAINMENT

SC-DK		1/EACH		N/A	N/A					34
SC-DP2	26"W X 52"L X 17"H	1/EACH	46.5	N/A	68.7					34
SC-DP4	52"W X 52"L X 17"H	1/EACH	89	N/A	128.9					34
SC-DPR	32.5"W X 70"L	1/EACH	47.5	N/A	N/A					34
SC-SD2	26"W X 52"L X 6"H	1/EACH	31	N/A	21.2					34

### PLUGS & SLIKSTOPPERS

PLUG2	2" PVC DRAIN PLUGS	1/EACH	2	N/A						29
PLUG3	3" PVC DRAIN PLUGS	1/EACH	3	N/A						29
PLUG4	4" PVC DRAIN PLUGS	1/EACH	4	N/A						29
PLUG6	5" PVC DRAIN PLUGS	1/EACH	6	N/A						29
PVC18	18"x18" PVC DRAIN COVERS	1/EACH	8.5	N/A					80	29
PVC24	24"x24" PVC DRAIN COVERS	1/EACH	13.5	N/A					80	29
PVC36	36"x36" PVC DRAIN COVERS	1/EACH	34	N/A					60	29
PVC42	42"x42" PVC DRAIN COVERS	1/EACH	46	N/A					60	29

Shipping weight and absorbency calculations are based on SPC's General Product Specifications (GPS). Some variations (within tolerances) may occur during the manufacturing process. The absorbency specification and testing method is based on the protocol of ASTM F726, using SAE20 non-detergent as the oil type, medium viscosity. Pallet quantities listed are typical and may vary depending on order size.





[WWW.BRADYID.COM/SPC](http://WWW.BRADYID.COM/SPC)



Y782256

### SPC

645 Howard Avenue  
Somerset, New Jersey 08873  
U.S.A.

Tel: (800) 333-7672  
Fax: (732) 302-0969

### Brady Worldwide, Inc.

6555 West Good Hope Road  
Milwaukee, WI 53223 U.S.A.  
1-888-272-3946 [www.bradyid.com](http://www.bradyid.com)

### Brady Canada

355 Apple Creek Blvd.  
Markham, ON L3R 9X7  
1-800-263-6179 [www.bradycanada.com](http://www.bradycanada.com)

© 2007 Brady Worldwide, Inc. All Rights Reserved.  
09-07-AA MS782256

Supplier warrants that all goods will be free from defects in materials and workmanship for a period of six (6) months from the time of delivery to the Consumer by Supplier. Repair, replacement or credit (at Supplier's option) upon return of the goods is Purchaser's sole remedy for an such losses, expenses, inconveniences or damages. The limited warranty does not apply if (1) the defect is the result of use or handling of the goods in a manner, circumstance or purpose other than those intended, approved or instructed by Supplier; or (2) the goods are misused or abused or there is evidence of tampering, mishandling, neglect, accidental damages, modification or repair without the approval of Supplier.

THE LIMITED WARRANTY PROVIDED ABOVE IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE LIMITED WARRANTY IS IN LIEU OF ANY OTHER LIABILITY OR OBLIGATION OF SUPPLIER FOR LOSSES, EXPENSES, INCONVENIENCES OR DAMAGES (WHETHER SPECIAL, INDIRECT, SECONDARY, OR CONSEQUENTIAL) ARISING FROM OWNERSHIP, USE, OR NON-USE OF THE GOODS. PURCHASER HEREBY WAIVES ANY RIGHTS THAT IT MIGHT OTHERWISE BE ENTITLED TO IN CONNECTION WITH THE MATTERS COVERED IN THIS PARAGRAPH.