



ABSORBENT & SPILL CONTROL

www.BradyID.com/SPC



Table Of Contents

Learning Center & Guides3

Use our guides to quickly and easily pinpoint the right absorbent for your spills.

Universal Absorbent Pads & Rolls8

All-purpose absorbents for cleaning up oils, coolants, solvents and water-based fluids.

Oil Only Absorbent Pads & Rolls16

Oil Only absorbents to clean-up all of your oil or petroleum-based spills.

Chemical Absorbent Pads & Rolls24

Chemical absorbents can be used on a wide range of chemicals.

Re-Form™ Absorbent Pads & Rolls28

Eco-friendly absorbents are green to produce, and green to use. Available in Universal and Oil Only absorbencies.

SOCs, Pillows & Drum Covers34

Spill containment products designed to fit in and around machinery.

Mat & Rug Absorbents40

Absorbents specifically designed with a barrier backing to withstand heavy foot and even vehicle traffic.

Marine Absorbents44

Absorbents designed for cleaning up oil spills in marine environments.

Granular Absorbents46

Loose granular absorbents ideal for liquid spill clean-up, lab packing and stabilizing free liquids.

Spill Control & Containment48

Products designed to protect employees, facilities and the environment in the event of an unexpected spill.

Drain Protection, Decks, Pallets and Pans49

Absorbent Centers51

Spill Kits52

Facility Safety Products60

View a wide range of safety and facility products that complete your spill clean-up task and keep you safe.

Reference & Index62

NEW!

Don't Miss Our New Products!

Check out the following new products and watch for the "new" icon!



Basic Universal Pads & Rolls

(Page 15)



Basic Oil Only Pads & Rolls

(Page 22)



Basic Universal SOC

(Page 36)



30-Gallon Spill Kit

(Page 56)



65-Gallon Spill Kit

(Page 56)



Re-Form™ Granular Absorbents

(Page 47)



Storage Cart & Cabinet

(Page 51)



Why SPC Products?

For more than 30 years, SPC products have helped customers protect against leaks, drips and spills that create safety hazards in the workplace. Brady provides high-quality service, application expertise and product knowledge to SPC distributors and customers.

Brady SPC has a history of innovation and continues to develop industry-leading products and applications. Brady provides on-going lean initiatives to help offset raw material increases to keep costs stable and maintain maximum cost savings for our customers.

Why Is Spill Control Important?

Beyond the obvious need to protect our environment and to reuse or recycle as often as we can, a proper spill control program can create a safe and productive work environment for your employees.

By complying with EPA and OSHA regulations around spill control we provide our people with conditions that allow for the greatest productivity and the least amount of down time for our facilities. The cost of non-compliance around this area of regulation can be devastating to any business.



Regulations

The following OSHA and EPA regulations protect your employees and the environment;

29 CFR 1910.22(a)(2)

Clean, dry workplace floors.

40 CFR 112.7(c)(1)(vii)

Absorbent materials are one option for preventing oil spills from reaching waterways.

29 CFR 1910.120(j)(1)(vii)

DOT-specified containers and suitable quantities of absorbents shall be kept available for response to spills.

Spill Prevention Control & Countermeasure (SPCC) Plan

The EPA issued its final rule amending the SPCC under the authority of the Federal Water Pollution Control Act. This regulation became effective as of August 16, 2002.

What is an SPCC Plan?

An SPCC Plan is a facility-specific comprehensive description of a facility's containment and counter measures that would prevent an oil spill from occurring as well as procedures to respond and clean-up an oil spill that does occur.

The SPCC plan addresses the following three areas:

- Operating procedures that prevent oil spills
- Control measures installed to prevent a spill from reaching the environment
- Countermeasures to contain, clean-up and mitigate the effects of an oil spill that reaches the environment

Cost Savings

More and more industries are using a variety of absorbents for the control and clean-up of oils, industrial liquids and chemicals in their workplace. They reduce cost, increase productivity and improve safety. See why Brady's SPC absorbents are the product of choice!

The examples below show how much money an average facility can save by switching their spill control products to SPC absorbents. We've used Re-Form™ 100 absorbents as an example - now fill in your current spill control solution to find out how much you could be saving!

Cost Comparison #1: Absorbent Materials



	Clay	Leading Competitor	SPC Re-Form 100	Your Costs
Cost per bag or box	\$5.00	\$53.00	\$75.00	
Absorbency (gallons per package)	4	22	40	
Total bags or boxes of absorbent required	375	68	38	
Total	\$1,875.00	\$3,613.64	\$2,812.50	

Cost Comparison #2: Labor Costs



	Clay	Leading Competitor	SPC Re-Form 100	Your Costs
Estimated minutes per gallon to clean-up	3.0	1.0	1.0	
Total man-hours to clean-up	75	25	25	
Average hourly wage & benefits	\$20.00	\$20.00	\$20.00	
Total	\$1,875.00	\$500.00	\$500.00	

Cost Comparison #3: Disposal Costs



	Clay	Leading Competitor	SPC Re-Form 100	Your Costs
Number of drums required	76	35	24	
Estimated cost per drum	\$60.00	\$60.00	\$60.00	
Total drum cost	\$4,560.00	\$2,100.00	\$1,440.00	
Disposal cost per drum	\$150.00	\$150.00	\$150.00	
Total	\$15,960.00	\$7,350.00	\$5,040.00	

Grand Total	\$19,335.00	\$11,463.64	\$8,352.50	
--------------------	--------------------	--------------------	-------------------	--

Comparison is based on a facility with 1,500 gallons of spill clean-up per year. The values included in this cost comparison are based on the products' average costs as published online in 2011.

Re-Form™ Absorbents Cost Savings vs. Clay

\$10,982.50 57% Savings

Re-Form™ Absorbents Cost Savings vs. Leading Competitor

\$3,111.14 27% Savings

Did You Know? SPC Absorbents vs. Clay

There is a negative financial impact of using clay to clean-up your leaks, drips and spills. It may be cheaper to buy, but the benefits stop there.

Still not convinced? Consider these points:

- OSHA considers silica a serious health hazard.
- Granular clean-up is difficult and labor intensive and the small particles can easily enter and damage machinery or your finished product.
- Clay has limited chemical resistance.

With Brady's SPC Absorbents, all of these shortcomings are eliminated!





Think you're already using the correct absorbent? Put it to the test!

Want to know if your absorbent is working for you? Start at the end, in the trash. One of the best ways to pick the right absorbent is to see what it looks like when you're done with it. Take a look...



Check Product Type

Looks like this absorbent roll is being used to contain a leak – instead consider using a SOC for containing leaky equipment.


Brady offers SPC pads, rolls, SOCs, pillows and more so that you have the right type of product to contain your spill.



Check Durability

Are your absorbents falling apart or tearing due to heavy traffic?

Choose a tough absorbent for tough jobs so that you can take advantage of the full absorbent potential without your absorbent falling apart.



Under-saturated

Over-saturated

Check Absorbency

Are your absorbents being used to their absorbency capacity? Or maybe your current absorbent isn't absorbing the whole spill.

For small spills, choose a medium or lightweight pad to avoid wasting absorbents.

For large spills, use a heavyweight pad to cut down on the number of lighter pads you go through.

Not Sure What Absorbents To Use?

We understand that surveying a facility for potential trouble spots, proper absorbent usage and product selection can be extremely time consuming and confusing. But we also believe that it can be extremely beneficial.

• Free Sorbent Survey

Brady's Sorbent Survey is a free service – helping facilities keep their employees and their equipment clean and safe, while coming into compliance with OSHA, EPA and SPCC regulations. This detailed survey asks the right questions and identifies the way in which Brady and its distributor can provide solutions for the proper use of SPC absorbents in the plant. Many organizations use these surveys as an "Environmental Audit" and keep them on file.

• Cost Savings Worksheet

Seeing is believing! This simple worksheet helps you compare the absorbents you are currently buying with our recommendations – quickly showing you the price difference and your cost savings.

Contact your Brady SPC Representative for more information and for assistance if finding the right sorbent for your facility or to set up your own Sorbent Survey!



Choosing Your Absorbents

Having the right absorbent for the job makes a big difference. Proper product selection can make your employee's jobs easier, create a safer work environment, and even save you money!

These three easy steps will help you find the correct SPC absorbent product for your application.

1 Step One: Know What You're Absorbing

Your Spill:

- Coolants
- Solvents
- Gasoline
- Vegetable oil
- Kerosene
- And other water-based fluids

Your Absorbent Solution:

Universal Absorbents

All-purpose products that clean-up oils, coolants, solvents and water-based fluids anywhere in your facility. Use around machinery, under leaky pipes, in messy traffic areas or for general maintenance projects.

Page 8



Your Spill:

- Hydraulic oil
- Motor oil
- Brake fluid
- Cooking oil
- Turpentine
- And other oil-based fluids

Your Absorbent Solution:

Oil Only Absorbents

These absorbents are specialized for oil and other petroleum-based spills including paints and other non-water soluble chemicals. These absorbents will not absorb water and will float indefinitely.

Page 16



Your Spill:

- Aggressive chemicals
- Citric acid
- Sodium hydroxide
- And other unknown chemicals

Your Absorbent Solution:

Chemical Absorbents

Surfactant-treated polypropylene absorbents can be used on a wide range of chemicals, including hydrofluoric acid, and are chemically inert, so they will not react with aggressive fluids.

Page 24



Your Spill:

- Cutting fluids
- Gasoline
- Coolants
- Non-aggressive chemicals
- And other water-based fluids

Your Absorbent Solution:

Re-Form™ Eco-Friendly Absorbents

These all-purpose absorbents are made from a minimum of 80% recycled material. They are green to produce and green to use, and are up to 50% more absorbent than polypropylene absorbents. They also meet NFPA Class A Fire Retardancy.

Page 28



2 Step Two: Identify Your Absorbent Application



Wiping, Dripping or Foot Traffic Applications

Pads & Rolls

For use for wiping, dripping and leaks. Pads are pre-cut absorbents, while rolls allow you to choose the length you need.

SOCs & Pillows

For use around equipment or under drips.



Barrier-backed or Heavy Traffic Applications

Mats & Rugs

For use with heavy foot or vehicle traffic, or where a barrier-backed mat is needed.



Emergency Spill Response


Spill Containment and Spill Kits

Be prepared for emergency spills with a variety of products already bundled together - so you can be confident you have the products you need to contain unexpected spills.

Additional spill control available through the use of spill pallets, drain plugs and absorbent storage centers.




Perforation Guide




Single Perf

- Featured on many SPC pads & rolls



Double Perf

- Featured on many SPC rolls



Triple Perf

- Unique to some of the High Traffic Universal rolls

3 Step Three: Select Your Absorbent Size and Weight

Now that you know what you're absorbing, and what style of product you need, you can choose your absorbent from the many sizes and absorbency weights that Brady offers.

Quickly and easily compare absorbents in the following sections:

Universal Absorbents	Page 8
Oil Only Absorbents	Page 16
Chemical Absorbents	Page 24
Re-Form™ Absorbents	Page 28
SOCs & Pillows	Page 34
Mats & Rugs	Page 40
Spill Control & Containment	Page 48



UNIVERSAL

FOR INDOOR SPILL CONTROL

Universal Absorbency:

Use these all-purpose absorbents to clean-up oils, coolants, solvents and water-based fluids anywhere in your facility. Around machinery, under leaky pipes or fittings, in messy traffic areas, for general maintenance projects – they are your first choice for indoor spill control. Plus, their gray color masks spills and stains – helping you resist the urge to pick up the absorbent before it is fully saturated.

The Technology:

The technology or structure behind each of the universal products helps determine the strength and absorbency of each absorbent. This information along with the product's characteristics (grade, perforations, etc.) are what helps you decide which absorbent is best for your application.

Common Liquids Absorbed:

- Coolants
- Solvents
- Oils
- Gasoline
- Vegetable oil
- Kerosene
- Latex paint
- And other water-based fluids

! [View Products Online](http://www.BradyID.com/SPC)



Scan to quickly view these Universal Absorbents online or visit: www.BradyID.com/SPC

Universal Absorbent Family:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features such as durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

	Applications	Durability	Linting	Cost	Absorbency Grades	Construction
Battlemat® Absorbent Rolls <small>Page 10</small>	High wear resistance is ideal for heavy foot traffic, forklifts and walkways.	✓✓✓	Low Linting	\$\$\$	Heavy Weight	Tough spunbound coverstock
UXT Xtra Tough Absorbent Pads & Rolls <small>Page 11</small>	Extra durable general purpose absorbent for wiping, drips, and leaks	✓✓✓	Low Linting	\$\$\$	Heavy, Medium & Light Weight	3-ply (SMS) construction, spunbound coverstock on both sides
HT High Traffic Absorbent Rolls <small>Page 12</small>	Economical for foot traffic, walkways, and around work stations.	✓✓✓	Low Linting	\$\$	Heavy & Medium Weight	2-ply (SM) construction, spunbound coverstock on one side
MRO Plus® Absorbent Pads & Rolls <small>Page 13</small>	Best for industrial applications where greater durability and lower linting is needed	✓✓	Medium Linting	\$\$\$	Heavy & Medium Weight	3-ply (MMM) Meltblown Polypropylene
GP General Purpose Absorbent Pads & Rolls <small>Page 14</small>	Maintenance absorbent for general industrial applications	✓	Medium Linting	\$\$	Heavy, Medium & Light Weight	Single-ply, made with MAXX technology to improve adsorption & strength
Basic Universal Absorbent Pads & Rolls <small>Page 15</small>	Value absorbent for general purpose wiping, drips or leaks	✓	Medium Linting	\$	Heavy & Light Weight	Single-ply Meltblown Polypropylene

UNIVERSAL PADS & ROLLS

NEW!

Universal Absorbency



BattleMat® Absorbent Rolls

Tough camouflage patterned roll hides leaks and drips and is ideal for areas with moderate foot traffic.

- Tough, universal 2-ply construction – perfect for use as a mat in high traffic areas
- A durable, abrasion-resistant upper layer
- Perforated to help you reduce waste by using only what you need

BattleMat® rolls and pads, with their unique construction and camouflage pattern, are tough enough to take whatever you dish out. Ideal as walk-on mats or single use absorbents in manufacturing plants and similar environments.

Product Summary

- Liquids Absorbed:** Oils, Coolants, Solvents and Water-based Fluids
- Durability:** ✓✓✓
- Linting:** Low Linting
- Absorbencies:** Heavy Weight
- Cost:** \$\$\$

Recommended Applications

- Walkways and high traffic areas
- Production & machine areas
- Under assembly lines, equipment or vehicles
- On workbenches or as a work surface



Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
BattleMat Pads								
BM100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	27.5	16.5	40	100/bale
BattleMat Rolls								
BM30	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	52	34.5	12	1/case
BM30X	Heavy Wt. Roll	30"x150'	No	12.5	52	34.5	12	1/case
BM15	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	25	17	30	1/case



UXT - Universal “Xtra Tough” Absorbents

Extra tough maintenance rolls for applications that require a durable, non-linting and abrasion-resistant absorbent!

- High performance, all-purpose absorbent made to handle virtually any liquid
- Universal Meltblown Polypropylene core
- 3-ply (SMS) construction with spunbond coverstock on both sides for maximum durability and very low linting
- Both abrasion resistant and non-abrasive performance – perfect for wipe down applications
- The extra strength required for the wringing and re-using of absorbents
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste by using only what you need

Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids

Durability: ✓✓✓

Linting: Low Linting

Absorbencies: Heavy, Medium & Light Weight

Cost: \$\$\$

Recommended Applications

- For drips, spills and wiping applications
- Pharmaceutical
- Printing industries
- Food processing
- High tech industries
- Machining small parts
- Paint room



Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
UXT Pads								
UXT100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	11	19	14.5	30	100/case
UXT300	Medium Wt. Pad	15"x19"	Yes, 7.5"	11	17	12	30	100/case
UXT200	Light Wt. Pad	15"x19"	Yes, 7.5"	14	31.5	18.5	24	200/case
UXT Rolls								
UXT15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	11	17	14.5	30	1/case
UXT30DP	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	11	35	27.5	12	1/case

Universal Absorbency



HT - "High Traffic" Absorbents

Multi-use maintenance absorbent built for durability and high absorbency in "high traffic" and busy problem areas.

- Absorbs all water-based industrial liquids, oil and petroleum-based fluids
- Universal Meltblown Polypropylene
- 2-ply (SM) construction with spunbond coverstock - makes it extra tough and abrasion resistant
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste by using only what you need
- Gray color masks drips and spills, encourages longer use

Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids

Durability: ✓✓✓

Linting: Low Linting

Absorbencies: Heavy & Medium Weight

Cost: \$\$

Recommended Applications

- Anywhere foot traffic or extra durability is needed
- Metal fabrication
- Utility
- General manufacturing
- Equipment repair & servicing
- Precision engineering



Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
HT Pads								
NEW! HT200	Light Wt. Pad	15"x19"	Yes, 7.5"	12.5	27	16.5	24	200/case
NEW! HT500	Light Wt. Pad	15"x19"	Yes, 7.5"	12.5	13.5	8.5	30	100/case
HT Rolls								
HT30	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	47	32	12	1/case
HT555	Heavy Wt. Roll	15"x150'	Yes (3), 5" and every 18"	12.5	23	16	30	1/case
HT15	Heavy Wt. Roll	15"x150'	Yes, every 15"	12.5	23	16	30	1/case
NEW! HT550	Heavy Wt. Roll	15"x50'	Yes (3), 5" and every 18"	12.5	8	5	60	1/case
HT303	Medium Wt. Roll	30"x300'	Yes, 15" and every 15"	12	63	40	12	1/bale
NEW! HT303X	Medium Wt. Roll	30"x300'	No	12.5	65	40	12	1/bale
HT350	Medium Wt. Roll	30"x150'	Yes, 15" and every 18"	12.5	35	20	12	1/bale
HT153	Medium Wt. Roll	15"x300'	Yes, every 15"	12.5	32	20	24	1/bale
NEW! HT230	Light Wt. Roll	30"x300'	Yes, 15" and every 15"	12.5	42.5	29.5	18	1/bale
NEW! HT215	Light Wt. Roll	15"x300'	Yes, every 15"	12.5	21.5	15	18	1/bale

HT550 and HT555 - Versatile Multi-Perforated Rolls

- Convenient dispenser box
- Triple perforated lengthwise every 5"
- Cross-wise perforation every 18"



As a pad!



As a roll!



As a SOC!



As a wipe!



Universal Absorbency



MRO Plus® Absorbents

Our number one universal absorbent and the standard in all-purpose, gray maintenance absorbents.

- Absorbs all industrial liquids (water, petroleum and chemical-based fluids)
- 3-ply (MMM) Meltblown Polypropylene construction makes it stronger, more durable and reduces lint
- Perforated to help you reduce waste by using only what you need
- Dimpled for added durability & reduced linting, and gray color masks drips and spills

MRO150DND features 150 heavyweight pads in a unique Dispense-n-Dispose™ system - packaging doubles as a dispenser and a disposal bin all at once.



Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids

Durability: ✓✓

Linting: Medium Linting

Absorbencies: Heavy & Medium Weight

Cost: \$\$\$

Recommended Applications

- Anywhere there is a leak, drip or spill
- Under assembly lines or equipment
- Production/machine areas
- Maintenance areas
- Liquid storage areas



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
MRO Plus Pads								
MRO50	Heavy Wt. Pad	30"x30"	Yes, 15"	12.5	41	26.5	13	50/bale
MRO150DND*	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	39	27	18	150/case
MRO100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	26	17.5	30	100/case
MRO100-2	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	13.5	8	36	50/bale
MRO300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12.5	20.5	14	30	100/case
MRO Plus Rolls								
MRO30DP	Heavy Wt. Roll	30"x150'	Yes, every 15" and up center	12.5	49	32	12	1/case
MRO30P	Heavy Wt. Roll	30"x150'	Yes, every 30"	12.5	49	32	12	1/case
MRO30	Heavy Wt. Roll	30"x150'	No	12.5	49	33	12	1/case
MRO24DP	Heavy Wt. Roll	24"x150'	Yes, every 12" and up center	12.5	39	22.5	27	1/bale
MRO15DP	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	24	17.5	30	1/case
MRO15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12.5	24	17.5	30	1/case
MRO15	Heavy Wt. Roll	15"x150'	No	12.5	24	17.5	30	1/case
MRO15DPS	Heavy Wt. Roll	15"x73'	Yes, 7.5" and 12" across	12.5	12	8	80	1/bale
MRO12P	Heavy Wt. Roll	12"x150'	Yes, every 12"	12.5	20	11.5	36	1/bale
MRO350DP	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	38	26.5	12	1/case
MRO350	Medium Wt. Roll	30"x150'	No	12.5	38	26.5	12	1/case
MRO315P	Medium Wt. Roll	15"x150'	Yes, every 18"	12.5	20	14	30	1/case

*Features Dispense-N-Dispose System

Universal Absorbency



GP - "General Purpose" Absorbents

These economical, general purpose absorbents offer the look, feel and performance of a premium product.

- Universal in nature so it absorbs basically all fluids (water, petroleum and chemical-based fluids)
- Universal Meltblown Polypropylene
- Efficient single-ply construction
- Made with MAXX Technology – improved adsorption and strength without the extra weight
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste by using only what you need

Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids

Durability: ✓

Linting: Medium Linting

Absorbencies: Heavy, Medium & Light Weight

Cost: \$\$

Recommended Applications

- Ideal for industrial settings
- Machine shop
- Refineries
- Paper mills
- Transportation maintenance
- Steel manufacturing
- Anywhere there is a leak, spill or drip



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
GP Pads								
GP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	18	28	11.5	24	100/case
GP100-B	Heavy Wt. Pad (bagged)	15"x19"	Yes, 7.5"	18	30	12	24	100/bale
GP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	20	28	10	30	100/bale
GP200-B	Light Wt. Pad (bagged)	15"x19"	Yes, 7.5"	20	44	16	18	200/bale
GP500	Light Wt. Pad	15"x19"	Yes, 7.5"	20	22	8.2	30	100/bale
MXU1000	Light Wt. Pad	15"x19"	Yes, 7.5"	24	27	11	30	100/case
GP Rolls								
GP30	Heavy Wt. Roll	30"x150'	No	13	48	28	18	1/bale

Universal Absorbency



Basic Universal Absorbent

Our value-priced universal all-purpose absorbent.

- Absorbs all water-based industrial liquids, oils and petroleum-based fluids
- Universal Meltblown Polypropylene
- Economical single-ply construction
- Perforated to help you reduce waste by using only what you need
- Dimpled for added durability and reduced linting

Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids

Durability: ✓

Linting: Medium Linting

Absorbencies: Heavy, Medium & Light Weight

Cost: \$

Recommended Applications

- General industrial universal applications
- Manufacturing
- Printing
- Transportation



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Basic Universal Pads								
NEW! BPU100	Heavy Wt. Pad	15"x17"	Yes, 7.5"	18	20.5	8.5	30	100/bale
NEW! BPU200	Light Wt. Pad	15"x17"	Yes, 7.5"	18	34	13.7	18	200/bale
NEW! BPU500	Light Wt. Pad	15"x17"	Yes, 7.5"	18	17	7	30	100/bale
Basic Universal Rolls								
NEW! BRU150	Heavy Wt. Roll	30"x150"	Yes, every 30"	14.5	38	19.5	18	1/bale



Request a SPC Absorbent Sample Pack

Absorbents can protect your employees from the hazards that result from leaks, drips and spills.



Visit www.BradyID.com/SPC to request a free Absorbent Sample Pack to see what SPC absorbents can do for you!



OIL ONLY

CLEANING UP SPILLS ON LAND OR WATER

Oil Only Absorbency

Specialized for oil and other petroleum-based spills, oil only pads and rolls will not absorb water and will float indefinitely. These absorbents are unaffected by temperature and impervious to rot and mildew. Ideal for outside use, Brady's oil only SPC products are equally effective in soaking up petroleum-based solvents and paints, vegetable oils and other non-water soluble oil-based fluids.

The Technology:

The technology (construction layers, weave and loft) behind each of the oil only products helps determine the strength and absorbency of each absorbent. This information along with the product's characteristics (grade, perforations, etc.) are what helps you decide which absorbent is best for your application.

Common Liquids Absorbed:

- Drilling and cutting fluids
- Hydraulic and brake fluids
- Engine oils
- Transmission fluids
- Lubricants
- Gasoline, diesel and aircraft fuels
- Cooking oils
- Oil-based paints and solvents
- And other oils and petroleum-based fluids

View Products Online



Scan to quickly view these Oil Only Absorbents online or visit:
www.BradyID.com/SPC

Oil Only Absorbent Family:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features such as durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

	Applications	Durability	Linting	Cost	Absorbency Grades	Construction
SXT® Oil Absorbent Pads & Rolls <small>Page 18</small>	Quality absorbent for wiping tools or component parts that require high durability	✓✓✓	Low Linting	\$\$\$	Heavy Weight	3-ply (SMS) Meltblown Polypropylene, spunbound coverstock on both sides
Oil Plus Absorbent Pads & Rolls <small>Page 19</small>	Durable for general industrial applications such as wiping, drips and leaks	✓✓	Medium Linting	\$\$\$	Heavy, Medium & Light Weight	3-ply (MMM) Meltblown Polypropylene
SPC® Oil Absorbent Pads & Rolls <small>Page 20</small>	Cost effective and ideal for industrial applications or marine spills	✓✓	Medium Linting	\$\$	Heavy & Medium Weight	Single-ply Meltblown Polypropylene
ENV® Oil Absorbent Pads & Rolls <small>Page 21</small>	Contractor grade for emergency marine spills and maximum absorbency	✓✓	High Linting	\$	Heavy & Medium Weight	Single-ply Meltblown Polypropylene
Basic Oil Only Absorbent Pads & Rolls <small>Page 22</small>	Value absorbent for general purpose wiping, drips or leaks and marine applications	✓	High Linting	\$	Heavy & Light Weight	Single-ply Meltblown Polypropylene
Static Resistant Absorbent Pads & Rolls <small>Page 23</small>	For wherever static electricity is a concern, around fuel or other ignitable fumes	✓✓	High Linting	\$\$\$	Heavy & Medium Weight	Single-ply Meltblown Polypropylene

NEW!

Oil Only Absorbency

OIL ONLY



SXT® Oil Absorbents

The ideal absorbent when durability, abrasion resistance and low linting is required.

- High performance, oil only absorbent made to handle petroleum-based spills
- Repels water and floats indefinitely; also remains intact even when saturated with oil
- 3-ply (SMS) construction and Oil Only Meltblown Polypropylene
- Spunbond coverstock on both sides maximizes durability with very low linting
- Both abrasion resistant and non-abrasive performance – ideal for wiping down tools or component parts
- The extra strength required for the wringing and re-using of absorbents
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste by using only what you need

Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Oil-based Fluids

Durability: ✓✓✓

Linting: Low Linting

Absorbencies: Heavy Weight

Cost: \$\$\$

Recommended Applications

- For drips, spills and wiping applications
- High tech industries
- Pharmaceutical
- Paper industries
- Machining of small parts
- Food processing
- Precision engineering



Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SXT Oil Pads								
SXT100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12	19.5	14.5	30	100/case
NEW! SXT300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12	17	10	30	100/case
SXT200	Light Wt. Pad	15"x19"	Yes, 7.5"	14	31.5	18	24	200/case
SXT Oil Rolls								
SXT30DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12	37	26.5	12	1/case
SXT15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12	18	14	30	1/case



Oil Plus Oil Absorbents

Perfect for general everyday use and emergency spill clean-up.

- Absorbs petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- 3-ply (MMM) Meltblown Polypropylene construction
- Multi-ply, heavyweight quality you can count on
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste by using only what you need
- Wide selection of roll sizes makes it ideal for industrial applications

OP150DND features 150 heavyweight pads in a unique Dispense-n-Dispose™ system - packaging doubles as a dispenser and a disposal bin all at once.



Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Oil-Based Fluids

Durability: ✓✓

Linting: Medium Linting

Absorbencies: Heavy, Medium & Light Weight

Cost: \$\$\$

Recommended Applications

- Ideal for industrial applications
- Heavy manufacturing
- Fuel stations
- Automotive industries
- Precision engineering
- Printing industries



Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Oil Plus Pads								
OP50	Heavy Wt. Pad	30"x30"	Yes, 15"	12.5	41	24	13	50/bale
OP150DND*	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	39	27	18	150/case
OP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	26	17.5	30	100/case
OP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12.5	20.5	14	30	100/case
Oil Plus Rolls								
OP30DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	49	33	12	1/case
OP30P	Heavy Wt. Roll	30"x150'	Yes, every 30"	12.5	49	33	12	1/case
OP30	Heavy Wt. Roll	30"x150'	No	12.5	49	33	15	1/case
OP15DP	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	24	17.5	30	1/case
OP15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12.5	24	17.5	30	1/case
OP15	Heavy Wt. Roll	15"x150'	No	12.5	24	17.5	30	1/case
OP15DPS	Heavy Wt. Roll	15"x73'	Yes, 7.5" and 12" across	12.5	12	7.5	80	1/bale
NEW! OP550	Heavy Wt. Roll	15"x50'	No	12.5	9	5	60	1/case
OP350DP	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	38	26.5	12	1/case
OP315P	Medium Wt. Roll	15"x150'	Yes, every 18"	12.5	19	14	30	1/case

*Features Dispense-N-Dispose System

Oil Only Absorbency

OIL ONLY



Now also available with a blue absorbent coverstock.

SPC® Oil Absorbents

Our standard oil only pads for industrial or marine use.

Convenient and cost-effective, Brady's original SPC absorbent is still one of our most popular lines. It is made with MAXX® Technology, meaning greater performance without the extra weight.

- Single-ply Oil Only Meltblown Polypropylene
- Absorbs petroleum-based liquids and repels water making it ideal for outdoor marine or environmental applications, as well as for general industrial use.
- Floats indefinitely even when saturated with oil
- Dimpled for added durability & reduced linting
- Perforated to help you reduce waste by using only what you need
- All SPC® Oil Absorbents are packaged in a blue colored bag to streamline absorbent identification in your facility

Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Oil-based Fluids

Durability: ✓✓

Linting: Medium Linting

Absorbencies: Heavy & Medium Weight

Cost: \$\$

Recommended Applications

- General industrial use
- Marine and environmental spills
- Oil refineries/Fuel chemical
- General manufacturing



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SPC Oil Pads								
SPC50	Heavy Wt. Pad	33"x39"	No	18	73	33.5	7	50/bale*
SPC100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	24	14	30	100/bale*
NEW!	SPC100B	Heavy Wt. Pad (Blue MBPP Pad)	15"x19"	Yes, 7.5"	18	35	14	30 100/bale*
NEW!	SPC105	Heavy Wt. Pad (1 side w/blue coverstock)	15"x19"	Yes, 7.5"	12.5	24	14	30 100/bale*
SPC300	Medium Wt. Pad	15"x19"	Yes, 7.5"	18	30	11	30	100/bale*
SPC200	Light Wt. Pad	15"x19"	Yes, 7.5"	18	40	16	18	200/bale*
SPC500	Light Wt. Pad	15"x19"	Yes, 7.5"	18	20	8.2	30	100/bale*
SPC Oil Rolls								
SPC150	Heavy Wt. Roll	38"x144'	No	15	70	33	18	1/bale*
SPC152	Heavy Wt. Roll	19"x144'	No	15	70	33	18	2/bale*
NEW!	SPC19150	Heavy Wt. Roll	19" x 144'	No	15	35	17	36 1/bale*
NEW!	SPC156	Medium Wt. Roll (1 side w/blue coverstock)	30"x150'	Yes, 15" and every 15"	15	37	26.5	18 1/bale*

*SPC Oil Absorbents packaged in a blue bag.





ENV® Oil Absorbents

Made with MAXX® Technology for superior absorbency and greater strength. Plus, they weight less - which means lower disposal costs!

Highly economical, contractor grade Oil Only Meltblown Polypropylene for oil clean-up on land or water.

- Absorbs petroleum-based liquids and repels water
- Economical single-ply construction
- Dimpled for added durability and reduced linting
- Floats indefinitely even when saturated with oil
- Perforated to help you reduce waste by using only what you need
- All ENV® Oil Absorbents are packaged in a green colored bag to streamline absorbent identification in your facility

Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Oil-based Fluids

Durability: ✓✓

Linting: High Linting

Absorbencies: Heavy & Medium Weight

Cost: \$

Recommended Applications

- Marine and environmental spills
- General industrial oil only applications
- Coast guard
- Emergency spill response
- On-board vessels
- Off-shore oil rigs



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
ENV Oil Pads								
ENV100	Heavy Wt. Pad	15"x19"	No	20	33	12.5	24	100/bale*
ENV50	Medium Wt. Pad	30"x30"	No	20	50	19	7	50/bale*
ENV300	Medium Wt. Pad	15"x19"	No	20	28	10	24	100/bale*
ENV200	Light Wt. Pad	15"x19"	No	23	51	16	18	200/bale*
ENV500	Light Wt. Pad	15"x19"	No	23	24.5	8	30	100/bale*
MXO1000	Light Wt. Pad	15"x19"	Yes, 7.5"	23	26	11	30	100/case*
ENV Oil Rolls								
ENV150	Medium Wt. Roll	30"x150'	No	15	44	22	18	1/bale*

*ENV Oil Absorbents packaged in a green bag.

Oil Only Absorbency

OIL ONLY



Basic Oil Absorbents

Our value-priced oil only absorbent.

- Oil Only Meltblown Polypropylene
- Absorbs petroleum-based liquids and repels water
- Floats indefinitely even when saturated with oil
- Economical single-ply construction
- Perforated to help you reduce waste by using only what you need
- Dimpled for added durability and reduced linting
- All Basic Oil Absorbents are packaged in a clear bag to streamline absorbent identification in your facility

Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Oil-based Fluids

Durability: ✓

Linting: High Linting

Absorbencies: Heavy & Light Weight

Cost: \$

Recommended Applications

- Marine and environmental spills
- General industrial oil only applications
- Manufacturing
- Printing
- Transportation
- Emergency spill response
- Coast guard
- On-board vessels
- Off-shore oil rigs



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Basic Oil Pads								
NEW! BPO100	Heavy Wt. Pad	15"x17"	Yes, 7.5"	18	20.5	8.5	30	100/bale
NEW! BPO200	Light Wt. Pad	15"x17"	Yes, 7.5"	18	34	13.7	18	200/bale
NEW! BPO500	Light Wt. Pad	15"x17"	Yes, 7.5"	18	17	7	30	100/bale
Basic Oil Rolls								
NEW! BRO150	Heavy Wt. Roll	30"x150"	Yes, every 30"	14.5	38	19.5	18	1/bale

*Basic Oil Absorbents packaged in a clear bag.



Perforations - Saving you time and money

Perforated absorbents allow you to quickly and easily select the perfect size absorbent. Choose a small for small spills, or a larger section for bigger spills. Multiple size options mean less waste since you only use what you need.





Static Resistant Oil Absorbents

For areas where static electricity is a concern.

- Oil Only pads and rolls are specially treated to resist static electricity build up
- Oil only so they do not absorb water – perfect for outdoor use
- Economical single-ply construction
- Meets National Fire Protection Association (NFPA) specifications

Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Oil-based Fluids

Durability: ✓✓

Linting: High Linting

Absorbencies: Heavy & Medium Weight

Cost: \$\$\$

Recommended Applications


- Wherever static electricity is a concern
- Cold environments
- Around fuel or other ignitable fumes
- Computer production



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Static Resistant Oil Pads								
SR3625	Heavy Wt. Pad	30"x30"	No	13	16	9	14	25/bale
NEW! SR100	Heavy Wt. Pad	15" x19"	No	13	26	14.5	30	100/bale
SR1825	Medium Wt. Pad	15"x19"	No	15	6	3.2	90	25/bale
Static Resistant Oil Rolls								
SR3600	Heavy Wt. Roll	30"x150'	No	15	44	22	18	1/bale




Did You Know? - Perforation Locations




Single Perf

- Featured on many SPC pads & rolls



Double Perf

- Featured on many SPC rolls



Triple Perf

- Unique to some of the High Traffic Universal rolls

CHEMICAL

PADS & ROLLS COLOR-CODED FOR SAFETY

Chemical Absorbency

Alert your employees to the presence of hazardous fluids with green and yellow chemical absorbents from SPC. These surfactant-treated polypropylene pads and rolls can be used on a wide range of chemicals, including hydrofluoric acid and are chemically inert, so they will not react with aggressive fluids.

The Technology:

The technology or structure behind each of the chemical products helps determine the strength and absorbency of each absorbent. This information along with the product's characteristics (grade, perforations, etc.) are what helps you decide which absorbent is best for your application.

Common Liquids Absorbed:

- Acids and bases
- Aggressive chemicals
- Oils
- Solvents
- Citric acid
- Water-based fluids
- Sodium hydroxide
- And other unknown chemicals



View Products Online



Scan to quickly view these Chemical Absorbents online or visit: www.BradyID.com/SPC

Chemical Absorbent Family:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features such as durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

	Applications	Durability	Linting	Cost	Absorbency Grades	Construction
Universal Plus Pads & Rolls <small>Page 26</small>	For industrial applications where greater durability is needed with hazardous chemicals	✓✓	Medium Linting	\$\$\$	Medium Weight	3-ply Meltblown Polypropylene, spunbound coverstock on both sides
Chemical Pads & Rolls <small>Page 27</small>	Economical absorbent for picking up hazardous chemicals.	✓✓	Medium Linting	\$\$	Medium Weight	Single-ply Meltblown Polypropylene

CHEMICAL



Increase Safety and Save: Color Coded Waste Stream

Save on disposal costs by using different colored absorbents in specific parts of your facility and throughout your waste streams.

For example: a facility might use yellow absorbents in radioactive areas and green absorbents in their chlorine areas. Then the facility would use gray universal absorbents for the rest of their facility.

A color coded system benefits your employees' understanding of the waste stream because they will assume yellow absorbents are saturated with radioactive waste and green absorbents are saturated with chlorine.



Chemical Absorbency



Universal Plus Absorbents

Green color (the universal symbol for safety) indicates that it is intended for use on hazardous materials

- Green universal absorbent for any liquids including oil and hazardous chemicals and acids
- Universal Meltblown Polypropylene
- Dimpled for added durability and reduced linting
- 3-ply construction makes it stronger, more durable and reduces lint
- Perforated to help you reduce waste by using only what you need
- Chemically inert making it ideal for use with aggressive fluids

Product Summary

Liquids Absorbed: Acids, Bases, Oils, Chemicals, Solvents, Water-based Fluids, and Unknown Chemicals

Durability: ✓✓

Linting: Medium Linting

Absorbencies: Medium Weight

Cost: \$\$\$

Recommended Applications

- Where hazardous chemicals and acids are involved
- Laboratories
- Hospitals
- Research institutes
- Pharmaceutical
- Chemical plants



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Universal Plus Pads								
SPCUN1719	Medium Wt. Pad	15"x19"	Yes, 7.5"	12.5	20.5	14.5	30	100/case
SPCUN1113	Medium Wt. Pad	12"x12"	No	16	12.5	16	30	50/bag, 4 bags/case
NEW! SPCUN1113-50	Medium Wt. Pad	12"X12"	No	12.5	5.5	4	120	50/case
Universal Plus Rolls								
SPCUN3800	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	39	27	12	1/case
SPCUN1019	Medium Wt. Roll	15"x150'	Yes, 15" and every 15"	12.5	39	24	15	2/case



CH - “Chemical” Absorbents

And economical yellow absorbent that offers high visibility for your hazardous chemical applications.

- Color-coded yellow for safety and easy separation of hazardous waste
- Meltblown Polypropylene
- Economical single-ply construction
- Made with MAXX® technology - improved adsorption and strength with less weight
- Dimpled for added durability and reduced linting
- Product will not react with aggressive fluids

Product Summary

Liquids Absorbed: Acids, Bases, Oils, Chemicals, Solvents, Water-based Fluids, and Unknown Chemicals

Durability: ✓✓

Linting: Medium Linting

Absorbencies: Medium Weight

Cost: \$\$

Recommended Applications

- For use where hazardous chemicals and acids are involved
- Nuclear power facilities
- Chemical spill response units
- Labs and hospitals
- Any industrial application utilizing aggressive fluids



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Chemical Pads								
CH100	Medium Wt. Pad	15"x19"	Yes, 7.5"	18	30	16	30	100/case
CH1212	Medium Wt. Pad	12"x12"	No	18	30	14.5	30	200/case
NEW! CH1212-50	Medium Wt. Pad	12"x12"	No	12.5	7.5	4	120	50/case
Chemical Rolls								
CH30DP	Medium Wt. Roll	30"x150'	Yes, every 15" and up center	12.5	40	25	12	1/case
CH15P	Medium Wt. Roll	15"x150'	Yes, every 18"	12.5	20	14	30	1/bale



Re-Form™
Eco-Friendly Absorbents

ECO-FRIENDLY AND HIGH PERFORMANCE

Re-Form™ Absorbents

Re-Form™ absorbents are made from a minimum of 80% recycled newsprint and other cellulose for Universal products, and 80% cotton and other cellulose fibers for oil only products. Plus, Re-Form™ absorbents offer greater absorbency, which means you'll have less waste and lower disposal costs.

The Technology:

The unique construction of Re-Form™ absorbent material offers superior absorbency. In fact, Re-Form absorbents have been tested to be 25-50% more absorbent than oil-based polypropylene absorbents, so you'll use less product to get the job done. Less waste makes this absorbent both green and lean!

Cost Savings:

Re-Form™ absorbents are typically less expensive than polypropylene absorbents which are oil-based and dependant upon volatile oil prices.

Re-Form™ Universal Absorbents Recommended For:

- Coolants
- Solvents
- Oils & Gasoline
- And other water-based fluids

Re-Form™ Oil Only Absorbents Recommended For:

- Grease
- Coolants & Transmission fluids
- And other petroleum-based fluids

*Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.



View Products Online



Scan to quickly view these Re-Form™ Absorbents online or visit: www.BradyID.com/SPC

Re-Form™ Eco-Friendly Absorbents

Re-Form™ Absorbent Family:

All of these pads and rolls start with a highly absorbent core made from recycled materials - the difference is what happens from there. Features such as durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

	Applications	Durability	Linting	Cost	Absorbency Grades	Construction
Re-Form™ XPlus Absorbent Pads & Rolls <small>Page 30</small>	When durability and lower linting is needed for foot traffic, walkways, and around work stations.	✓✓	Medium Linting	\$\$\$	Medium Weight	Minimum 80% recycled cellulose with 2-sided MBPP coverstock
Re-Form™ Plus Absorbent Pads & Rolls <small>Page 31</small>	Maintenance absorbent for general industrial applications	✓✓	Medium Linting	\$\$	Heavy, Medium & Light Weight	Minimum 80% recycled newsprint and cellulose with 1-sided coverstock
Re-Form™ Absorbent Pads <small>Page 32</small>	Value absorbent for general purpose wiping, drips or leaks	✓	High Linting	\$	Heavy, Medium & Light Weight	Minimum 80% recycled newsprint and cellulose
Re-Form™ Oil Only Absorbent Pads & Rolls <small>Page 33</small>	High absorbency for petroleum-based drips, spills and wiping applications	✓✓✓	Low Linting	\$\$\$	Heavy Weight	Minimum 80% recycled cotton and cellulose with 2-sided coverstock

NEW!

RE-FORM™ ABSORBENTS



Request a SPC Absorbent Sample Pack

Absorbents can protect your employees from the hazards that result from leaks, drips and spills.



Visit www.BradyID.com/SPC to request a free Absorbent Sample Pack to see what SPC absorbents can do for you!



Re-Form™ Eco-Friendly Absorbents

RE-FORM™ ABSORBENTS



Re-Form™ XPlus Absorbents

A medium weight absorbent with the same absorbency capacity as Re-Form™ Plus Absorbents but with meltblown coverstock on both sides.

- Made from 80% recycled cellulose
- Supports corporate sustainability and LEED initiatives
- Absorbs water-based chemicals, oils and petroleum-based products
- Up to 50% more absorbent than comparable MBPP absorbents
- Meltblown coverstock on both sides for better traction
- Dimpled and perforated to help you use only what you need

Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids

Durability: ✓✓

Linting: Medium Linting

Absorbencies: Medium Weight

Cost: \$\$\$

Recommended Applications

- For drips, spills, and wiping applications
- Indoor use or dry-weather outdoor use
- General purpose absorbent
- Light foot traffic



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Re-Form XPlus Pads								
NEW! RFDP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	16.5	32	16.6	30	100/case
Re-Form XPlus Rolls								
NEW! RFDP328-DP	Medium Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	16.5	55	33.3	12	1/case

**Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.*



Did You Know? Re-Form™ XPlus Now Offers Better Traction

Re-Form™ XPlus Absorbents have been updated to include a meltblown coverstock on both sides. This improvement offers you better traction and durability than its original construction, helping you prevent slips, trips and falls in your facility.



Re-Form™ Eco-Friendly Absorbents



Re-Form™ Plus Absorbents

Eco-friendly general purpose absorbent with spunbond coverstock on one side to make it ideal for wiping applications and light foot traffic.

- Made from 80% recycled newsprint and cellulose
- Supports corporate sustainability and LEED initiatives
- Spunbond coverstock on one side for durability
- Absorbs water-based chemicals, oils and petroleum-based products
- Up to 50% more absorbent than comparable polypropylene absorbents
- Perforated to help you reduce waste by using only what you need
- Class A fire retardant

Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids

Durability: ✓✓

Linting: Medium Linting

Absorbencies: Heavy, Medium & Light Weight

Cost: \$\$

Recommended Applications

- For drips, spills and wiping applications
- Indoor use or dry-weather outdoor use
- Maintenance areas
- Liquid storage area
- Production/Machine areas
- Under assembly lines, equipment or vehicles
- Light foot traffic areas



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Re-Form Plus Pads								
RFP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	17	40	19.5	24	100/case
RFP500	Light Wt. Pad	15"x19"	Yes, 7.5"	17	24	12.7	36	100/case
Re-Form Plus Rolls								
RFP28-DP	Heavy Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	17	62	33	12	1/case
RFP328-DP	Medium Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	17	53	30.5	12	1/case
RFP314P	Medium Wt. Roll	14.25"x150'	Yes, every 19"	17	29	15.5	24	1/case

*Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.

Re-Form™ Eco-Friendly Absorbents

RE-FORM™ ABSORBENTS



Re-Form™ Absorbents

Economical general purpose absorbent offering superior absorbency compared to meltblown polypropylene.

- Made from 80% recycled newsprint & cellulose
- Absorbs water-based chemicals, oils and petroleum-based products
- Up to 50% more absorbent than comparable polypropylene absorbents
- Nylon mesh construction provides extra durability and strength
- Class A fire retardant
- Supports corporate sustainability and LEED initiatives

Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids

Durability: ✓

Linting: High Linting

Absorbencies: Heavy, Medium & Light Weight

Cost: \$

Recommended Applications

- For drips and spill applications
- Indoor use or dry-weather outdoor use
- Maintenance areas
- Liquid storage areas
- Production/Machine areas
- Under assembly/equipment lines or vehicles



Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Re-Form Pads								
RF100	Heavy Wt. Pad	15"x19"	No	17.5	40	19	24	100/case
RF300	Medium Wt. Pad	15"x19"	No	17.5	32	14.8	30	100/case
RF500	Light Wt. Pad	15"x19"	No	17.5	24	12	36	100/case

**Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.*



Absorbents vs. Rags

Absorbent pads are a clean, safe and cost efficient way to clean-up small spills compared to laundered rags. Laundered rags oftentimes contain residual oil, grease or metal shavings.

By using absorbents, you're assured to always have a clean and safe product in hand.



Re-Form™ Eco-Friendly Absorbents

RE-FORM™ ABSORBENTS



Re-Form™ Oil Only Absorbents

Repels water and floats making it ideal for outdoor applications.

- Absorbs more than 34 times its weight in liquid
- 40% higher absorption ratio than the next leading absorbent
- Spunbond coverstock adds durability and reduces linting
- Made from 80% all natural cotton fibers
- Perforated to help you reduce waste by using only what you need
- Supports corporate sustainability and LEED initiatives

Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids

Durability: ✓✓✓

Linting: Low Linting

Absorbencies: Heavy Weight

Cost: \$\$\$

Recommended Applications

- For drips, spills and wiping applications
- Paper industries
- High tech industries
- Pharmaceutical
- Machining of small parts
- Food processing
- Precision engineering
- Marine and environmental spills



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Re-Form Oil Only Pads								
RFODP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	30	39	12	24	100/case
Re-Form Oil Only Rolls								
RFOP28-DP	Heavy Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	30	74	21	12	1/case
RFOP14P	Heavy Wt. Roll	14.25"x150'	Yes, every 19"	30	37	10.5	24	1/case

**Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.*



See Re-Form™ Absorbents In Action!

Re-Form™ absorbents have been tested to be up to 50% more absorbent than oil-based polypropylene absorbents, so you'll use less product to get the job done.



Watch the online videos at www.BradyID.com/SPC to see for yourself!



SOCS, PILLOWS & DRUM COVERS

FOR ABSORBING LEAKS AND SPILLS AROUND MACHINES

SOCs, Pillows & Drum Covers

Specialty absorbent products including SOCs, pillows and drum covers can be used around a facility when a pad or roll may not be sufficient. These flexible absorbents allow you to place the absorbent exactly where you need it.

Absorbent SOCs are dependable, flexible tubes that contain and absorb liquids. SOCs mold around corners and conform to uneven surfaces to soak up spills and drips, preventing fluid from escaping to other areas.

Absorbent pillows are ideal for use under the bottom of spill pallets or machines that are known to drip or leak. Pillows are easy to retrieve, and can soak up oil and water-based fluids in hard-to-reach areas such as sumps, catch basins or even outdoor ponds.

Absorbent drum covers eliminate the messy drips and overflow when mixing or pumping liquids from the drum barrel. SPC drum covers keep drums, the floor and surrounding storage areas dry and clean.

Recommended for:

- Wrap a SOC around your machine to stop leaks from reaching the floor
- Place a pillow in a tight space between machines to catch splashes or overspray
- Keep drum storage areas clean and dry with pre-cut drum covers



View Products Online



Scan to quickly view SOC absorbents online or visit:
www.BradyID.com/SPC

SOCs, Pillows & Drum Covers

SOCs, Pillows & Drum Cover Absorbents:

Keep your work areas clean and dry with a variety of highly absorbent products. Use the following table to quickly compare which SOC, pillow or drum cover works best for your application.

	Liquids Absorbed	Construction	Available Products
Universal SOCs, Pillows & Drum Covers Page 36	Water-based Liquids Oil-based Liquids	Vermiculite, Polypropylene or Corn Cob Filled	ALLWIK® SOCs, Pillows & Drum Covers SLIKWIK® SOCs Cobra Coil® SOCs BASIC SOCs NEW!
Oil Only SOCs, Pillows & Drum Covers Page 38	Oil-based Liquids	Polypropylene Filled	Oil Only SOCS, Pillows & Drum Covers
Chemical SOCs & Pillows Page 39	Water-based Liquids Oil-based Liquids Aggressive Chemicals	Polypropylene Filled	HAZWIK® SOCS & Pillows
Re-Form™ SOCs Page 39	Water-based Liquids Oil-based Liquids	Cellulose Filled	Re-Form™ Universal SOCs Re-Form™ Oil Only SOCs



SOCs, Pillows & Drum Covers



Universal Absorbency

Use these all-purpose absorbents to clean-up oils, coolants, solvents and water-based fluids throughout your facility. Their gray color masks spills and stains – helping you resist the urge to pick up the absorbent before it is fully saturated.



ALLWIK® Universal SOC

- All-purpose polypropylene SOC
- Suitable for most industrial applications
- Wringable and can be incinerated

Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
AW124	SOC	3"x12'	9	12	12	40	4/case
AW806	SOC	3"x8'	9	12	12	40	6/case
AW430	SOC	3"x4'	9	30	26	20	30/case
AW412	SOC	3"x4'	9	12	12	40	12/case

SLIKWIK® Universal SOC

- Corn cob-filled SOC
- Exceptional value for picking up of all non-aggressive liquids



Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SW46	SOC	3"x42"	3	20	50	16	40/case

Cobra Coil® Universal SOC

- Vermiculite-filled SOC
- Excellent for diking applications
- Suitable for all liquids including aggressive chemicals



Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
NEW! CC440V	SOC	3"x4'	4.5	25	30	16	40/case
CC400	SOC	3"x4'	8.5	3.3	29	32	12/case

BASIC Universal SOC

- **NEW** economical absorbent SOC with a cellulose fill
- Suitable for most non-aggressive fluids



Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
NEW! BSC40	SOC	3"x42"	15	81	47.5	16	40/case
NEW! BSC20	SOC	3"x42"	15	40.5	24	20	20/case



ALLWIK® Universal Pillows

- All-purpose polypropylene pillow
- Suitable for most industrial applications
- Ideal for under valves and other dripping applications



Catalog #	Type	Size	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
AW1818	Pillow	18"x18"	12.5	28	19	20	16/case
AW1818-2	Pillow	18"x18"	12.5	14	9.5	40	8/case
AW99	Pillow	9"x9"	12.5	14	10	40	32/case

ALLWIK® Universal Drum Covers

- All-purpose polypropylene drum cover
- Fits 55-gallon drums either with 1 or 2 bungholes
- Create a clean and safe work floor by preventing pump drips from reaching the floor



Catalog #	Type	Size	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
DTA25	Medium Wt. Drum Cover	22" dia.	12.5	6	6	48	25/case

? SOC Usage Tips:

Use these tips to help ensure that you get the most out of your SOC's:

- Clean-up all loose materials, rags and other debris around the spill
- SOC's work best when they lay flat against the floor
- Replace your SOC when liquid begins pooling or seeping underneath
- When installing your SOC, shake vigorously to evenly distribute absorbent within the SOC
- Overlap the ends of your SOC approximately 5" to extend your spill protection



SOCs, Pillows & Drum Covers



Oil Only Absorbency

Specialized for oil and other petroleum-based spills, Oil Only SOC, pillows and drum covers will not absorb water making them ideal for outdoor use. These absorbents are unaffected by temperature and impervious to rot and mildew. Ideal for soaking up petroleum-based solvents and paints, vegetable oils and other non-water soluble oil based fluids.

Oil Only SOC

- Specialized oil only polypropylene SOC
- Absorbs oil and petroleum based liquids while repelling water
- Wringable and can be incinerated
- Strong wicking action: adsorption begins instantly after contact with the spilled liquid, no need to turn the SOC



Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
OIL124	SOC	3"x12'	9	12	11	40	4/case
OIL806	SOC	3"x8'	9	12	11	40	6/case
OIL430	SOC	3"x4'	9	28	30	20	30/case
OIL412	SOC	3"x4'	9	12	11	40	12/case

Oil Only Pillows

- Specialized oil only polypropylene pillow
- Will not absorb water or water-based solutions
- Oil only pillows are ideal for use in waste troughs, coolant tanks, fluid reservoirs and sump wells



Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
OIL1818	Pillow	18"x18"	12.5	28	19	20	16/case
OIL1818-2	Pillow	18"x18"	12.5	14	9.5	40	8/case
OIL99	Pillow	9"x9"	12.5	14	10	40	32/case

Oil Only Drum Covers

- Specialized oil only polypropylene drum cover
- Fits 55-gallon drums either with 1 or 2 bungholes
- Will not absorb water or water-based solutions
- Create a clean and safe work floor by preventing pump drips from reaching the floor

Pre-cut holes fit 1-2 bungholes.



Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
DTO25	Medium Wt. Drum Cover	22" dia.	12.5	6	6	48	25/case



Chemical Absorbency

These surfactant-treated polypropylene SOC and pillows can be used on a wide range of chemicals, including hydrofluoric acid. They also are chemically inert, so they will not react with aggressive fluids.



HAZWIK® SOC

- Absorbs chemicals, acids and bases
- Flexible design is easily molded around spills

Catalog #	Type	Size	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
HAZ124	SOC	3"x12'	9	12	12	40	4/case
HAZ412	SOC	3"x4'	9	12	12	40	12/case

HAZWIK® Pillows

- Absorbs chemicals, acids and bases
- Ideal for extra protection during packaging and transport



Catalog #	Type	Size	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
HAZ1818	Pillow	18"x18"	12.5	14	9.5	20	16/case
HAZ1818-2	Pillow	18"x18"	12.5	14	9.5	40	8/case
HAZ99	Pillow	9"x9"	12.5	10	14	40	32/case



Re-Form™ SOC

Re-Form SOC are up to 50% more absorbent than polypropylene SOC meaning you can soak up more with less.

Re-Form™ Universal SOC

- Made from recycled newsprint and other cellulose
- Absorbs oils, coolants, solvents and water-based fluid



Catalog #	Type	Size	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
MS124	SOC	3"x12'	8.5	12	12	42	4/case
MS806	SOC	3"x8'	8.5	12	12	42	6/case
MS50	SOC	3"x4'	7	40	43	15	40/case
MS412	SOC	3"x4'	8.5	12	12	42	12/case

Re-Form™ Oil Only SOC

- Made from 80% all natural cotton fibers
- Absorbs oil, grease, transmission fluid, coolant and other liquids.
- Repels water and floats for outdoor applications



Catalog #	Type	Size	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
RFO412	SOC	3"x4'	13.5	15	10.5	40	12/case



MATS & RUGS

CLEAN, DRY FLOORS PREVENT SLIPS, TRIPS & FALLS

Mats & Rugs

SPC absorbent mats and rugs keep aisles and walkways slip-free by absorbing and containing oils, liquids or other spills. They are designed to hold up in your toughest applications and are ideal for high traffics areas and workstations. Compared to an entrance mat, absorbent mats and rugs offer better traction, reduce slipperiness and keep liquids from being tracked from one area to the next.

Common Liquids Absorbed:

- Bases
- Oils
- Chemicals
- Solvents
- Water-based fluids

The Technology:

SPC absorbent mats and rugs are constructed from durable, needle punched, polypropylene fibers - a more durable manufacturing process with a larger fiber diameter than meltblown fibers. This technology means that fibers or absorbent materials will not come loose around high traffic areas or workstations.



View Products Online



Scan to quickly view these Mats & Rugs online or visit:
www.BradyID.com/SPC

Mats & Rugs Absorbent Family:

All of these mats and rugs start with a highly absorbent core - the difference is what happens from there... Features such as durability, absorbency grades and construction give you versatile absorbent options for your specific application. Use the table below to help you choose the appropriate mat or rug for your applications.

	Applications	Durability	Linting	Cost	Absorbency Grades	Construction
TrackMat Absorbent Rolls <small>Page 42</small>	The ultimate oil only barrier mat for high volume spills. Ideal for all high traffic applications indoors or outdoors.	✓✓✓	Low Linting	\$\$\$	Heavy Weight	3-ply construction with UV-resistant top layer and highly absorbent polypropylene core
BSM Barrier Spill Matting Rolls <small>Page 42</small>	Barrier backed for heavy foot or forklift traffic in aisles and walkways. Excellent wear resistance.	✓✓✓	Low Linting	\$\$\$	Medium Weight	Needle-punched polypropylene and non-stick backing
SIR Absorbent Industrial Rug Rolls <small>Page 42</small>	Economical rug for use in high traffic areas including aisles and walkways.	✓✓✓	Low Linting	\$\$	Heavy Weight	Needle-punched polypropylene
Rag Rug Pads & Rolls <small>Page 42</small>	Economical rug for use in high traffic areas including aisles and walkways.	✓✓	Medium Linting	\$	Heavy Weight	Economy rug made from recycled cotton and polyester fibers

Mats & Rugs



TrackMat Matting

The ultimate barrier absorbent for high volume petroleum spills.

- Extremely strong and durable 3-ply construction features UV-resistant top layer making it ideal for outdoor applications and suitable for heavy foot or vehicle traffic
- Highly absorbent polypropylene core
- Non-slip and non-leak barrier backing prevents liquids from penetrating into the ground
- Dimpled for added durability and reduced linting


Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids
Durability: ✓✓✓
Linting: Low Linting
Absorbencies: Heavy Weight
Cost: \$\$\$

Applications

- Where strength, absorbency and impermeability is needed
- Transportation companies
- Refineries and Steel Mills
- Railway or Military

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
TrackMat Pads								
TM30	Heavy Wt. Pad	29"x29"	No	9	25	15	15	30/bale
TrackMat Rolls								
TM58	Heavy Wt. Roll	58"x80'	No	9	55	34	9	1/bale



BSM - Barrier Spill Matting

Industrial rug with non-slip and leak-proof barrier backing for use in high-traffic areas and around workstations.

- Needle-punched polypropylene is durable for high traffic areas and eliminates slippery areas and unsightly tracking
- Tear resistant and will not curl or buckle
- Absorbs water, oil or chemicals

Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids
Durability: ✓✓✓
Linting: Low Linting
Absorbencies: Medium Weight
Cost: \$\$\$

Applications

- Ideal for high traffic industrial applications and in workstations
- Premium surface protection during renovation work

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
BSM300	Medium Wt. Rug	36"x300'	No	8	74	67	12	1/bale
BSM100	Medium Wt. Rug	36"x100'	No	8	25	24	40	1/bale
BSM3650	Medium Wt. Rug	36"x50'	No	8	12	12	40	1/case



SIR - Absorbent Industrial Rug

Designed for high traffic areas and workstations where there's a need for clean and safe work floors and walkways.

- Made of durable, needle-punched polypropylene fibers for high traffic areas
- Universal absorbent roll for water-based chemicals or oil
- Eliminates slippery areas and unsightly tracking between the plant and office areas
- Can stand up to most aggressive fluids



Product Summary		Applications
Liquids Absorbed:	Oils, Coolants, Solvents and Water-based Fluids	<ul style="list-style-type: none"> • Vehicles repair and service • Warehouse and container terminal • Surface protection during renovation work • Marine spills/wildlife preservation
Durability:	✓✓✓	
Linting:	Low Linting	
Absorbencies:	Heavy Weight	
Cost:	\$\$	

Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SIR36	Heavy Wt. Rug	36"x300'	No	8.5	59	50	12	1/bale
SIR36150	Heavy Wt. Rug	36"x150'	No	12.5	45	25	24	1/bale
SIR72	Heavy Wt. Rug	72"x150'	No	8.5	59	50	12	1/bale



Rag Rug Matting


Economy rug made from recycled cotton and polyester fibers.

- Provides good footing, masks dirt and absorbs spills
- Soaks up oil, water-based and solvent-based liquids
- Ideal for maintenance, repair and industrial environments



Product Summary		Applications
Liquids Absorbed:	Oils, Coolants, Solvents and Water-based Fluids	<ul style="list-style-type: none"> • Ideal for high traffic industrial applications and in workstations • Premium surface protection during renovation work
Durability:	✓✓	
Linting:	Low Linting	
Absorbencies:	Medium Weight	
Cost:	\$	

Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
RAG36150	Heavy Wt. Rug	36"x150'	No	9	55	47	12	1/bale
RAG24150	Heavy Wt. Rug	24"x150'	No	9	37	52	10	1/bale
RAG3030	Heavy Wt. Rug	30"x30"	No	9	38	32	7	50/case
RAG1818	Heavy Wt. Rug	18"x18"	No	9	38	32	18	50/case



MARINE

HIGH ABSORBENCY ON THE WATER

Marine

SPC marine specialty absorbents are designed to float on water and contain or absorb a wide variety of marine fuels and oils. From containment to booming and skimming operations, these absorbents will soak up unwanted fluids on lakes, rivers, streams and coastal shorelines. Marine absorbent products are made for high absorbency and rapid deployment in demanding emergency situations.

The Technology:

SPC absorbent booms are constructed of highly absorbent polypropylene fibers encased in a durable skin that is lined with a heavy duty tow rope. The booms are fastened with three stainless steel connectors on each end to link booms together for fast retrieval. This is extremely important when towing heavy booms are saturated with oil.

Recommended For:

- Marinas
- On Boats & ships
- Loading docks
- Affluent pipes
- Outdoor liquid transfer points
- Fuel storage tanks



View Products Online



Scan to quickly view these Marine Absorbents online or visit:
www.BradyID.com/SPC



Absorbent Booms

- Premium SPC® Booms are lint free and easy to handle
- Economical ENV® booms feature a lint-free blue sleeve

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
ENV810	ENV Boom	8"x10'	13	65	38	10	4/bale
ENV510	ENV Boom	5"x10'	12.6	32	19	20	4/bale
SPC810	SPC Boom	8"x10'	13.3	71	40	10	4/bale
SPC510	SPC Boom	5"x10'	12.6	32	19	16	4/bale
SPC5510*	SPC Boom	5"x10'	12.1	61	38	12	2/bale
SPC818	SPC Boom	8"x18"	12.5	28	17	16	10/bale
SPC518	SPC Boom	5"x18"	12.6	12	8	40	10/case
SPC318	SPC Boom	3"x18"	9.5	14	10	40	25/case

*SPC5510 features two 5"x10' booms attached side by side.

Containment Booms

- Cost-effective solution for containment of oil spills on water
- Also used as barriers in holding ponds to retain waste and debris



Catalog #	Type	Size	Shipping Wt (lbs)	Pallet Qty.	Quantity
CB612	Boom	6" Float, 12" Skirt, 100' Sections	22.5	3	4 sections/case
CB305	Boom	3" Float, 4.5" Skirt, 25' Sections	200	11	1/case



Sweeps & Pillows

- Features a 2-ply construction, and durable blue coverstock for extra strength (for use with oil and petroleum-based fluids)
- "Sweep" the water to remove surface oil
- 100' sections are ideal for dragging behind or connecting between two ships

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SPC1900	Sweep	19"X100'	15	25	13	36	1/bale
SPC10	Pillow	14"x25"	12.5	52	30	10	10/bale

Oil Nets/Drag Nets

- Flat, chemical-resistant filaments in half-pound units float in water and entrap heavy oil
- Reusable after draining or dousing with #1 or #2 weight oils; extracted oil can be recycled or downgraded as fuel oil
- Use the Drag Net as a sweep between two boats or deployed along a shoreline



Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
ODN08	Universal	50' (30 nets)	15	15	16	24	1/bale
ONO30	Oil Only	50' (30 nets)	15	15	17	24	1/bale

GRANULAR

LOOSE, MULTI-PURPOSE ABSORBENTS

Granular Absorbents

Granular absorbents are loose, multi-purpose absorbents that are ideal for liquid spill clean-up, lab packing and stabilization of free liquids. Brady offers standard granular absorbents, as well all-natural, eco-friendly absorbents and bio-degradable absorbents. These absorbents are ideal for facilities that prefer or require the use of traditional granular absorbents.

The Technology:

The small, loose particles of a granular absorbent make it ideal for applications where a pad or roll would not offer a proper fit. Liquids don't always spill on a smooth surface, and when they do, a granular absorbent can absorb liquids from the cracks and crevices on surfaces such as asphalt or other outdoor surfaces.

Recommended For:

- Absorbing oils, solvents, lubricates, coolant and water on uneven surfaces including on roads or parking lots.



View Products Online



Scan to quickly view these Granular Absorbents online or visit: www.BradyID.com/SPC



Re-Form™ Industrial Absorbent

- 100% recycled material - safe for the environment and employee use
- Absorbs oils, solvents, lubricants, coolants, water and most non-aggressive liquids on contact
- 1:1 absorbency ratio - absorbs its own weight in oil

Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
RFGRANULAR	Re-Form Granular	30 lbs	1	16.7	30	65	1 pallet



Dri-Zorb Granular Absorbent

- All natural corn cob product for oil, grease, water and other liquids
- Ideal for use in aircraft maintenance, machine shops, food processing, filling lines and bulk liquid transfer stations
- Not for use with aggressive fluids

Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
DZ100	Universal Granular	40 lbs	1.5	8.5	1600	40	1 pallet



Cansorb Oil Only Granular Absorbent

- All-organic oil only absorbent, manufactured from high quality fiber sphagnum peat moss
- Ideal for oil only clean-up on open water and land applications
- Absorbs 8 times its weight

Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
CS-CB18	Oil Only Granular	18 lbs	8	18/bag	1000	50	1 pallet
CS-LFB10	Oil Only Granular	10 lbs	8	10/bag	640	64	1 pallet



Oil Gator Granular

- All natural biodegradable absorbent captures 2-6 times its weight in oil
- Will not harm environment and stops leaching of contaminants into the soil and groundwater

Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
GS-10	Oil Only Granular	30 lbs	2 to 6	23	1800	60	1 pallet



SPILL CONTROL & CONTAINMENT

KEEPING YOU SAFE FROM UNEXPECTED SPILLS OR LEAKS.

Spill Containment

A proper spill containment plan can help create a safe and productive work environment for your employees. SPC spill containment products help to prepare and protect any facility with solutions for unexpected, critical accidents. Absorbent storage centers and SPC spill kits provide fast-response solutions for unplanned spills of oils, solvents, coolants and other fluids. SPC drains, spill decks, berms, pans and pallets also ensure facility safety by catching, controlling and containing unexpected leaks, drips and spills.

Common Liquids Absorbed:

- Accidental or unexpected spills
- Indoor and outdoor drain applications
- Drain pans for dripping valves or facets
- Storing absorbent products at the point of need



View Products Online



Scan to quickly view these Spill Containment Products online or visit: www.BradyID.com/SPC



Drip Pans

- Durable, low profile, polyethylene drip pans easily fit under leaky drum spigots and other problem areas
- Pan and universal fill captures up to 3/4 of a gallon of liquid
- Wide base prevents tipping

Catalog #	Type	Size	Shipping Wt (lbs)	Pallet Qty.	Quantity
DPA24	Drip Pan	10"x10"	6	20	24/case



Drain Plugs

- Conical-shaped drain plugs made from chemical-resistant PVC keep spills from entering the drainage system and features a "metal eye" for easy insertion or removal
- Just rinse and re-use when finished

Catalog #	Type	Size	Shipping Wt (lbs)	Pallet Qty.	Quantity
PLUG6	Drain Plug	6" Plug	6	250	1/case
PLUG4	Drain Plug	4" Plug	4	250	1/case
PLUG3	Drain Plug	3" Plug	3	250	1/case
PLUG2	Drain Plug	2" Plug	2	250	1/case



SLIKSTOPPER
PVC Drain Seal

Spill Magnet™
Drain Seal

Drain Seals

- Resists water, oil and most aggressive fluids
- Easy application; soap and water cleanup for re-use
- SLIKSTOPPER Drain Seals' flexible and chemical-resistant PVC construction tightly seal drains to prevent spills from flowing into the drainage system
- Spill Magnet Drain Seals are backed with a strong magnet to tightly seal drains

Catalog #	Type	Size	Shipping Wt (lbs)	Pallet Qty.	Quantity
PVC36	Slikstopper	36"x36"	34	25	1/case
PVC24	Slikstopper	24"x24"	14	30	1/case
PVC18	Slikstopper	18"x18"	9	100	1/case
96229	Spill Magnet	12" dia.	1	100	1/each



Storm Drain Guards

- Keep oil, sediment and other contaminants from entering the water system
- Made from non-woven polypropylene
- Holds up to 40 lbs of sediment; flow rate is 500 gpm (new) and 700 gpm bypass
- DGUARD14 and DGUARD1410 feature X-TEX filter strips which increase absorbency



Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
NEW! DGUARD14	Drain Guard	36" X 48" X 18"	1.4	2	36	1/case
NEW! DGUARD1410	Drain Guard	36" X 48" X 18"	14	20	20	10/case
NEW! DGUARD9	Drain Guard	36" X 48" X 18"	0.9	1	36	1/case
NEW! DGUARD910	Drain Guard	36" X 48" X 18"	9	10	20	10/case

Spill Containment

SPC spill containment products are designed with your efficiency in mind - keeping your employees and work environment safe from unexpected drum spills or leaks.

Spill Containment decks and pallets feature:

- **Solid Construction:** Injection molding ensures exceptional durability and consistent specifications
- **Standard Lip and Grate Heights:** Manufactured to standard heights to allow uninhibited movement
- **Nestable:** Remove the grates and stack for storage
- **Grate Pins:** Pins keep the grates in place during use and prevent the walls from bulging

• Interchangeable Grates with Large Openings:

Removable grates can be used with spill decks or spill pallets (even between two and four drum pallets)

- **Forklift Friendly:** Easily use your forklift to re-locate your decks or pallets and drums



Spill Decks

- Low profile, 21.2-gallon capacity, two-drum spill decks
- Contain hazardous leaks in your drum storage and dispensing areas
- Built-in clips to easily connect multiple decks – creating a 4, 6, 8 or more drum storage platform

Catalog #	Type	Size	Absorbency Capacity (gal)	Load Cap. (lbs)	Shipping Wt (lbs)	Pallet Qty.	Quantity	
SC-SD2	2 Drum Spill Deck	26"W X 52"L X 6"H	21.2	2,500	31	15	1/each	
SC-DK	Sump Drain Kit to share capacity across multiple decks					2	100	1/case



Spill Pallets

- Comply with governmental secondary containment regulations
- Capacity up to 128.9 gallons of containment
- 2-drum or 4-drum configuration

Catalog #	Type	Size	Absorbency Capacity (gal)	Load Cap. (lbs)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SC-DP4	4-Drum Spill Pallet	52"W X 52"L X 17"H	128.9	5,000	89	10	1/each
SC-DP2	2-Drum Spill Pallet	26"W X 52"L X 17"H	68.7	2,500	46.5	10	1/each
SC-DPR	Spill Pallet Ramp	32.5"W X 70"L	n/a	650	47.5	3	1/each

Easy loading ramp works with both the 2-drum and 4-drum spill pallets. (sold separately)



Spill Berms

- Standard and lightweight available
- Self contained portable containment systems feature a one-piece design
- Requires no assembly, tools or inflation

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SB-1236	Standard Spill Berm	12'x36'x1'	n/a	149	1	1/each
SB-1226	Standard Spill Berm	12'x26'x1'	n/a	112	1	1/each
SB-1212	Standard Spill Berm	12'x12'x1'	1,077	60	1	1/each
SB-1010	Standard Spill Berm	10'x10'x1'	748	47	1	1/each
SB-SL46	Lightweight Spill Berm	4'x6'x8"	119	8	10	1/each
SB-SL44	Lightweight Spill Berm	4'x4'x8"	79	6	20	1/each

Absorbent Storage

This absorbent center's modular cabinet is designed to hold all of your essential absorbents for storage and easy access - so your spill response team can quickly grab the right absorbent for the job. With the ability to hold full cases of SPC absorbent products, there is no special refill required for restocking. Also, because it's modular, customizable and mobile, the size of your absorbent storage is entirely up to you.



Absorbent Centers

- Fill with just about any SPC absorbent you need
- Use as an absorbent deployment station or mobile spill control unit
- Holds up to a 38" roll and full bales of product – no special refills required!
- Stack two or three to make a cabinet, hang it on the wall, or place it under your workbench
- Optional casters, wall mounting bracket, dowel rods and an accessory pack also available



Set Of Casters



15" or 40" Dowel Rods



Accessory Pack
(goggles, gloves, disposal bags with ties and an emergency handbook)



Wall Mount

Catalog #	Type	Size	Shipping Wt (lbs)	Pallet Qty.	Quantity
SC-3000	Absorbent Center	50"L X 26"W X 7.75"H	50	15	1/each
SC-ACC	Accessory Pack	Includes goggles, gloves, disposal bags with ties, and an emergency handbook.			1 pack
SC-D15	15" Dowel Rod	15"	n/a	n/a	1 rod
SC-D40	40" Dowel Rod	40"	n/a	n/a	1 rod
SC-4	Set of 4 casters		n/a	n/a	1 pack
SC-MB	Wall Mount	n/a	n/a	n/a	1 each

NEW!

Spill Control Cabinet



- Allows easy access for emergency situations
- 2 fully adjustable shelves included
- Durable construction and keyhole slots for wall hanging
- Plexiglas window allows for easy content inventory

Take the guess work out of filling your cart or cabinet by ordering one of SPC's absorbent fills.



NEW!

Spill Control Cart



- Secure storage with locking handle (2 keys included)
- Convenient sturdy work surface with one fixed interior shelf
- 3" backstop on top surface
- Tubular handle and wheels for ease of mobility
- Extremely durable 16 gauge all welded steel

	Catalog #	Type	Size	Shipping Wt (lbs)	Pallet Qty.	Qty.
NEW!	SC-Cart	Spill Control Cart	36 x 18 x 38-3/8	180	1	1/each
NEW!	SC-Cart-UF	Universal Absorbent Cart Fill				
NEW!	SC-Cart-OF	Oil Only Absorbent Cart Fill				
NEW!	SC-Cart-HF	Chemical Absorbent Cart Fill				
NEW!	SC-Cabinet	Spill Control Cabinet	19-7/8 x 14-1/4 x 32-3/4	45	9	1/each
NEW!	SC-Cabinet-UF	Universal Absorbent Cabinet Fill				
NEW!	SC-Cabinet-OF	Oil Only Absorbent Cabinet Fill				
NEW!	SC-Cabinet-HF	Chemical Absorbent Cabinet Fill				

SC-Cart Fills includes: 100 pads, 5 socs, 8 pillows, 5 bags, 1 pair of gloves, 1 goggle, Emergency Response Guidebook.
SC-Cabinet Fills includes: 50 pads, 4 socs, 6 pillows, 5 bags, 1 pair of gloves, 1 goggle, Emergency Response Guidebook.

Spill Control & Containment

Spill Kits

A range of emergency response kits to handle any type of spill.

Accidents do happen, so it's better to be prepared. Brady offers a complete selection of SPC spill kits in a variety of types and sizes to equip you with everything you need to clean-up accidents when they happen. Quickly and easily clean-up spills of oils, solvents, coolants and other fluids. They are ideal for fast response to critical accidents.

Many of our kits are available in the following types:

- **Universal/Maintenance Kits**
For oil, water-based and chemical liquids
- **Oil Only Spill Kits**
For oil and petroleum-based liquids
- **Chemical Spill Kits**
For aggressive and hazardous liquids
- **Re-Form™ Spill Kits**
Universal absorbents that are eco-friendly
- **TAA Compliant Spill Kits**
Comply to the Trade Agreements Act

Spill Kits Increase Efficiency

Worker productivity and efficiencies can be improved dramatically by placing spill kits or absorbent storage centers strategically around the facility and closer to the areas of need. For both emergency response and routine maintenance and safety, you don't want employees wandering away from their workstation to the other side of the plant or tool room to find the absorbent materials they need.



Trade Agreement (TAA) Compliant Kits

GSA Schedule Contracts are subject to the Trade Agreements Act (TAA), meaning all products listed on the GSA Schedule Contract must be manufactured or “substantially transformed” in a “designated country.” The designated countries are comprised of:

- World Trade Organization government procurement agreement countries
- Free trade agreement countries
- Least developed countries
- Caribbean basin countries



View Products Online



Scan to quickly view Spill Kits online or visit:
www.BradyID.com/SPC

Be prepared: make sure you have spill kits on hand throughout your facility!



Shipping Docks



Freight Vehicles



Maintenance Areas



Plant Floor



Spill Procedure Guide: What To Do When A Spill Occurs

When a spill occurs, time is of the essence to make sure a quick and safe clean-up occurs. Here are some helpful hints to make sure you, your employees and the environment are protected.

1. Risk Assessment

Evaluate the type of material spilled and identify the source. If you are NOT familiar with the liquid and its chemical properties, vacate the area and contact proper authorities.

2. Protective Clothing

Wear the appropriate protective gear for the situation. If the source or the material is not identifiable, assume the worst.

3. Containment

Contain the liquid and seal drains.

4. Stop the Source

Close valves, rotate punctured drums and plug leaks where it is possible and safe to do so.

5. Begin Clean Up

Use SPC absorbents to absorb spilled liquids.



6. Contact Authorities

Report the spill to proper legal authorities in your community. Be sure to fill out all necessary reports in accordance with local laws.

7. Disposal of Used Material

Absorbent materials take on the characteristics of whatever they absorb. Be sure to dispose of used absorbents and spilled liquids in accordance with local laws.

8. Decontaminate

Clean all tools and reusable materials properly before reuse.

9. Restock Materials

Replace absorbent materials and safety equipment used in any clean-up operation.

10. Review Contingency Plans and Procedures!

PLEASE NOTE: THE SPC SPILL KIT IS A STOP-GAP MEASURE FOR MINOR SPILL CLEAN-UP. IF A SERIOUS SPILL OCCURS, CONTACT LOCAL AUTHORITIES FOR DIRECTION AND ASSISTANCE FOR THE PROBLEM. DUE TO THE POSSIBLE TOXIC AND HAZARDOUS FLUID ABSORBED, BRADY DOES NOT RECOMMEND DISPOSAL PROCEDURES.

Spill Control & Containment



Contents:
20 pads (15" x 19")

MAXX® Packs

- Mini-packs in re-sealable zipper bags
- 20 economic, single ply pads
- Kit dimensions: 15.5"L x 19.5"W x 20.5"H

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
MXP-U20	Universal	30	14.4	18	5/case
MXP-O20	Oil Only	35	15	18	5/case
MXP-C20	Chemical	30	14	18	5/case



Contents:
10 pads (15" x 19")
2 SOCs (3" x 4')
1 disposal bag
1 pair nitrile gloves
1 instruction sheet

Economy Spill Kit

- Highly visible yellow PVC bag for small spills; the right price, the right size and the right value
- Absorbs up to 5 gallons per kit, sold 5 kits per case
- Kit dimensions: 20"L X 16"W X 4"H

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-PP	Universal	5	24	20	5/case
NEW! SKA-PP-TAA	Universal	5	24	20	5/case
SKH-PP	Chemical	5	24	20	5/case
SKO-PP	Oil Only	5	24	20	5/case
SKR-PP	Re-Form	5	24	20	5/case



Contents:
10 pads (15" x 19")
3 SOCs (3" x 4')
2 disposal bags
1 pair nitrile gloves
1 instruction sheet

6.5-Gallon Spill Bucket

- Fast and small response with easily accessible spill kit in a reusable bucket
- Absorbs up to 10 gallons per kit
- Kit Dimensions: 14"Dia. X 18"H

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-BKT	Universal	9	9	60	1/each
NEW! SKA-BKT-TAA	Universal	6	9	60	1/each
SKO-BKT	Oil Only	9	9	60	1/each
SKH-BKT	Chemical	9	8	60	1/each
SKR-BKT	Re-Form	6	9	60	1/each



Contents:
15 pads (15" x 19")
3 SOCs (3" x 4')
1 disposal bag
1 pair goggles
1 pair nitrile gloves
1 instruction sheet

Attack Pac Spill Kit

- Space saving, single use kit, packed in puncture and UV resistant foil bag (includes grommet for hanging)
- Absorbs up to 7 gallons per kit
- Kit dimensions: 20"L X 16"W X 4"H

Hanging rack sold separately.

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-ATK	Universal	7	36.5	24	1/each
NEW! SKA-ATK-TAA	Universal	7	36.5	24	1/each
SKO-ATK	Oil Only	7	23	24	4/case
SKH-ATK	Chemical	7	25	24	4/case
SKR-ATK	Re-Form	7	36.5	24	4/case
ATKRO1	Hanging Rack for Attack Pack Spill Kit				1/each

Contents:

- 10 pads (15" x 19")
- 2 SOC's (3" x 12')
- 1 pillow (17" x 19")
- 1 disposal bag
- 1 pair nitrile gloves
- 1 instruction sheet



Emergency Spill Sack

- Easily portable economy spill kit packed in a reusable sack
- Absorbs up to 9 gallons per kit
- Kit dimensions: 20"L X 16"W X 4"H

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-SAK	Universal	10.75	10	20	1/each
NEW! SKA-SAK-TAA	Universal	10.75	10	20	1/each
SKO-SAK	Oil Only	10.75	10	20	1/each
SKH-SAK	Chemical	10.75	10	20	1/each
SKR-SAK	Re-Form	10.75	10	20	1/each

Contents:

- 32 pads (15" x 19")
- 5 SOC's (3" x 12')
- 1 pillow (17" x 19")
- 2 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- 1 instruction sheet



Emergency Response Kit

- Quickly assess the absorbents you have through the clear shoulder bag when you respond to the spill
- Absorbs up to 15 gallons per kit, sold 2 kits per case
- Kit dimensions: 20"L X 16"W X 4"H

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-CFB	Universal	15	25	20	2/case
NEW! SKA-CFB-TAA	Universal	15	25	20	2/case
SKO-CFB	Oil Only	15	25	20	2/case
SKH-CFB	Chemical	15	25	20	2/case
SKR-CFB	Re-Form	15	25	20	2/case

Contents:

- 12 pads (15" x 19")
- 3 SOC's (3" x 12')
- 2 pillows (18" x 18")
- 3 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook



20-Gallon Lab Pack

- UN-approved water and chemical resistant polyethylene container with screw top lid for small-medium response
- Absorbs up to 17 gallons per kit
- Kit Dimensions: 21"Dia. X 18"H

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-20	Universal	15	27	18	1/each
NEW! SKA-20-TAA	Universal	15	26	18	1/each
SKH-20	Chemical	15	26	18	1/each
SKO-20	Oil Only	15	20	18	1/each
SKR-20	Re-Form	15	27	18	1/each

Contents:

- 1 roll (15" x 73')
- 5 SOC's (3" x 4')
- 8 pillows (10" x 10")
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook



Mobile Spill Kaddie

- Mobile, compact emergency kit for fast spill response anywhere in the plant
- Absorbs up to 22 gallons per kit
- Kit Dimensions: 18"L X 17"W X 39"H

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-K2	Universal	22	42	10	1/each
SKH-K2	Chemical	22	42	10	1/each
SKO-K2	Oil Only	22	42	10	1/each

Spill Control & Containment



NEW!

Contents:
 25 pads (15" x 19")
 6 SOCs (3" x 12")
 6 pillows (18" x 18")
 3 disposal bags
 1 pair goggles
 1 pair of nitrile gloves
 Emergency Response Guidebook

30-Gallon Spill Kit

- Tough, secure, screw-topped spill kit is reusable and ideal for small-medium responses
- Absorbs up to 36 gallons per kit
- Kit dimensions: 21.125"Dia. X 28.5"H

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
NEW! SKA-30	Universal	36	41	18	1/each
NEW! SKA-30-TAA	Universal	36	41	18	1/each
NEW! SKO-30	Oil Only	36	41	18	1/each
NEW! SKH-30	Chemical	36	41	18	1/each



Contents:
 50 pads (15" x 19")
 4 SOCs (3" x 12")
 8 pillows (18" x 18")
 5 disposal bags
 1 pair goggles
 1 pair nitrile gloves
 Emergency Response Guidebook

55-Gallon Drum

- Lever locked 55-gallon drum meets UN specifications and is ideal for medium spills
- Absorbs up to 38 gallons per kit
- Kit Dimensions: 24"Dia. X 37"H

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-55	Universal	38	57	8	1/each
NEW! SKA-55-TAA	Universal	38	56	8	1/each
SKO-55	Oil Only	38	56	8	1/each
SKH-55	Chemical	38	52	8	1/each
SKR-55	Re-Form	38	57	8	1/each



NEW!

Contents:
 100 pads (15" x 19")
 7 SOCs (3" x 12")
 7 pillows (18" x 18")
 5 disposal bags
 1 pair goggles
 1 pair of nitrile gloves
 Emergency Response Guidebook

65-Gallon Spill Kit

- Tough, secure, screw-topped spill kit is reusable and ideal for medium-large spill responses
- Absorbs up to 63 gallons per kit
- Kit dimensions: 31"Dia. X 33.5"H

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
NEW! SKA-65	Universal	63	100	3	1/each
NEW! SKA-65-TAA	Universal	63	100	3	1/each
NEW! SKO-65	Oil Only	63	100	3	1/each
NEW! SKH-65	Chemical	63	100	3	1/each



Contents:
 110 pads (15" x 19")
 12 SOCs (3" x 4")
 8 SOCs (3" x 12")
 8 pillows (18" x 18")
 10 disposal bags
 1 pair goggles
 1 pair nitrile gloves
 Emergency Response Guidebook

95-Gallon Overpack

- Tough, secure, screw-topped overpack drum for large spills meets UN and DOT specifications
- Absorbs up to 75 gallons per kit
- Kit Dimensions: 31.5"Dia. X 35"H

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-95	Universal	75	107	3	1/each
SKO-95	Oil Only	75	107	3	1/each
SKH-95	Chemical	75	104	3	1/each
SKR-95	Re-Form	75	107	3	1/each

Mobile Spill Truck - Large

- Polyethylene bins are chemical and water resistant. Wheel mounted for maximum mobility, spill trucks provide the highest level of readiness
- Absorbs up to 126 gallons per kit.
- Kit Dimensions: 47"L X 34"W X 43"H



Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-LT	Universal	126	164	1	1/each
SKO-LT	Oil Only	126	185	1	1/each
SKH-LT	Chemical	115	158	1	1/each
SKM-LT	Marine	153	164	1	1/each

Contents of SKA-LT, SKH-LT and SKO-LT:

- 200 pads (15" x 19")
- 24 SOC's (3" x 4')
- 12 SOC's (3" x 12')
- 8 pillows (17" x 19")
- 15 disposal bags
- 1 pair goggles
- 3 pair nitrile gloves
- Emergency Response Guidebook

Contents of SKM-LT Marine Kit:

- 400 pads (15" x 19")
- 4 booms (5" x 10')
- 1 sweep (19" x 100')
- 15 disposal bags
- 1 pair goggles
- 3 pairs of nitrile gloves
- Emergency Response Guidebook

Mobile Spill Truck - X-Large

- Mobile spill response kit in water/chemical resistant large bin
- Absorbs up to 174 gallons per kit
- Kit Dimensions: 57.5"L X 40.5"W X 47"H



Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-XLT	Universal	174	221	1	1/each
SKO-XLT	Oil Only	174	221	1	1/each
SKH-XLT	Chemical	160	221	1	1/each
SKM-XLT	Marine	160	221	1	1/each

Contents of SKA-XLT, SKH-XLT and SKO-XLT:

- 250 pads (15" x 19")
- 36 SOC's (3" x 4')
- 20 SOC's (3" x 12')
- 8 pillows (18" x 18")
- 30 disposal bags
- 3 pairs of nitrile gloves
- 1 pair goggles
- Emergency Response Guidebook

Contents of SKM-XLT Marine Kit:

- 600 pads (15" x 19")
- 8 booms (5" x 10')
- 2 sweeps (19" x 100')
- 30 disposal bags
- 3 pairs of nitrile gloves
- 1 pair goggles
- Emergency Response Guidebook

Spill Control & Containment

Custom Spill Kit Program

Only the products you need - in the quantities you want.

Brady also offers customers the opportunity to create their own Custom Spill Kits with an assortment of Brady's most popular pads, SOC's, booms, pillows, safety accessories and containers.

With no minimum requirements, these Custom Spill Kits give you the flexibility to pick only the products you need without the extra cost of items you don't want.

Create a safer work environment and save time, money and space with a Brady SPC Custom Spill Kit.



Create your Custom Spill Kit and start eliminating waste and extra cost!

Simply follow these 3 easy steps...

- 1) Select your item(s)
- 2) Contact your authorized Brady Distributor for quotation and recommended spill container size.
- 3) Receive your prices and quotation number, then place your order.

! Create Your Kit Now

Contact Brady Customer Service at 1-888-272-3946 for more information or to create your Custom Spill Kit.



Absorbent Pads

Individual Pads	Type	Absorbency Weight	Size	Absorbency (gal/pad)
RF100	Universal	Heavy Wt.	15"x19"	.40
RFP100	Universal	Heavy Wt.	15"x19"	.40
RFDP300	Universal	Medium Wt.	15"x19"	.32
RF500	Universal	Light Wt.	15"x19"	.24
GP100*	Universal	Heavy Wt.	15"x19"	.30
BPU100*	Universal	Heavy Wt.	15"x17"	.20
BPU500*	Universal	Light Wt.	15"x17"	.17
RFODP100	Oil Only	Heavy Wt.	15"x19"	.39
SPC100*	Oil Only	Heavy Wt.	15"x19"	.35
BPO100*	Oil Only	Heavy Wt.	15"x17"	.20
BPO500*	Oil Only	Light Wt.	15"x17"	.17
SPCUN1719	Chemical	Medium Wt.	15"x19"	.20

** Also available in bales of 100 pads*



Absorbent SOC's

SOCs	Type	Size
AW412	Universal Allwik	3"x4'
MS50	Universal Re-Form	3"x4'
CC400V	Universal Corn Cob	3"x4'
AW806	Universal Allwik	3"x8'
AW124	Universal Allwik	3"x12'
MS124	Universal Re-Form	3"x12'
HAZ412	Chemical Hazwik	3"x4'
OIL412	Oil Only	3"x4'
OIL806	Oil Only	3"x8'
OIL124	Oil Only	3"x12'

Spill Control & Containment



Pillows

Pillows	Type	Size
AW99	Universal	10"x10"
OIL99	Oil Only	10"x10"
HAZ99	Chemical	10"x10"
AW1818	Universal	17"x19"
OIL1818	Oil Only	17"x19"
HAZ1818	Chemical	17"x19"



Marine Booms

Booms	Type	Size
ENV510	Oil Boom	5"x10'
SPC510	Oil Boom	5"x10'



Granular

Graunular	Type	Wt.
RFGRANULAR	Re-Form	30lbs.
DZ100	Corn cob	40lbs.
CS-CB-18	Peat Moss Compr.	18lbs.
CS-LFB-10	Peat Moss	10lb.
GS10	Bioremediate	30lb.
SOL25	Clay	25lbs.



Custom Spill Kit Storage & Containment

Catalog #	Storage & Containers
BAG-TK	Canvas Velcro Bag
BAG-DUF	Canvas Duffel Zipper
ECONO-BAG	Empty PVC Tote Bag
BAG110	Nylon Sack Black
121651	6-Gallon Bucket
121652	6-Gallon Bucket Lid
89151	20-Gallon Drum
89154-SPC	30-Gallon Drum
89130	50/55-Gallon Drum w/wheels
89165	65-Gallon Drum
89142	95-Gallon Drum
K2-G	Empty Kaddie
SC-LBIN	Large Spill Truck
SC-XLBIN	Extra Large Spill Truck



Custom Spill Kit Accessories

Catalog #	Accessories
CFB-AC	Clear Spill Kit Bags
BAG104	Disposal Bag
SCOOP	Scoop
SHOVEL	Plastic Safety Shovel
SHOVEL-T	2pc Shovel
PVC24	SLIKSTOPPER Drain Cover
PLUG2	Drain Plugs 2"
PLUG3	Drain Plugs 3"
PLUG4	Drain Plugs 4"
PLUG6	Drain Plugs 6"
PUTPAT	Putty Patty
INSTR SHEET	Instruction sheet
MIS114	Emergency Response Guidebook
58255	Caution Tape w/stripes
58257	Caution Tape Stripes Only



Personal Protection Equipment

Catalog #	PPE Products
COVERALL-D	Coverall - White
COVERALL-H	Coverall - Yellow
00313	Nitrile Gloves
00338	Goggles
00371	Latex Boots

No minimum requirements means you can create your spill kit as large or small as you need!

Facility Safety Products

Facility Safety Products

Brady offers a complete line of products and solutions to keep your facility safe, productive and compliant. Products such as cones, warning tapes and signs help to communicate important safety and facility messages to individuals.

Safety, Facility & Equipment Identification Catalog

Check out Brady's S-31 Catalog for thousands of safety products for your entire facility!

Visit www.BradyID.com to view an online interactive catalog or to request a printed catalog.



Handy Cone™ Floor Signs

- Collapsible, spring-loaded, pyramid-shaped sign sets up in seconds
- Stored in a 2" diameter tube



Reversible Floor Stands

- Alert employees and visitors of potential floor hazards
- Made of lightweight corrugated polypropylene material (B-836)
- Size: 12" wide x 20" h (closed)



Traffic Cones and Snap-On Signs

- Flexible, yet durable warning cone in a high visibility fluorescent orange color
- Plastic snap-on signs are designed to fit on top of traffic cone like a paperclip

Catalog #	Description
47380	31" Warning - People Working
47382	31" Caution - Wet Floor/Piso Mojado
47372	18" Caution - Wet Floor

Catalog #	Description
92280	Caution - Slippery When Wet/Wet Floor

Catalog #	Description
80111	18" Orange Vinyl Cone
80118	10 1/2" H x 12 3/4" W Black on Orange WET FLOOR Snap-On Sign



Reinforced Barricade Tape

- Provides fast on the spot warning
- 250 lbs tensile strength

Catalog #	Legend	Size	Qty.
91100	CAUTION	3"x500'	1 roll
91102	DO NOT ENTER	3"x500'	1 roll
91104	STRIPES	3"x500'	1 roll



BradyLink Warning Posts

- Non-conductive, Non-rusting, Fillable base
- Post dimension: 3" O.D., 41" high, 16" dia. base

Catalog #	Description	Color
92116	Black Large Post	Black
92117	White Large Post	White
92118	Yellow Large Post	Yellow



BradyLink Warning Chain & Links


- Polyethylene chain designed to prevent kinking
- Chain links used to permanently attach or repair lengths of chain

Catalog #	Description
78241	100' Orange Chain
78239	100' White Chain
78238	100' Yellow Chain
78246	2" Chain Links (36/package)

Safety Signs

Brady signs feature bright colors, bold text and intuitive pictographs and are designed to withstand even the harshest industrial environments.

Materials available: aluminum (AL), plastic (PL) and self-sticking polyester (SS)



Custom Signs at www.BradyID.com

Create made-to-order signs online, 24 hours a day and avoid paying any set-up charges.



AL 10x14 30671
SS 7x10 30674



SS 7x10 43979



AL 10x14 46674





AL 10x14 43178
PL 10x14 25601



AL 10x14 46758



V-Style 8"Hx15"Wx6"D
V2SS24A



Write-On Right-To-Know Labels

- Blank R-T-K Labels allow you to write your own message
- 50 per package

Catalog #	Format	Material	Size
58700	NFPA	Vinyl	3" x 5"
58703	Color Bar	Vinyl	3" x 5"

5" x 3" Container Labels

- Economical option for secondary container labeling
- 500 labels per roll

Catalog #	Format	Material	Size
58261	HMIG Color Bar	Vinyl	5" x 3"
58263	NFPA	Vinyl	5" x 3"

Hazardous Waste Labels

- Complies with current federal regulations for transportation off-site
- 100 per package

Catalog #	Format	Material	Size
60448	Hazardous Waste	Vinyl	6" x 6"
60452	Non-Regulated Waste	Vinyl	6" x 6"
60453	Non-Hazardous Waste	Vinyl	6" x 6"
60451	Hazardous Waste	Vinyl	4" x 6"

ToughStripe® Floor Marking Tape

ToughStripe® floor marking products are ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress paths.

- Exceeds safety standards for clean, dry non-slip surfaces per ANSI A1264.2-2006 and OSHA 1910.22
- 2 mil thickness, resists harsh chemicals
- Service temperature range of 0°F – 129°F
- Variety of die-cut shapes also available



Solid Tape

	Black	White	Red	Green	Blue	Orange	Yellow	Black/Yellow Striped	Red/White Striped	Black/White Striped
2' x 100'	104310	104311	104313	104315	104314	104316	104312	104317	104318	104319
3' x 100'	104340	104341	104343	104345	104344	104346	104342	104347	104348	104349
4' x 100'	104370	104371	104373	104375	104374	104376	104372	104377	104378	104379

Chemical Application Guide

Chemical Application Guide

Use the following guide to determine the compatibility of SPC absorbents with common chemicals.

Universal Polypropylene Products:

- Battlemat® Absorbents
- UXT Absorbents
- HT Absorbents
- MRO Plus® Absorbents
- GP Absorbents
- Basic Universal Absorbents
- SIR & BSM Mats
- AllWIK® SOC's & Pillows
- Cobra Coil® SOC

Oil Only Polypropylene Products:

- Oil Only SOC's & Pillows
- Trackmat Absorbents
- SXT® Oil Absorbents
- Oil Plus Absorbents
- SPC® Oil Absorbents
- ENV® Oil Absorbents
- Basic Oil Only Absorbents
- Static Resistant Absorbents

Chemical Polypropylene Products:

- Chemical Absorbents
- Universal Plus Absorbents
- HAZWIK SOC's & Pillows

Organic Products:

- Re-Form™ Absorbents
- Re-Form™ Plus Absorbents
- Re-Form™ XPlus Absorbents
- Re-Form™ Oil Only Absorbents
- MULTIWIK® & SLIKWIK® SOC's
- Dri-zorb Granular
- Re-Form™ Granular
- Rag Rug Absorbents

Chemical	Universal	Oil Only	Chemical	Organic
Acetaldehyde	X		X	X
Acetic Acid	X		X	
Acetic Anhydride	X		X	
Acetone	X	X	X	X
Acetyl Chloride	X		X	
Acrolein	X	X	X	
Acrylonitrile	X		X	X
Acrylic Acid	X		X	
Acrylic Emulsions	X		X	X
Allyl Alcohol	X		X	X
Aminobenzoic Acid	X		X	
Ammonia (Anhydrous)	X	X	X	X
Ammonium Hydroxide	X	X	X	X
Amyl Acetate	X	X	X	
Amyl Alcohol	X		X	X
Aniline	X		X	X
Antifreeze	X		X	X
Aqua Regia	X		X	
Aviation Fuel	X	X	X	X
Benzene	X	X	X	X
Benzoic Acid	X		X	
Benzonitrile	X		X	
Benzoyl Chloride	X		X	
Benzyl Alcohol	X		X	X
Boric Acid	X		X	
Brake Fluid	X	X	X	X
Bromine	X		X	
Butyl Acetate	X	X	X	
Butyl Alcohol	X	X	X	X
Butyric Acid	X	X	X	
Butylamine	X		X	X
Butyric Acid	X	X	X	
Calcium Hydroxide	X		X	
Carbolic Acid	X		X	
Carbon Disulfide	X		X	
Carbon Tetrachloride	X	X	X	X
Castor Oil	X	X	X	X
Chlorine Water	X		X	
Chloroacetic Acid	X		X	
Chlorobenzene	X		X	
Chloroform	X	X	X	X
Chromic Acid (50%)	X		X	
Chlorosulfonic Acid	X		X	
Citric Acid	X		X	
Clorox (Full Strength)	X		X	X
Corn Oil	X	X	X	X
Cottonseed Oil	X	X	X	X

Chemical	Universal	Oil Only	Chemical	Organic
Cresol	X	X	X	X
Cyclohexane	X	X	X	X
Detergents	X		X	X
Dichlorobenzene	X	X	X	
Diethylamine	X	X	X	
Diethyl Ether	X	X	X	X
Disooctyl Phthalate	X	X	X	X
Dinitrobenzene	X	X	X	
Dioxan	X		X	X
Ether	X	X	X	X
Ethyl Acetate	X	X	X	X
Ethyl Alcohol	X	X	X	X
Ethyl Benzene	X	X	X	
Ethyl Chloride	X	X	X	
Ethyl Ether	X	X	X	X
Ethyl Propionate	X	X	X	X
Ethylene Glycol	X		X	X
Formaldehyde	X		X	X
Formic Acid	X		X	
Fuel Oil	X	X	X	X
Gasoline	X	X	X	X
Gearbox Oil	X	X	X	X
Glacial Acetic Acid	X		X	
Glycerol	X		X	X
Heptane	X	X	X	X
Hexane	X	X	X	X
Hydrazine	X		X	
Hydrochloric Acid	X		X	
Hydrofluoric Acid	X		X	
Hydrogen Cyanide	X	X	X	
Hydrogen Peroxide	X		X	X
Isobutyl Alcohol	X	X	X	X
Isobutyric Acid	X	X	X	
Isopropyl Acetate	X	X	X	X
Isopropyl Alcohol	X	X	X	X
Kerosene	X	X	X	X
Keytones	X	X	X	X
Linseed Oil	X	X	X	X
Lubricating Oil	X	X	X	X
Magnesium Hydroxide	X		X	
Methyl Alcohol	X	X	X	X
Methyl Chloride	X	X	X	
Methyl Ether	X	X	X	X
Methyl Ethyl Ketone	X	X	X	X
Methyl Propionate	X	X	X	X
Mineral Oil	X	X	X	X
Motor Oil	X	X	X	X

Chemical	Universal	Oil Only	Chemical	Organic
Naphthalene	X	X	X	X
Nitric Acid	X		X	
Nitrobenzene	X		X	
Nitrobenzoic Acid	X		X	
Nitrotoluene	X	X	X	X
Octane	X	X	X	X
Oleic Acid	X	X	X	
Olive Oil	X	X	X	X
Paraffin	X	X	X	X
Perchloroethylene	X	X	X	X
Petroleum Ether	X	X	X	X
Phenol	X		X	X
Phosphoric Acid	X		X	
Plating Solutions	X		X	
Potassium Hydroxide	X		X	
Propanol	X		X	X
Propionic Acid	X	X	X	
Propyl Alcohol	X	X	X	X
Propylene Glycol	X	X	X	X
Quinoline	X		X	
Resorcinol	X		X	
Salt Solutions (metallic)	X		X	X
Silicone Oil	X	X	X	X
Silver Nitrate	X		X	X
Soap Solution (concentrated)	X	X	X	X
Sodium Bicarbonate	X		X	X
Sodium Chloride	X		X	X
Sodium Hydroxide	X		X	
Sodium Hypochlorite	X		X	X
Sodium Nitrate	X		X	X
Stannic Chloride	X		X	
Starch	X		X	X
Styrene	X	X	X	X
Sucrose	X		X	X
Sulfuric Acid	X		X	
Synthetic Motor Oil	X	X	X	X
Tannic Acid	X		X	
Toluene	X	X	X	X
Transformer Oil	X	X	X	X
Trichloroethylene	X	X	X	X
Triethylene Glycol	X	X	X	X
Turpentine	X	X	X	X
Urine	X		X	X
Vinyl Acetate	X	X	X	X
Vinegar	X		X	X
Xylene	X	X	X	X

Disclaimer: The above information is provided as a guide only. No claims or warranties are expressed or implied as to the absolute accuracy of the data supplied. In all cases it is assumed chemicals in question are at ambient temperatures and pressure and are used in basic state, not in combination or mixtures. Small test samplings by user is always recommended to ensure safe application.

Part Number Index

Part Numbers	Type	Size	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty. *	Quantity	Page #
00313	Nitrile Gloves	n/a	n/a	n/a	n/a	n/a	1/each	59
00338	Goggles	n/a	n/a	n/a	n/a	n/a	1/each	59
00371	Latex Boots	n/a	n/a	n/a	n/a	n/a	1/each	59
121651	6-Gallon Bucket	n/a	n/a	n/a	n/a	n/a	1/each	59
121652	6-Gallon Bucket Lid	n/a	n/a	n/a	n/a	n/a	1/each	59
58255	Caution Tape w/stripes	n/a	n/a	n/a	n/a	n/a	1/each	59
58257	Caution Tape Stripes Only	n/a	n/a	n/a	n/a	n/a	1/each	59
89151	20-Gallon Drum	n/a	n/a	n/a	n/a	n/a	1/each	59
89154-SPC	30-Gallon Drum	n/a	n/a	n/a	n/a	n/a	1/each	59
89130	50/55-Gallon Drum w/wheels	n/a	n/a	n/a	n/a	n/a	1/each	59
89165	65-Gallon Drum	n/a	n/a	n/a	n/a	n/a	1/each	59
89142	95-Gallon Drum	n/a	n/a	n/a	n/a	n/a	1/each	59
96229	Spill Magnet	12" dia.	n/a	n/a	1	100	1/each	49
ATKRO1	Hanging Rack for Attack Pack Spill Kit	n/a	n/a	n/a	n/a	n/a	1/each	54
AW99	Pillow	9"x9"	12.5	14	10	40	32/case	37
AW124	SOC	3"x12"	9	12	12	40	4/case	36
AW412	SOC	3"x4'	9	12	12	40	12/case	36
AW430	SOC	3"x4'	9	30	26	20	30/case	36
AW806	SOC	3"x8'	9	12	12	40	6/case	36
AW1818	Pillow	18"x18"	12.5	28	19	20	16/case	37
AW1818-2	Pillow	18"x18"	12.5	14	9.5	40	8/case	37
BAG-TK	Canvas Velcro Bag	n/a	n/a	n/a	n/a	n/a	1/each	59
BAG-DUF	Canvas Duffel Zipper	n/a	n/a	n/a	n/a	n/a	1/each	59
BAG104	Disposal Bag	n/a	n/a	n/a	n/a	n/a	1/each	59
BAG110	Nylon Sack Black	n/a	n/a	n/a	n/a	n/a	1/each	59
BM15	Heavy Wt. Roll	15"x150'	12.5	25	17	30	1/case	10
BM30	Heavy Wt. Roll	30"x150'	12.5	52	34.5	12	1/case	10
BM30X	Heavy Wt. Roll	30"x150'	12.5	52	34.5	12	1/case	10
BM100	Heavy Wt. Pad	15"x19"	12.5	27.5	16.5	40	100/bale	10
BPO100	Heavy Wt. Pad	15"x17"	18	20.5	8.5	30	100/bale	22
BPO200	Light Wt. Pad	15"x17"	18	34	13.7	18	200/bale	22
BPO500	Light Wt. Pad	15"x17"	18	17	7	30	100/bale	22
BPU100	Heavy Wt. Pad	15"x17"	18	20.5	8.5	30	100/bale	15
BPU200	Light Wt. Pad	15"x17"	18	34	13.7	18	200/bale	15
BPU500	Light Wt. Pad	15"x17"	18	17	7	30	100/bale	15
BRO150	Heavy Wt. Roll	30"x150"	14.5	38	19.5	18	1/bale	22
BRU150	Heavy Wt. Roll	30"x150"	14.5	38	19.5	18	1/bale	15
BSC20	SOC	3"x42"	15	40.5	24	20	20/case	36
BSC40	SOC	3"x42"	15	81	47.5	16	40/case	36
BSM100	Medium Wt. Rug	36"x100'	8	25	24	40	1/bale	42
BSM300	Medium Wt. Rug	36"x300'	8	74	67	12	1/bale	42
BSM3650	Medium Wt. Rug	36"x50'	8	12	12	40	1/case	42
CB305	Boom	3' Float, 4.5' Skirt, 25' Sections	n/a	n/a	200	11	1/case	45
CB612	Boom	6' Float, 12' Skirt, 100' Sections	n/a	n/a	22.5	3	4 sections/case	45
CC400	SOC	3"x4'	8.5	3.3	29	32	12/case	36
CC440V	SOC	3"x4'	4.5	25	30	16	40/case	36
CH15P	Medium Wt. Roll	15"x150'	12.5	20	14	30	1/bale	27
CH30DP	Medium Wt. Roll	30"x150'	12.5	40	25	12	1/case	27
CH100	Medium Wt. Pad	15"x19"	18	30	16	30	100/case	27
CH1212	Medium Wt. Pad	12"x12"	18	30	14.5	30	200/case	27
CH1212-50	Medium Wt. Pad	12"x12"	12.5	7.5	4	120	50/case	27
CFB-AC	Clear Spill Kit Bags	n/a	n/a	n/a	n/a	n/a	1/each	59
COVERALL-D	Coverall - White	n/a	n/a	n/a	n/a	n/a	1/each	59
COVERALL-H	Coverall - Yellow	n/a	n/a	n/a	n/a	n/a	1/each	59
CS-CB18	Oil Only Granular	18 lbs	8	18/bag	1000	50	1 pallet	47
CS-LFB10	Oil Only Granular	10 lbs	8	10/bag	640	64	1 pallet	47
DGUARD9	Drain Guard	36" X 48" X 18"	n/a	0.9	1	36	1/case	49
DGUARD14	Drain Guard	36" X 48" X 18"	n/a	1.4	2	36	1/case	49
DGUARD910	Drain Guard	36" X 48" X 18"	n/a	9	10	20	10/case	49
DGUARD1410	Drain Guard	36" X 48" X 18"	n/a	14	20	20	10/case	49
DPA24	Drip Pan	10"x10"	n/a	N/A	6	20	24/case	49
DTA25	Medium Wt. Drum Cover	22" dia.	12.5	6	6	48	25/case	37
DTO25	Medium Wt. Drum Cover	22" dia.	12.5	6	6	48	25/case	38
DZ100	Universal Granular	40 lbs	1.5	8.5	1600	40	1 pallet	47
ECONO-BAG	Empty PVC Tote Bag	n/a	n/a	n/a	n/a	n/a	1/each	59
ENV50	Medium Wt. Pad	30"x30"	20	50	19	7	50/bale	21
ENV100	Heavy Wt. Pad	15"x19"	20	33	12.5	24	100/bale	21
ENV150	Medium Wt. Roll	30"x150'	15	44	22	18	1/bale	21
ENV200	Light Wt. Pad	15"x19"	23	51	16	18	200/bale	21
ENV300	Medium Wt. Pad	15"x19"	20	28	10	24	100/bale	21
ENV500	Light Wt. Pad	15"x19"	23	24.5	8	30	100/bale	21
ENV510	ENV Boom	5"x10'	12.6	32	19	20	4/bale	45
ENV810	ENV Boom	8"x10'	13	65	38	10	4/bale	45
GP30	Heavy Wt. Roll	30"x150'	13	48	28	18	1/bale	14
GP100	Heavy Wt. Pad	15"x19"	18	28	11.5	24	100/case	14
GP100-B	Heavy Wt. Pad (bagged)	15"x19"	18	30	12	24	100/bale	14
GP200-B	Light Wt. Pad (bagged)	15"x19"	20	44	16	18	200/bale	14
GP300	Medium Wt. Pad	15"x19"	20	28	10	30	100/bale	14

* In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

Part Number Index

Part Numbers	Type	Size	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty. *	Quantity	Page #
GP500	Light Wt. Pad	15"x19"	20	22	8.2	30	100/bale	14
GS-10	Oil Only Granular	30 lbs	2 to 6	23	1800	60	1 pallet	47
HAZ99	Pillow	9"x9"	12.5	10	14	40	32/case	39
HAZ124	SOC	3"x12'	9	12	12	40	4/case	39
HAZ412	SOC	3"x4'	9	12	12	40	12/case	39
HAZ1818	Pillow	18"x18"	12.5	14	9.5	20	16/case	39
HAZ1818-2	Pillow	18"x18"	12.5	14	9.5	40	8/case	39
HT15	Heavy Wt. Roll	15"x150'	12.5	23	16	30	1/case	12
HT30	Heavy Wt. Roll	30"x150'	12.5	47	32	12	1/case	12
HT153	Medium Wt. Roll	15"x300'	12.5	32	20	24	1/bale	12
HT200	Light Wt. Pad	15"x19"	12.5	27	16.5	24	200/case	12
HT215	Light Wt. Roll	15"x300'	12.5	21.5	15	18	1/bale	12
HT230	Light Wt. Roll	30"x300'	12.5	42.5	29.5	18	1/bale	12
HT303	Medium Wt. Roll	30"x300'	12	63	40	12	1/bale	12
HT303X	Medium Wt. Roll	30"x300'	12.5	65	40	12	1/bale	12
HT350	Medium Wt. Roll	30"x150'	12.5	35	20	12	1/bale	12
HT500	Light Wt. Pad	15"x19"	12.5	13.5	8.5	30	100/case	12
HT550	Heavy Wt. Roll	15"x50'	12.5	8	5	60	1/case	12
HT555	Heavy Wt. Roll	15"x150'	12.5	23	16	30	1/case	12
K2-G	Empty Kaddie	n/a	n/a	n/a	n/a	n/a	1/each	59
INSTR SHEET	Instruction sheet	n/a	n/a	n/a	n/a	n/a	1/each	59
MIS114	Emergency Response Guidebook	n/a	n/a	n/a	n/a	n/a	1/each	59
MRO50	Heavy Wt. Pad	30"x30"	12.5	41	26.5	13	50/bale	13
MRO12P	Heavy Wt. Roll	12"x150'	12.5	20	11.5	36	1/bale	13
MRO15	Heavy Wt. Roll	15"x150'	12.5	24	17.5	30	1/case	13
MRO15P	Heavy Wt. Roll	15"x150'	12.5	24	17.5	30	1/case	13
MRO15DP	Heavy Wt. Roll	15"x150'	12.5	24	17.5	30	1/case	13
MRO15DPS	Heavy Wt. Roll	15"x73'	12.5	12	8	80	1/bale	13
MRO24DP	Heavy Wt. Roll	24"x150'	12.5	39	22.5	27	1/bale	13
MRO30	Heavy Wt. Roll	30"x150'	12.5	49	33	12	1/case	13
MRO30P	Heavy Wt. Roll	30"x150'	12.5	49	32	12	1/case	13
MRO30DP	Heavy Wt. Roll	30"x150'	12.5	49	32	12	1/case	13
MRO100	Heavy Wt. Pad	15"x19"	12.5	26	17.5	30	100/case	13
MRO100-2	Heavy Wt. Pad	15"x19"	12.5	13.5	8	36	50/bale	13
MRO150DND	Heavy Wt. Pad	15"x19"	12.5	39	27	18	150/case	13
MRO300	Medium Wt. Pad	15"x19"	12.5	20.5	14	30	100/case	13
MRO315P	Medium Wt. Roll	15"x150'	12.5	20	14	30	1/case	13
MRO350	Medium Wt. Roll	30"x150'	12.5	38	26.5	12	1/case	13
MRO350DP	Medium Wt. Roll	30"x150'	12.5	38	26.5	12	1/case	13
MS50	SOC	3"x4'	7	40	43	15	40/case	39
MS124	SOC	3"x12'	8.5	12	12	42	4/case	39
MS412	SOC	3"x4'	8.5	12	12	42	12/case	39
MS806	SOC	3"x8'	8.5	12	12	42	6/case	39
MXO1000	Light Wt. Pad	15"x19"	23	26	11	30	100/case	21
MXP-C20	Chemical	15.5" x 19.5" x 20.5"H	n/a	30	14	18	5/case	54
MXP-O20	Oil Only	15.5" x 19.5" x 20.5"H	n/a	35	15	18	5/case	54
MXP-U20	Universal	15.5" x 19.5" x 20.5"H	n/a	30	14.4	18	5/case	54
MXU1000	Light Wt. Pad	15"x19"	24	27	11	30	100/case	14
ODN08	Universal	50' (30 nets)	15	15	16	24	1/bale	45
OIL99	Pillow	9"x9"	12.5	14	10	40	32/case	38
OIL124	SOC	3"x12'	9	12	11	40	4/case	38
OIL412	SOC	3"x4'	9	12	11	40	12/case	38
OIL430	SOC	3"x4'	9	28	30	20	30/case	38
OIL806	SOC	3"x8'	9	12	11	40	6/case	38
OIL1818	Pillow	18"x18"	12.5	28	19	20	16/case	38
OIL1818-2	Pillow	18"x18"	12.5	14	9.5	40	8/case	38
ONO30	Oil Only	50' (30 nets)	15	15	17	24	1/bale	45
OP15	Heavy Wt. Roll	15"x150'	12.5	24	17.5	30	1/case	19
OP15P	Heavy Wt. Roll	15"x150'	12.5	24	17.5	30	1/case	19
OP15DP	Heavy Wt. Roll	15"x150'	12.5	24	17.5	30	1/case	19
OP15DPS	Heavy Wt. Roll	15"x73'	12.5	12	7.5	80	1/bale	19
OP30	Heavy Wt. Roll	30"x150'	12.5	49	33	15	1/case	19
OP30P	Heavy Wt. Roll	30"x150'	12.5	49	33	12	1/case	19
OP30DP	Heavy Wt. Roll	30"x150'	12.5	49	33	12	1/case	19
OP50	Heavy Wt. Pad	30"x30"	12.5	41	24	13	50/bale	19
OP100	Heavy Wt. Pad	15"x19"	12.5	26	17.5	30	100/case	19
OP150DND	Heavy Wt. Pad	15"x19"	12.5	39	27	18	150/case	19
OP300	Medium Wt. Pad	15"x19"	12.5	20.5	14	30	100/case	19
OP315P	Medium Wt. Roll	15"x150'	12.5	19	14	30	1/case	19
OP350DP	Medium Wt. Roll	30"x150'	12.5	38	26.5	12	1/case	19
OP550	Heavy Wt. Roll	15"x50'	12.5	9	5	60	1/case	19
PLUG2	Drain Plug	2" Plug	n/a	n/a	2	250	1/case	49
PLUG3	Drain Plug	3" Plug	n/a	n/a	3	250	1/case	49
PLUG4	Drain Plug	4" Plug	n/a	n/a	4	250	1/case	49
PLUG6	Drain Plug	6" Plug	n/a	n/a	6	250	1/case	49
PUTPAT	Putty Patty	n/a	n/a	n/a	n/a	n/a	1/each	59
PVC18	Silkstopper	18"x18"	n/a	n/a	9	100	1/case	49

* In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

Part Number Index

Part Numbers	Type	Size	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty. *	Quantity	Page #
PVC24	Slikstopper	24"x24"	n/a	n/a	14	30	1/case	49
PVC36	Slikstopper	36"x36"	n/a	n/a	34	25	1/case	49
RAG1818	Heavy Wt. Rug	18"x18"	9	38	32	18	50/case	43
RAG3030	Heavy Wt. Rug	30"x30"	9	38	32	7	50/case	43
RAG24150	Heavy Wt. Rug	24"X150	9	37	52	10	1/bale	43
RAG36150	Heavy Wt. Rug	36"x150'	9	55	47	12	1/bale	43
RF100	Heavy Wt. Pad	15"x19"	17.5	40	19	24	100/case	32
RF300	Medium Wt. Pad	15"x19"	17.5	32	14.8	30	100/case	32
RF500	Light Wt. Pad	15"x19"	17.5	24	12	36	100/case	32
RFDP300	Medium Wt. Pad	15"x19"	16.5	32	16.6	30	100/case	30
RFDP328-DP	Medium Wt. Roll	28.5"x150'	16.5	55	33.3	12	1/case	30
RFGRANULAR	Re-Form Granular	30 lbs	1	16.7	30	65	1 pallet	47
RFO412	SOC	3"x4'	13.5	15	10.5	40	12/case	39
RFODP100	Heavy Wt. Pad	15"x19"	30	39	12	24	100/case	33
RFOP14P	Heavy Wt. Roll	14.25"x150'	30	37	10.5	24	1/case	33
RFOP28-DP	Heavy Wt. Roll	28.5"x150'	30	74	21	12	1/case	33
RF28-DP	Heavy Wt. Roll	28.5"x150'	17	62	33	12	1/case	31
RFP100	Heavy Wt. Pad	15"x19"	17	40	19.5	24	100/case	31
RFP314P	Medium Wt. Roll	14.25"x150'	17	29	15.5	24	1/case	31
RFP328-DP	Medium Wt. Roll	28.5"x150'	17	53	30.5	12	1/case	31
RFP500	Light Wt. Pad	15"x19"	17	24	12.7	36	100/case	31
SB-1010	Standard Spill Berm	10'x10'x1'	n/a	748	47	1	1/each	50
SB-1212	Standard Spill Berm	12'x12'x1'	n/a	1,077	60	1	1/each	50
SB-1226	Standard Spill Berm	12'x26'x1'	n/a	n/a	112	1	1/each	50
SB-1236	Standard Spill Berm	12'x36'x1'	n/a	n/a	149	1	1/each	50
SB-SL44	Lightweight Spill Berm	4'x4'x8"	n/a	79	6	20	1/each	50
SB-SL46	Lightweight Spill Berm	4'x6'x8"	n/a	119	8	10	1/each	50
SC-4	Set of 4 casters	n/a	n/a	n/a	n/a	n/a	1 pack	51
SC-3000	Absorbent Center	50"L X 26"W X 7.75"H	n/a	n/a	50	15	1/each	51
SC-ACC	Accessory Pack	n/a	n/a	n/a	n/a	n/a	1 pack	51
SC-Cabinet	Spill Control Cabinet	19-7/8 x 14-1/4x 32-3/4	n/a	n/a	45	9	1/each	51
SC-Cabinet-UF	Universal Absorbent Cabinet Fill	n/a	n/a	n/a	n/a	n/a	1/kit	51
SC-Cabinet-OF	Oil Only Absorbent Cabinet Fill	n/a	n/a	n/a	n/a	n/a	1/kit	51
SC-Cabinet-HF	Chemical Absorbent Cabinet Fill	n/a	n/a	n/a	n/a	n/a	1/kit	51
SC-Cart	Spill Control Cart	36 x 18 x 38-3/8	n/a	n/a	180	1	1/each	51
SC-Cart-UF	Universal Absorbent Cart Fill	n/a	n/a	n/a	n/a	n/a	1/kit	51
SC-Cart-OF	Oil Only Absorbent Cart Fill	n/a	n/a	n/a	n/a	n/a	1/kit	51
SC-Cart-HF	Chemical Absorbent Cart Fill	n/a	n/a	n/a	n/a	n/a	1/kit	51
SC-D15	15" Dowel Rod	15"	n/a	n/a	n/a	n/a	1 rod	51
SC-D40	40" Dowel Rod	40"	n/a	n/a	n/a	n/a	1 rod	51
SC-DK	Sump Drain Kit	n/a	n/a	n/a	2	100	1/case	50
SC-DP2	2-Drum Spill Pallet	26"W X 52"L X 17"H	n/a	68.7	46.5	10	1/each	50
SC-DP4	4-Drum Spill Pallet	52"W X 52"L X 17"H	n/a	128.9	89	10	1/each	50
SC-DPR	Spill Pallet Ramp	32.5"W X 70"L	n/a	n/a	47.5	3	1/each	50
SC-LBIN	Mobile Spill Truck Large Bin	47"L X 34"W X 43"H	n/a	n/a	58	1	1/each	59
SC-MB	Wall Mount	n/a	n/a	n/a	n/a	n/a	1 each	51
SC-SD2	2 Drum Spill Deck	26"W X 52"L X 6"H	n/a	21.2	31	15	1/each	50
SC-XLBIN	Mobile Spill Truck X-Large Bin	57.5"L X 40.5"W X 47"H	n/a	n/a	70	1	1/each	59
SCOOP	Scoop	n/a	n/a	n/a	n/a	n/a	1/each	59
SHOVEL	Plastic Safety Shovel	n/a	n/a	n/a	n/a	n/a	1/each	59
SHOVEL-T	2pc Shovel	n/a	n/a	n/a	n/a	n/a	1/each	59
SIR36	Heavy Wt. Rug	36"x300'	8.5	59	50	12	1/bale	43
SIR72	Heavy Wt. Rug	72"x150'	8.5	59	50	12	1/bale	43
SIR36150	Heavy Wt. Rug	36"x150'	12.5	45	25	24	1/bale	43
SKA-20	Universal	21"Dia. X 18"H	n/a	15	27	18	1/each	55
SKA-20-TAA	Universal	21"Dia. X 18"H	n/a	15	26	18	1/each	55
SKA-30	Universal	21.125"Dia. X 28.5"H	n/a	36	41	18	1/each	56
SKA-30-TAA	Universal	21.125"Dia. X 28.5"H	n/a	36	41	18	1/each	56
SKA-55	Universal	24"Dia. X 37"H	n/a	38	57	8	1/each	56
SKA-55-TAA	Universal	24"Dia. X 37"H	n/a	38	56	8	1/each	56
SKA-65	Universal	31"Dia. X 33.5"H	n/a	63	100	3	1/each	56
SKA-65-TAA	Universal	31"Dia. X 33.5"H	n/a	63	100	3	1/each	56
SKA-95	Universal	31.5"Dia. X 35"H	n/a	75	107	3	1/each	56
SKA-ATK	Universal	20.5"L X 20.5"W X 18.25"H	n/a	7	36.5	24	1/each	54
SKA-ATK-TAA	Universal	20.5"L X 20.5"W X 18.25"H	n/a	7	36.5	24	1/each	54
SKA-BKT	Universal	14"Dia. X 18"H	n/a	9	9	60	1/each	54
SKA-BKT-TAA	Universal	14"Dia. X 18"H	n/a	6	9	60	1/each	54
SKA-CFB	Universal	25.5"X17"X21.5"	n/a	15	25	20	2/case	55
SKA-CFB-TAA	Universal	25.5"X17"X21.5"	n/a	15	25	20	2/case	55
SKA-K2	Universal	18"L X 17"W X 39"H	n/a	22	42	10	1/each	55
SKA-LT	Universal	47"L X 34"W X 43"H	n/a	126	164	1	1/each	57
SKA-PP	Universal	20"L X 16"W X 4"H	n/a	5	24	20	5/case	54
SKA-PP-TAA	Universal	20"L X 16"W X 4"H	n/a	5	24	20	5/case	54
SKA-SAK	Universal	32"X20"X12"	n/a	10.75	10	20	1/each	55
SKA-SAK-TAA	Universal	32"X20"X12"	n/a	10.75	10	20	1/each	55
SKA-XLT	Universal	57.5"L X 40.5"W X 47"H	n/a	174	221	1	1/each	57
SKH-20	Chemical	21"Dia. X 18"H	n/a	15	26	18	1/each	55

* In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

Part Number Index

Part Numbers	Type	Size	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty. *	Quantity	Page #
SKH-55	Chemical	21.125"Dia. X 28.5"H	n/a	36	41	18	1/each	56
SKH-55	Chemical	24"Dia. X 37"H	n/a	38	52	8	1/each	56
SKH-65	Chemical	31"Dia. X 33.5"H	n/a	63	100	3	1/each	56
SKH-95	Chemical	31.5"Dia. X 35"H	n/a	75	104	3	1/each	56
SKH-ATK	Chemical	20.5"L X 20.5"W X 18.25"H	n/a	7	25	24	4/case	54
SKH-BKT	Chemical	14"Dia. X 18"H	n/a	9	8	60	1/each	54
SKH-CFB	Chemical	25.5"X17"X21.5"	n/a	15	25	20	2/case	55
SKH-K2	Chemical	18"L X 17"W X 39"H	n/a	22	42	10	1/each	55
SKH-LT	Chemical	47"L X 34"W X 43"H	n/a	115	158	1	1/each	57
SKH-PP	Chemical	20"L X 16"W X 4"H	n/a	5	24	20	5/case	54
SKH-SAK	Chemical	32"X20"X12"	n/a	10.75	10	20	1/each	55
SKH-XLT	Chemical	57.5"L X 40.5"W X 47"H	n/a	160	221	1	1/each	57
SKM-LT	Marine	47"L X 34"W X 43"H	n/a	153	164	1	1/each	57
SKM-XLT	Marine	57.5"L X 40.5"W X 47"H	n/a	160	221	1	1/each	57
SKO-20	Oil Only	21"Dia. X 18"H	n/a	15	20	18	1/each	55
SKO-30	Oil Only	21.125"Dia. X 28.5"H	n/a	36	41	18	1/each	56
SKO-55	Oil Only	24"Dia. X 37"H	n/a	38	56	8	1/each	56
SKO-65	Oil Only	31"Dia. X 33.5"H	n/a	63	100	3	1/each	56
SKO-95	Oil Only	31.5"Dia. X 35"H	n/a	75	107	3	1/each	56
SKO-ATK	Oil Only	20.5"L X 20.5"W X 18.25"H	n/a	7	23	24	4/case	54
SKO-BKT	Oil Only	14"Dia. X 18"H	n/a	9	9	60	1/each	54
SKO-CFB	Oil Only	25.5"X17"X21.5"	n/a	15	25	20	2/case	55
SKO-K2	Oil Only	18"L X 17"W X 39"H	n/a	22	42	10	1/each	55
SKO-LT	Oil Only	47"L X 34"W X 43"H	n/a	126	185	1	1/each	57
SKO-PP	Oil Only	20"L X 16"W X 4"H	n/a	5	24	20	5/case	54
SKO-SAK	Oil Only	32"X20"X12"	n/a	10.75	10	20	1/each	55
SKO-XLT	Oil Only	57.5"L X 40.5"W X 47"H	n/a	174	221	1	1/each	57
SKR-20	Re-Form	21"Dia. X 18"H	n/a	15	27	18	1/each	55
SKR-55	Re-Form	24"Dia. X 37"H	n/a	38	57	8	1/each	56
SKR-95	Re-Form	31.5"Dia. X 35"H	n/a	75	107	3	1/each	56
SKR-ATK	Re-Form	20.5"L X 20.5"W X 18.25"H	n/a	7	36.5	24	4/case	54
SKR-BKT	Re-Form	14"Dia. X 18"H	n/a	6	9	60	1/each	54
SKR-CFB	Re-Form	25.5"X17"X21.5"	n/a	15	25	20	2/case	55
SKR-PP	Re-Form	20"L X 16"W X 4"H	n/a	5	24	20	5/case	54
SKR-SAK	Re-Form	32"X20"X12"	n/a	10.75	10	20	1/each	55
SPC10	Pillow	14"x25"	12.5	52	30	10	10/bale	45
SPC50	Heavy Wt. Pad	33"x39"	18	73	33.5	7	50/bale	20
SPC100	Heavy Wt. Pad	15"x19"	12.5	24	14	30	100/bale	20
SPC100B	Heavy Wt. Pad (Blue MBPP Pad)	15"x19"	18	35	14	30	100/bale	20
SPC105	Heavy Wt. Pad (1 side w/blue coverstock)	15"x19"	12.5	24	14	30	100/bale	20
SPC150	Heavy Wt. Roll	38"x144'	15	70	33	18	1/bale	20
SPC152	Heavy Wt. Roll	19"x144'	15	70	33	18	2/bale	20
SPC156	Medium Wt. Roll (1 side w/blue coverstock)	30"x150'	15	37	26.5	18	1/bale	20
SPC200	Light Wt. Pad	15"x19"	18	40	16	18	200/bale	20
SPC300	Medium Wt. Pad	15"x19"	18	30	11	30	100/bale	20
SPC318	SPC Boom	3"x18"	9.5	14	10	40	25/case	45
SPC500	Light Wt. Pad	15"x19"	18	20	8.2	30	100/bale	20
SPC510	SPC Boom	5"x10'	12.6	32	19	16	4/bale	45
SPC518	SPC Boom	5"x18"	12.6	12	8	40	10/case	45
SPC810	SPC Boom	8"x10'	13.3	71	40	10	4/bale	45
SPC818	SPC Boom	8"x18"	12.5	28	17	16	10/bale	45
SPC1900	Sweep	19"X100'	15	25	13	36	1/bale	45
SPC5510	SPC Boom	5"x10'	12.1	61	38	12	2/bale	45
SPC19150	Heavy Wt. Roll	19" x 144'	15	35	17	36	1/bale	20
SPCUN1019	Medium Wt. Roll	15"x150'	12.5	39	24	15	2/case	26
SPCUN1113	Medium Wt. Pad	12"x12"	16	12.5	16	30	50/bag, 4 bags/case	26
SPCUN1113-50	Medium Wt. Pad	12"x12"	12.5	5.5	4	120	50/case	26
SPCUN1719	Medium Wt. Pad	15"x19"	12.5	20.5	14.5	30	100/case	26
SPCUN3800	Medium Wt. Roll	30"x150'	12.5	39	27	12	1/case	26
SR100	Heavy Wt. Pad	15" x19"	13	26	14.5	30	100/bale	23
SR1825	Medium Wt. Pad	15"x19"	15	6	3.2	90	25/bale	23
SR3600	Heavy Wt. Roll	30"x150'	15	44	22	18	1/bale	23
SR3625	Heavy Wt. Pad	30"x30"	13	16	9	14	25/bale	23
SW46	SOC	3"x42"	3	20	50	16	40/case	36
SXT15P	Heavy Wt. Roll	15"x150'	12	18	14	30	1/case	18
SXT30DP	Heavy Wt. Roll	30"x150'	12	37	26.5	12	1/case	18
SXT100	Heavy Wt. Pad	15"x19"	12	19.5	14.5	30	100/case	18
SXT200	Light Wt. Pad	15"x19"	14	31.5	18	24	200/case	18
SXT300	Medium Wt. Pad	15"x19"	12	17	10	30	100/case	18
TM30	Heavy Wt. Pad	29"x29"	9	25	15	15	30/bale	42
TM58	Heavy Wt. Roll	58"x80'	9	55	34	9	1/bale	42
UXT15P	Heavy Wt. Roll	15"x150'	11	17	14.5	30	1/case	11
UXT30DP	Medium Wt. Roll	30"x150'	11	35	27.5	12	1/case	11
UXT100	Heavy Wt. Pad	15"x19"	11	19	14.5	30	100/case	11
UXT200	Light Wt. Pad	15"x19"	14	31.5	18.5	24	200/case	11
UXT300	Medium Wt. Pad	15"x19"	11	17	12	30	100/case	11

* In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.



Product Index

20-Gallon Lab Pack	55
30-Gallon Spill Kit	56
55-Gallon Drum	56
6.5-Gallon Spill Bucket	54
65-Gallon Spill Kit	56
95-Gallon Overpack	56

A

Absorbent Storage Centers	51
ALLWIK® Universal Drum Covers	37
ALLWIK® Universal Pillows	37
ALLWIK® Universal SOCs	36
Attack Pac Spill Kit	54

B

Barricade Tape	60
Basic Oil Absorbents	22
Basic Universal Absorbents	15
Basic Universal SOCs	36
BattleMat® Absorbent Rolls	10
Booms	45
BradyLink Warning Chain & Links	60
BradyLink Warning Posts	60
BSM Barrier Spill Matting	42

C

Cansorb Oil Only Granular Absorbent	47
CH "Chemical" Absorbents	27
Chemical Application Guide	62
Chemical Pads & Rolls	24
Cobra Coil® Universal SOCs	36
Custom Spill Kit Program	58

D

Drag Nets	45
Drain Plugs	49
Drain Seals	49
Dri-Zorb Granular Absorbent	47
Drip Pans	49
Drum Covers	34

E

Economy Spill Kit	54
Emergency Response Kit	55
Emergency Spill Sak	55
ENV® Oil Absorbents	21
Environmental Survey	5

F

Facility Safety Products	60
Floor Stands	60

G

GP "General Purpose" Absorbents	14
Granular Absorbents	46

H

Handy Cone™ Floor Signs	60
Hazard Communication Labels	61
Hazardous Waste Labels	61
HAZWIK® Pillows	39
HAZWIK® SOCs	39
HT "High Traffic" Absorbents	12

M

Marine Absorbents	44
Mats & Rugs	40
MAXX® Packs	54
Mobile Spill Kaddie	55
Mobile Spill Truck - Large	57
Mobile Spill Truck - X-Large	57
MRO Plus® Absorbents	13

O

Oil Gator Granular Absorbent	47
Oil Nets	45
Oil Only Drum Covers	38
Oil Only Pads & Rolls	16
Oil Only Pillows	38
Oil Only SOCs	38
Oil Plus Oil Absorbents	19

P

Pillows	34
---------------	----

R

Rag Rug Matting	43
Re-Form Pads & Rolls	28
Re-Form™ Absorbents	32
Re-Form™ Industrial Granular Absorbent	47
Re-Form™ Oil Only Absorbents	33
Re-Form™ Oil Only SOCs	39
Re-Form™ Plus Absorbents	31
Re-Form™ Universal SOCs	39
Re-Form™ XPlus Absorbents	30
Right-To-Know Labels	61

S

Safety Signs	61
SIR Absorbent Industrial Rug	43
SLIKWIK® Universal SOCs	36
SOCs	34
SPC® Oil Absorbents	20
Spill Berms	50
Spill Control & Containment	48
Spill Control Cabinet	51
Spill Control Cart	51
Spill Decks	50
Spill Kits	52
Spill Pallets	50
Spill Procedure Guide	53
Static Resistant Oil Absorbents	23
Storage Centers	51
Storm Drain Guards	49
Sweeps	45
SXT® Oil Absorbents	18

T

ToughStripe® Floor Marking Tape	61
TrackMat Matting	42
Traffic Cones and Snap-On Signs	60

U

Universal Pads & Rolls	8
Universal Plus Absorbents	26
UXT Universal "Xtra Tough" Absorbents	11



Try SPC Absorbents With A Free Sample Pack!



Scan this barcode
to request your
free sample pack
of SPC Absorbents

www.BradyID.com/SPC

Brady warrants only to the buyer that the products and parts set forth herein will be free from defects in material and workmanship from the date of purchase for a period of one year. Brady's sole obligation under the above warranty shall be to repair or replace the defective products or parts during the warranty period. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GIVEN, AND BRADY EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES, INCLUDING AND WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. All statements, technical information, or recommendations relating to the products or parts are based upon tests believed to be reliable, but do not constitute a guaranty or warranty. BRADY SHALL NOT UNDER ANY CIRCUMSTANCES WHATSOEVER BE LIABLE TO ANY PARTY FOR LOSS OF PROFITS, DIMINUTION OF GOOD WILL, OR ANY OTHER SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES WHATSOEVER WITH RESPECT TO ANY CLAIM IN CONNECTION WITH BRADY PRODUCTS AND/OR PARTS. Brady's maximum liability for warranty claims is limited to the invoice price of the product or price claimed defective.

PRICES AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE.

In an effort to reduce shipping costs for our customers, pallet quantities may vary.

USA

Customer Service: 1-888-272-3946
Inside Sales: 1-888-311-0775
www.BradyID.com

Canada

Customer Service: 1-800-263-6179
www.BradyCanada.ca

Mexico

Customer Service: 1-800-262-7777
Inside Sales: 1-800-262-7777 ext 177
www.BradyLatinAmerica.com



Y825012 MS782256

© 2012 Brady Worldwide Inc.
ALL RIGHTS RESERVED

 **BRADY**[®]
WHEN PERFORMANCE MATTERS MOST™