

MIYOTA

YOUR ENGINE

2016



MADE IN JAPAN METAL MOVEMENT




MERCURY FREE


NEW WEBSITE IS NOW AVAILABLE

miyotamovement.com


QUICK & EASY ACCESS TO NECESSARY INFORMATION




SEARCH BY A KEYWORD




SEARCH BY FUNCTION



EASY TO CHECK FUNCTION




SIMPLE SPECIFICATION




Movements

Results 49 for chronograph

Caliber	Features	Spec	Draw-ing	Parts	Tools
0S00	13'-3H-3e				
0S06	13'-3H-3e				
0S10	13'-3H-3e				
0S11	13'-3H-2e				



SMART IC INSTALLED




G SERIES UP-GRADE

6¾x8¹¹'''



GL30 GILT




GL10 GILT




GL00 GILT

8¾¹¹'''



GN10 GILT

10½¹¹'''



GM10 GILT



GM00 GILT

SHOCK DETECTION

The new IC is designed for detecting external shock and blocking a second hands from skipping.
Giving you more flexibility for hands selection.

The balanceable weight figure of center second hands improves as follows:

21/23/24XX Series	0.07μNm → 0.09μNm
G Series	0.07μNm → 0.09μNm
JP Series	0.09μNm
JS Series	0.07μNm → 0.09μNm
OS Series	0.07μNm → 0.11μNm
*except OS80/90	
FS Series	0.035μNm → 0.07μNm
*except FS80/81	

BASIC

2 Hands



3 Hands



3 Hands Date



3 Hands Day / Date




3 Hands / Date Enlarged Calendar



3 Hands / Date / Wide Day



6 3/4 x 8'''



Super 2035 GILT


height 3.15mm
4 years battery life (SR626SW)

Features of Super 2035

- 4 Years Battery Life
- Fine Gold Colour
- High Accuracy of ±15 sec/month
- Covered Coil

High Hand Pg.18 ■

High Hand Pg.18 ■



2025

height 3.15mm
3 years battery life (SR626SW)



2035

height 3.15mm
3 years battery life (SR626SW)



2015

height 4.15mm
3 years battery life (SR626SW)



2005

height 4.15mm
3 years battery life (SR626SW)

10 1/2'''

High Hand Pg.18 ■



SHOCK DETECTION



2115

height 4.15mm
3 years battery life (SR626SW)



2105

height 4.15mm
3 years battery life (SR626SW)

11 1/2'''

High Hand Pg.18 ■

High Hand Pg.18 ■



SHOCK DETECTION



2315

height 4.15mm
3 years battery life (SR626SW)



2305

height 4.15mm
3 years battery life (SR626SW)



2353

height 4.15mm
3 years battery life (SR626SW)



2350

height 4.15mm
3 years battery life (SR626SW)

13 1/2'''

High Hand Pg.18 ■



SHOCK DETECTION



2415

height 4.35mm
3 years battery life (SR626SW)



2405

height 4.35mm
3 years battery life (SR626SW)



2453

height 4.35mm
3 years battery life (SR626SW)

SLIM

G SERIES

2 Hands

2 Hands Date


SHOCK DETECTION

3 Hands

3 Hands Date


3 Hands Day / Date

6 3/4" x 8"

 High Hand Pg.18 ■
 Up-Grade ■


Up-Grade ■

High Hand Pg.18 ■


GL20 GILT

height 2.28mm

5 years battery life (SR621SW)


GL15 GILT

height 2.71mm

5 years battery life (SR621SW)


GL30 GILT

height 2.28mm

3 years battery life (SR621SW)


GL10 GILT

height 2.71mm

3 years battery life (SR621SW)


GL00 GILT

height 2.94mm

3 years battery life (SR621SW)

8 3/4"

Up-Grade ■

Features of Series G Slim

- Assembled Hour Wheel
- Non Breakable Date Construction (GL10/GL15/GM10/GM15/GN10/GN15)
- Dust Proof
- Covered Coil
- Super Quick Date Adjusting
- Easy Assembling on Flat Desk


GN15 GILT

height 2.71mm

5 years battery life (SR621SW)


GN10 GILT

height 2.71mm

3 years battery life (SR621SW)

10 1/2"

Up-Grade ■


GM15 GILT

height 2.71mm

5 years battery life (SR621SW)


GM10 GILT

height 2.71mm

3 years battery life (SR621SW)


GM00 GILT

height 2.94mm

3 years battery life (SR621SW)

1L/1S SERIES

3 Hands Date

3 Hands Day / Date

11 1/2"

1S13 GILT

height 2.71mm

3 years battery life (SR621SW)


1S02 GILT

height 3.07mm

3 years battery life (SR621SW)

Size	6 3/4" x 8"	6 3/4" x 8"	6 3/4" x 8"	6 3/4" x 8"	6 3/4" x 8"	8 3/4"	8 3/4"	10 1/2"	10 1/2"	10 1/2"
Cal.	GL20	GL30	GL15	GL10	GL00	GN15	GN10	GM15	GM10	GM00
Cal.	(1L22)	1L32	(1L15)	1L12	1L02	—	(1N12)	(1M15)	1M12	1M02
Height	2.28 mm (2.15mm)	2.28 mm	2.71 mm	2.71 mm	2.94 mm	2.71 mm	2.71 mm (2.58mm)	2.71 mm	2.71 mm	2.94mm
Hands	2 hands	3 hands	2 hands	3 hands	3 hands	2 hands	3 hands	2 hands	3 hands	3 hands
Battery Life	5 years	3 years	5 years (3 years)	3 years	3 years	5 years	3 years (2 years)	5 years (3 years)	3 years	3 years
Battery	SR621SW (SR616SW)	SR621SW	SR621SW	SR621SW	SR621SW	SR621SW	SR621SW (SR616SW)	SR621SW	SR621SW	SR621SW

SUPER SLIM

2 Hands



3 Hands



2 Hands Date



3 Hands Date



6³/₄ × 8¹/₁₆"



9T22 GILT

height 1.90mm
2 years battery life (SR616SW)



9T33 GILT

height 1.90mm
2 years battery life (SR616SW)
battery detector function




9T15 GILT

height 2.33mm
2 years battery life (SR616SW)



9T13 GILT

height 2.33mm
2 years battery life (SR616SW)
battery detector function



9T22

10¹/₂"



9U15 GILT

height 2.33mm
4 years battery life (SR916SW)



9U13 GILT

height 2.33mm
4 years battery life (SR916SW)
battery detector function

SMALL & SLIM

2 Hands



2 Hands



3 Hands



2 Hands



3 Hands



4¹/₁₆"

3³/₄"

High Hand Pg.18 ■

5¹/₂ × 6³/₄"

High Hand Pg.18 ■

High Hand Pg.18 ■



4S20 GILT

height 2.95mm
2 years battery life (SR512SW)
size: ø9.9 x 9.4mm



5R21 GILT

height 1.90mm
4 years battery life (SR416SW)
size: 9.0 x 13.2 x 13.5mm



5R32 GILT

height 2.00mm
2 years battery life (SR416SW)
size: 9.0 x 13.2 x 13.5mm



5Y20 GILT

height 2.54mm
4 years battery life (SR521SW)



5Y30 GILT

height 2.54mm
2 years battery life (SR521SW)

SPECIAL-FUNCTION


6P MULTI SERIES

Multifunction

10 1/2'''


High Hand Pg.18 ■

High Hand Pg.18 ■




6P23

height 3.45mm
2 eyes (Date/24 hour)
3 years battery life (SR621SW)




6P25

height 3.45mm
2 eyes (Day/Date)
3 years battery life (SR621SW)




6P22

height 3.45mm
2 eyes (Date/24 hour)
3 years battery life (SR621SW)



6P26

height 3.45mm
1 eye (Date)
3 years battery life (SR621SW)




6P28

height 3.45mm
1 eye (24 hour)
3 years battery life (SR621SW)


High Hand Pg.18 ■

High Hand Pg.18 ■




6P05

height 3.45mm
3 eyes (Day/Date/Month)
3 years battery life (SR621SW)



6P27

height 3.45mm
3 eyes (Day/Date/24 hour)
3 years battery life (SR621SW)




6P29

height 3.45mm
3 eyes (Day/Date/24 hour)
3 years battery life (SR621SW)


New

High Hand Pg.18 ■




6P88

height 3.85mm/month disc
2 eyes (Day/24 hour)
3 years battery life (SR621SW)




6P89

height 3.85mm/month disc
3 eyes (Day/Date/24 hour)
3 years battery life (SR621SW)



6P09


height 3.45mm
4 eyes (Month/Day/Date/24 hour)
3 years battery life (SR621SW)



moon phase

6P00


height 3.45mm
4 eyes (Day/Date/Month/Moon)
3 years battery life (SR621SW)



moon phase

6P20


height 3.45mm
3 eyes (Day/Date/Moon)
3 years battery life (SR621SW)



moon phase

6P21


height 3.45mm
3 eyes (Day/Date/Moon)
3 years battery life (SR621SW)



moon phase

6P24

height 3.45mm
1 eye (Moon)
3 years battery life (SR621SW)



moon phase

6P80


height 3.85mm / date pointer
1 eyes (Moon) / 2 discs (Day/Month)
3 years battery life (SR621SW)



SMALL SECOND SERIES


6¾×8'''

2 Hands / Small Second



1L40 GILT

height 2.93mm
small second for LADIES'
3 years battery life (SR621SW)




1L45 GILT

height 2.93mm
small second for GENTS'
3 years battery life (SR621SW)

13½'''

New

2 Hands Date
Small Second



Date

0T45

height 4.13mm
small second
5 years battery life (SR927W)



Multifunction

OTHERS

DISC SECOND

6¾×8'''

2 Hands
Disc Second



2034

height 3.15mm
high-torque for second-disc
14 months battery life (SR626SW)

10 YEARS BATTERY LIFE

6¾×8'''

3 Hands
Date



1L60

height 4.30mm
10 years battery life (CR1616)

10½'''

3 Hands
Day / Date



2S65

height 4.22mm
10 years battery life (CR2012)


2S60

height 3.99mm
10 years battery life (CR2012)

SPECIAL-FUNCTION

JP MULTI SERIES SHOCK DETECTION


12½'''



Dual Time(6H)

JP15


height 4.30mm
Day/Date/24 hour(12H)
2 years battery life(SR621SW)



Dual Time(6H)

JP25

height 4.30mm
Day/Date/24 hour(3H)
2 years battery life(SR621SW)



Dual Time(6H)

JP11

height 4.30mm
Date/24 hour(12H)
2 years battery life (SR621SW)

New




■ JS05, JS15, JS25, JP15, JP25, JP11 → Case Compatible (height 4.30mm)

JS STOP WATCH SERIES with DATE SHOCK DETECTION

(CHRONOGRAPH FUNCTION)

12½'''


High Hand Pg.19 ■



JS05

height 4.30mm
stopwatch 30min/sec, 24 hour
2 years battery life (SR621SW)


High Hand Pg.19 ■



JS15

height 4.30mm
stopwatch 30min/sec, 24 hour
2 years battery life (SR621SW)

High Hand Pg.19 ■



JS25

height 4.30mm
stopwatch 30min/sec, 24 hour
2 years battery life (SR621SW)




■ JS05, JS15, JS25, JP15, JP25, JP11 → Case Compatible (height 4.30mm)

CALENDAR VARIATION




COMPUTER



miyotamovement.com


SMARTPHONE



ALL OPTIONS HERE


JR MULTI SERIES

12½'''




JR00

height 4.18mm
retrograde day/Date/24 hour
3 years battery life(SR621SW)



JR10

height 4.18mm
retrograde day/Date/24 hour
3 years battery life(SR621SW)



JR20

height 4.18mm
retrograde day/Date/24 hour
3 years battery life(SR621SW)

■ JR00, JR10, JR20, JS00, JS10, JS20, JS50, JS55 → Case Compatible (height 4.18mm)


JS STOP WATCH SERIES (CHRONOGRAPH FUNCTION)

 SHOCK DETECTION




Parallel Push Button Available

12½'''




JS00

height 4.18mm
stopwatch 30min/sec, 24 hour
2 years battery life (SR621SW)




JS10

height 4.18mm
stopwatch 30min/sec, 24 hour
2 years battery life (SR621SW)




JS20

height 4.18mm
stopwatch 30min/sec, 24 hour
2 years battery life (SR621SW)



JS50

height 4.18mm
stopwatch 30min/sec, 24 hour
2 years battery life (SR621SW)



JS55

height 4.18mm
stopwatch 30min/sec, 24 hour
2 years battery life (SR621SW)

■ JR00, JR10, JR20, JS00, JS10, JS20, JS50, JS55 → Case Compatible (height 4.18mm)

Multi / Chrono

MIYOTA

YOUR ENGINE

TACHYMETER


CENTER CHRONOGRAPH

0S SERIES
13-1/2'''



HEIGHT 5.10 mm
CHRONO MIN / SEC, 24 HOUR
MIN CASE SIZE : 38 mm ~

6S SERIES
15'''



HEIGHT 4.90 mm
CHRONO MIN / SEC, 1/20 SECOND
MIN CASE SIZE : 43 mm ~

FS SERIES
10-1/2'''




HEIGHT 5.10 mm
CHRONO MIN / SEC, 24 HOUR
MIN CASE SIZE : 33 mm ~

Center Chrono

What's TACHYMETER?


Center Chronograph allows TACHYMETER function to be designed.
TACHYMETER is for measuring the approximate speed of vehicle.




CENTER CHRONOGRAPH

6S SERIES


15'''




6S10
height 4.90mm
chrono min / sec, 1/20 second
4 years battery life (SR927W)




6S20
height 4.90mm
chrono min / sec, 1/20 second
4 years battery life (SR927W)



6S30
height 4.90mm
chrono min / sec, 1/20 second
4 years battery life (SR927W)




6S11
height 4.90mm
chrono min / sec
4 years battery life (SR927W)




6S21
height 4.90mm
chrono min / sec
3 years battery life (SR927W)

- Center Second Hand Chronograph
- Quick Reset (by Heart Cam Reset System)
- Click Feeling Push Button Handling (by Heart Cam Reset System)
- **4 Beats Center Second Hand**
- Balanceable Weight of Hands
Minute Hand Max. 1.00μNm
Center Chrono Second Hand Max. 0.40μNm
Other Small Hands Max. 0.04μNm
- **High Hand Standard**



15'''




6S50
height 5.95mm
chrono min / sec, 1/20 second
4 years battery life (SR927W)

Big Date Chrono
(1/20 Second)



15'''



6S82
height 4.90mm
chrono hour / min / sec, 1/20 second
4 years battery life (SR927W)

Date Retrograde Chrono
(1/20 Second)



New

Center Chrono


CENTER CHRONOGRAPH

0S BASIC SERIES SHOCK DETECTION

13½'''

High Hand Pg.19 ■


High Hand Pg.19 ■



0S10

height 4.13mm
chrono hour / min / sec
5 years battery life (SR927W)


Date



0S20

height 5.10mm
chrono min / sec, 24 hour
5 years battery life (SR927W)


Date



0S11

height 4.13mm
chrono min / sec
5 years battery life (SR927W)

Date




0S21

height 5.10mm
chrono min / sec, 24 hour
5 years battery life (SR927W)

Date

13½'''

High Hand Pg.19 ■



0S00

height 5.10mm
chrono hour / min / sec
5 years battery life (SR927W)


Day
Date



■ 0S00, 0S20 → Case Compatible (height 5.10mm)

0S PROFESSIONAL SERIES SHOCK DETECTION except 0S80 and 0S90


13½'''



0S60

height 4.13mm
chrono hour / min / sec, 1/20 second
2 years battery life (SR927W)


Date
Chrono
(1/20 Second)



0S25

height 5.10mm
chrono min / sec, 1/20 second, 24 hour
2 years battery life (SR927W)

Date
Chrono
(1/20 Second)



0S80

height 4.68mm
chrono min / sec, 1/20 second, alarm
2 years battery life (SR927W)


Date
Alarm
Chrono
(1/20 Second)



0S90

height 4.13mm
chrono min / sec, 1/100 second, 24 hour
2 years battery life (SR927W)


Date
Chrono
(1/100 Second)



0S62

height 4.13mm
chrono hour / min / sec, 1/20 second
2 years battery life (SR927W)

Date
Retrograde Chrono
(1/20 Second)



0S22

height 5.10mm
chrono min / sec, 1/20 second, 24 hour
2 years battery life (SR927W)

Date
Retrograde Chrono
(1/20 Second)



- Center Second Hand Chronograph
- Quick Reset (by Heart Cam Reset System)
- Click Feeling Push Button Handling (by Heart Cam Reset System)
- Center Chrono Second Hand Max. 0.11μNm (except 0S80, 0S90)

FS SERIES




SHOCK DETECTION except FS80 and FS81

10½'''

For Slanted Push Button


For Parallel Push Button



Day / Date

FS60


height 5.10mm
 chrono min / sec, **retrograde day**
 2 years battery life (SR626SW)



Day / Date
 Retrograde Chrono
 (30 Minute)

FS80


height 5.10mm
 chrono min / sec, **retrograde day**
 2 years battery life (SR626SW)



Day / Date

FS61

height 5.25mm
 chrono min / sec, **retrograde day**
 2 years battery life (SR626SW)




Day / Date
 Retrograde Chrono
 (30 Minute)

FS81

height 5.25mm
 chrono min / sec, **retrograde day**
 2 years battery life (SR626SW)

High Hand Pg.19 ■


High Hand Pg.19 ■



Date

FS00

height 4.13mm
 chrono min / sec, 24 hour
 2 years battery life (SR626SW)




Date

FS01

height 4.28mm
 chrono min / sec, 24 hour
 2 years battery life (SR626SW)

High Hand Pg.19 ■


High Hand Pg.19 ■



Date

FS10


height 5.10mm
 chrono min / sec, 24 hour
 2 years battery life (SR626SW)



Date

FS20


height 5.10mm
 chrono min / sec, 24 hour
 2 years battery life (SR626SW)



Date

FS11


height 5.25mm
 chrono min / sec, 24 hour
 2 years battery life (SR626SW)



Date

FS21


height 5.25mm
 chrono min / sec, 24 hour
 2 years battery life (SR626SW)



Date
 Dual Time

FS16

height 5.10mm
 chrono min / sec, 24 hour
 2 years battery life (SR626SW)



Date
 Dual Time

FS26

height 5.10mm
 chrono min / sec, 24 hour
 2 years battery life (SR626SW)

- Center Second Hand Chronograph
- Quick Reset (by Heart Cam Reset System)
- Click Feeling Push Button Handling (by Heart Cam Reset System)

■ FS10, FS20, FS60, FS80 → Case Compatible (height 5.10mm)
 ■ FS16, FS26 → Case Compatible (height 5.10mm)

■ FS11, FS21, FS61, FS81 → Case Compatible (height 5.25mm)

Center Chrono


MECHANICAL

BASIC - Automatic

3 Hands Date



11½'''



8215

height 5.67mm / 21 jewels
automatic and hand winding
quick date setting

3 Hands Day / Date



13'''



8205

height 5.67mm / 21 jewels
automatic and hand winding
quick day / date setting
bilingual weekday

3 Hands /
Date / Wide Day



New



8285

height 5.94mm / 21 jewels
automatic and hand winding
quick day / date setting

11½'''



8215 GILT

height 5.67mm / 21 jewels
automatic and hand winding
quick date setting



8205 GILT

height 5.67mm / 21 jewels
automatic and hand winding
quick day / date setting
bilingual weekday

BASIC SMALL SIZE - Automatic

8¾'''

New



6T15

height 5.98mm / 21 jewels
automatic and hand winding
quick date setting



6T51

height 5.98mm / 21 jewels
automatic and hand winding
quick date setting
bilingual weekday

8¾'''



6T51 GILT

height 5.98mm / 21 jewels
automatic and hand winding
quick date setting
bilingual weekday

FINE FINISHING - Automatic

11½^{III}

3 Hands Date



821A

height 5.67mm / 21 jewels
automatic and hand winding
quick date setting

3 Hands Date

New



821A-21D

height 5.67mm / 21 jewels
automatic and hand winding
quick date setting


3 Hands Day / Date



820A

height 5.67mm / 21 jewels
automatic and hand winding
quick day / date setting
bilingual weekday


3 Hands Date / 24 H



8217

height 5.67mm / 21 jewels
automatic and hand winding
quick date setting


2 Hands Date /
Small Second



8218

height 5.67mm / 21 jewels
automatic and hand winding
quick date setting


2 Hands Date /
Small Second / 24 H



8219

height 5.67mm / 21 jewels
automatic and hand winding
quick date setting


2 Hands /
Small Second



8245

height 5.67mm / 21 jewels
automatic and hand winding

2 Hands /
Small Second / 24 H



8247

height 5.67mm / 21 jewels
automatic and hand winding



Gilt

Gilt Version Available

[82xx]
case all compatible
(height 5.67mm)
*except 8285

MECHANICAL

SKELETON - Automatic

11½'''



8N24
height 5.55mm / 21 jewels
automatic and hand winding



8N24 GILT
height 5.55mm / 21 jewels
automatic and hand winding



SKELETON - Hand Winding

11½'''



8N33
height 4.47mm / 17 jewels
hand winding



8N33 GILT
height 4.47mm / 17 jewels
hand winding

8¾'''



6T33
height 4.24mm / 17 jewels
hand winding




6T33 GILT
height 4.24mm / 17 jewels
hand winding

FRONT VIEW SKELETON - Automatic


11½'''

3 Hands




82S0
height 5.67mm / 21 jewels
automatic and hand winding

**2 Hands /
Small Second**



82S5
height 5.67mm / 21 jewels
automatic and hand winding

**2 Hands /
Small Second / 24 H**



82S7
height 5.67mm / 21 jewels
automatic and hand winding



Gilt

Gilt Version Available

[82xx]
case all compatible
(height 5.67mm)
*except 8285

PREMIUM SLIM 11 1/2''' Height 3.9mm



9015

height 3.9mm
3 hands with date
28800 vibrations per hour
24 jewels
automatic and hand winding

90S5

height 3.9mm
3 hands
28800 vibrations per hour
24 jewels
automatic and hand winding


MULTI FUNCTION 13 1/2'''




9100

height 5.52mm
power reserve
3 hands with date
month / day / 24h
28800 vibrations per hour
26 jewels
automatic and hand winding


9100 VARIATION




9110




9120
*No Power Reserve



9122
*No Power Reserve





9130



9132



HIGH HAND SERIES

BASIC



2025

2026





2035

2036

2039



2033

203A




2115

2117



2350



2357



2415



2417

SLIM / SMALL





6L20

6L26





6L30

6L36





5R21

5R22





5Y20

5Y26





5Y30

5Y36



1L22


1L26




1L32

1L36


6P SERIES




6P23/6P73




6P25/6P75




6P27/6P57/6P77




6P29/6P79




6P89/6P8B



6P23/6P25/6P27
6P29/6P89




6P73/6P75
6P77/6P79




6P57/6P8B


JS SERIES





JS05/JS06




JS15/JS16







JS25/JS26






0S SERIES







0S10/0S1A/0S1F



0S00/0S06




0S20/0S2B/0S2A/0S2F




0S1F




FS SERIES






FS00/FS03





FS01/FS04



FS10/FS13



FS20/FS23



INDEX

BASIC

2 Hands / 3 Hands

2025 ³ 6 3/4" x 8" 3.15mm	2035 ³ 6 3/4" x 8" 3.15mm	Super 2035 ⁴ 6 3/4" x 8" 3.15mm
---	---	---

3 Hands with Date

2015 ³ 6 3/4" x 8" 4.15mm	2115 ³ 10 1/2" 4.15mm	2315 ³ 11 1/2" 4.15mm	2415 ³ 13 1/2" 4.35mm
---	---	---	---

3 Hands with Day / Date

2005 ³ 6 3/4" x 8" 4.15mm	2105 ³ 10 1/2" 4.15mm	2305 ³ 11 1/2" 4.15mm	2405 ³ 13 1/2" 4.35mm
---	---	---	---

Large calendar

2353 ³ 11 1/2" 4.15mm	2453 ³ 13 1/2" 4.35mm	2350 ³ 11 1/2" 4.15mm
---	---	---

10 Years Battery

1L60 ¹⁰ 6 3/4" x 8" 4.30mm	2S60 ¹⁰ 10 1/2" 3.99mm	2S65 ¹⁰ 10 1/2" 4.22mm
--	--	--

SLIM

2 Hands / 3 Hands

GL20 ⁵ 6 3/4" x 8" 2.28mm	9T22 ² 6 3/4" x 8" 1.90mm	GL30 ³ 6 3/4" x 8" 2.28mm	9T33 ² 6 3/4" x 8" 1.90mm
---	---	---	---

2 Hands / 3 Hands with Date

GL15 ⁵ 6 3/4" x 8" 2.71mm	GN15 ⁵ 8 3/4" 2.71mm	GM15 ⁵ 10 1/2" 2.71mm	9T15 ² 6 3/4" x 8" 2.33mm	9U15 ⁴ 10 1/2" 2.33mm	GL10 ³ 6 3/4" x 8" 2.71mm	GN10 ³ 8 3/4" 2.71mm	GM10 ³ 10 1/2" 2.71mm	1S13 ³ 11 1/2" 2.71mm	9T13 ² 6 3/4" x 8" 2.33mm	9U13 ⁴ 10 1/2" 2.33mm
---	--	---	---	---	---	--	---	---	---	---

3 Hands with Day / Date

GL00 ³ 6 3/4" x 8" 2.94mm	GM00 ³ 10 1/2" 2.94mm	1S02 ³ 11 1/2" 3.07mm
---	---	---

Small Second / Disc

1L40 ³ 6 3/4" x 8" 2.93mm	1L45 ³ 6 3/4" x 8" 2.93mm	0T45 ⁵ 13 1/2" 4.13mm	2034 ^{1,2} 6 3/4" x 8" 3.15mm
---	---	---	---

Extreme Small

5Y20 ⁴ 5 1/2" x 6 3/4" 2.54mm	5Y30 ² 5 1/2" x 6 3/4" 2.54mm	5R21 ⁴ 3 3/4" 1.90mm	5R32 ² 3 3/4" 2.00mm	4S20 ² 4" 2.95mm
---	---	--	--	--

MECHANICAL

Calendar

9015 11 1/2" 3.90mm	8215 11 1/2" 5.67mm	6T15 8 3/4" 5.98mm	8205 11 1/2" 5.67mm	821A 11 1/2" 5.67mm	820A 11 1/2" 5.67mm	6T51 8 3/4" 5.98mm	8285 13" 5.94mm
--------------------------------------	--------------------------------------	-------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	-------------------------------------	----------------------------------

Skeleton

90S5 11 1/2" 3.90mm	8N24 11 1/2" 5.55mm	82S0 11 1/2" 5.67mm	82S5 11 1/2" 5.67mm	82S7 11 1/2" 5.67mm
--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------

Hand Winding

6T33 8 3/4" 4.24mm	8N33 11 1/2" 4.47mm
-------------------------------------	--------------------------------------

Eye & Calendar

8217 11 1/2" 5.67mm	8218 11 1/2" 5.67mm	8219 11 1/2" 5.67mm	9120 13 1/2" 5.52mm	9122 13 1/2" 5.52mm
--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------

Power Reserve

9100 13 1/2" 5.52mm	9110 13 1/2" 5.52mm	9130 13 1/2" 5.52mm	9132 13 1/2" 5.52mm
--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------

MULTIFUNCTION

3 Eyes / 4 Eyes

6P05 3 10 1/2" 3.45mm	6P27 3 10 1/2" 3.45mm	6P89 3 10 1/2" 3.85mm	6P29 3 10 1/2" 3.45mm	6P09 3 10 1/2" 3.45mm	JP15 2 12 1/2" 4.30mm	JP25 2 12 1/2" 4.30mm
---	---	---	---	---	---	---

1 Eye / 2 Eyes

6P22 3 10 1/2" 3.45mm	6P23 3 10 1/2" 3.45mm	6P25 3 10 1/2" 3.45mm	6P26 3 10 1/2" 3.45mm	6P28 3 10 1/2" 3.45mm	6P88 3 10 1/2" 3.85mm	JP11 2 12 1/2" 4.30mm
---	---	---	---	---	---	---

Moon Phase

6P00 3 10 1/2" 3.45mm	6P20 3 10 1/2" 3.45mm	6P21 3 10 1/2" 3.45mm	6P24 3 10 1/2" 3.45mm	6P80 3 10 1/2" 3.85mm
---	---	---	---	---

Retrograde

JR00 3 12 1/2" 4.18mm	JR10 3 12 1/2" 4.18mm	JR20 3 12 1/2" 4.18mm
---	---	---

CHRONOGRAPH

Vertical 3 Eyes

6S10 4 15" 4.90mm	0S00 5 13 1/2" 5.10mm	0S10 5 13 1/2" 4.13mm	0S60 2 13 1/2" 4.13mm	0S80 2 13 1/2" 4.68mm	0S90 2 13 1/2" 4.13mm	FS10 2 10 1/2" 5.10mm	FS11 2 10 1/2" 5.25mm	FS16 2 10 1/2" 5.10mm	JS10 2 12 1/2" 4.18mm	JS15 2 12 1/2" 4.30mm
---	---	---	---	---	---	---	---	---	---	---

Horizontal 3 Eyes

6S20 4 15" 4.90mm	6S50 4 15" 5.95mm	0S20 5 13 1/2" 5.10mm	0S25 2 13 1/2" 5.10mm	FS20 2 10 1/2" 5.10mm	FS21 2 10 1/2" 5.25mm	FS26 2 10 1/2" 5.10mm	JS20 2 12 1/2" 4.18mm	JS25 2 12 1/2" 4.30mm
---	---	---	---	---	---	---	---	---

3 Eyes

6S30 4 15" 4.90mm	FS00 2 10 1/2" 4.13mm	FS01 2 10 1/2" 4.28mm	JS00 2 12 1/2" 4.18mm	JS05 2 12 1/2" 4.30mm	JS50 2 12 1/2" 4.18mm	JS55 2 12 1/2" 4.18mm
---	---	---	---	---	---	---

2 Eyes

6S11 4 15" 4.90mm	6S21 3 15" 4.90mm	0S11 5 13 1/2" 4.13mm	0S21 5 13 1/2" 5.10mm
---	---	---	---


Retrograde Eyes

6S82 4 15" 4.90mm	0S62 2 13 1/2" 4.13mm	0S22 2 13 1/2" 5.10mm	FS60 2 10 1/2" 5.10mm	FS61 2 10 1/2" 5.25mm	FS80 2 10 1/2" 5.10mm	FS81 2 10 1/2" 5.25mm
---	---	---	---	---	---	---

1,2 2 3 4 5 10 = Battery Life (years)

H = High Hand Available

= Gilt Version Available



CITIZEN WATCH CO., LTD.
MOVEMENT DIVISION

Tokyo Head Office

Address : 6-1-12, TANASHI-CHO, NISHI TOKYO-SHI, TOKYO, 188-8511, JAPAN Phone : +81-424-67-6218 Fax : +81-424-67-1549
Home Page : miyotamovement.com E-mail : miyota_mvt@citizen.co.jp

Hong Kong Office

Flat A, 4/F., Hung Mou Industrial Building, 62 Hung To Road, Kwun Tong, Kowloon, Hong Kong Phone : +852-2219-7833 Fax : +852-2219-7811