




Customer Service Phone Toll>fre@00.444.4237
 Customer Service Fax Toll>fre@66.922.1690

Corporate Headquarters

3500 Pasadena Freeway
 Pasadena, Texas 77503
 Phone 713.921.7900
 Fax 713.921.7967



Distributed By



Please Recycle



Solutions For A Cleaner World

GOING GREEN?



GO ORANGE!
 CEP Offers Over 1000
 Environmentally Friendly
 Products.

COMPLETE ENVIRONMENTAL PRODUCTS





Thank you for taking the time to read through the local one man shops, CEP has provided solutions Complete Environmental Products (CEP) new for all environmental and safety needs. We realize environmental and safety products catalog. Our partners deserve only the best. Therefore, we it solidifies our place in the market as the represent only the strongest vendors in the industry, supercenter for spill and emergency response with the highest quality products. We continue to products. take pride in being the only sorbent manufacturer that produces under the ISO quality management

One of the reasons we are proud of this new system is our detailed cover. Please take a moment to really look at these graphic images of CEP products. Our employees are dedicated to personal attention action. CEP has played a major role in the cleanup customer service. Call our Customer efforts during the Gulf of Mexico oil spill providing center at 800>444>4237 and talk with an over 10,000,000 feet of sorbent boom and hundreds of experienced person, not a machine. Feel free to visit of truckloads of safety products. However, the website at www.cepsorbents.com. As you tour story is seeing our boom defend an island of nesting and catalog, please note how many NEW pelicans against approaching oil or workers products we have to offer. In short, we are the our beaches with CEP pads, coveralls and drums distributor your purchasing agent has been These photos capture the true essence of our waiting for. product line proving their necessity and relevance in Thank you for your business.

Since 1994, CEP has helped thousands of distributors grow their businesses by providing the most innovative environmental products on the market. From serving the largest integrated suppliers down to

ASK FOR A FREE CEP T-SHIRT WITH FIRST ORDER



HOW TO ORDER

USA

Fax purchase orders.....866.922.1690 Toll-free
 Phone verbal orders.....800.444.4237 Toll-free
 Internet orders.....www.cepsorbents.com

International

Fax purchase orders.....713.921.7967
 Phone verbal orders.....713.921.7900
 Internet orders.....www.cepsorbents.com

CALL FOR LATEST DISTRIBUTOR PRICE LIST

WARRANTY INFORMATION

Information provided with respect to CEP products is based on testing and data believed to be accurate; however, the reliability of that information is not guaranteed. All sizes in this catalog are nominal. Pad thickness is measured at time of manufacture and used for comparative reasons.

Disposal.

Fluids absorbed by CEP products will not be rendered less hazardous, less toxic, or less flammable and, when absorbed, will remain in their original state. Therefore, handle, store, and dispose of CEP products after use with the same caution as you would the original fluid. Products must be disposed of in compliance with local, State and Federal regulations. Because various fluids absorbed may be of a toxic or hazardous nature, CEP does not recommend disposal procedure.

Exclusion of Warranties.

CEP products are sold **without implied warranty of merchantability or fitness for particular purpose, and excluding** all other warranties, expressed or implied.

Damages.

CEP is not liable for damages of any type (whether direct, consequential, incidental or special) arising out of or in connection with, the manufacture, sale, delivery, handling or any other use of CEP products. CEP's only obligation is to replace any CEP product proved to be defective.



Contractor Response

Gloves, Boots, Eyewear, PPE, Liners, Poly..Sheeting.....

4 8

Sorbent Technologies

Oil Only, Universal, Bonded, Fine Fiber, Pads, Rolls,..Booms,..Socks.....

9 17

Spill Kits

Oil Only, Haz Mat, General Purpose, Mobile Carts,..First.Aid.....

18 29

Granular Absorbents

Cheetah Sorb, Peat Moss, Kenaf, Volcanic Ash, Floor Dry,..Vermiculite.....

30 34

Secondary Containment

Poly Overpacks, Polly Dollys, Spill Pallets, Huts,..IBCs,..Berms.....

35 73

Stormwater

Drain Guards, Grate Guards, Drain Seals,..Drain.Plugs.....

74 81

Safety Cans & Safety Cabinets

Dispensing, Storage, Specialty Use, Hazardous, Flammable,..Butt.Cans.....

82 89

Drums & Accessories

Steel Drums, Steel Overpacks, Fiber Drums, Poly Drums, Drum.Accessories.....

90 96

Environmental Safety

Clean Rooms, Cleaners & Degreasers, Packaging.....

97 102

Facility Safety

Safety Rails, Dock Plates, Post..Protectors.....

103 108

Construction Safety

Floor Mats, Tarps, Fencing, Tape, Safety Goggles,..Gloves.....

109 > 113

Marine Spill Control

Containment Booms, Reels, Skimmers, Pumps, Accessories.....

114 116

Emergency Response Equipment

Decon, Compactors, Trailers, Tanks, .Bulk..Totes.....

117 127

How to Order.....

129



= Saves You Money



= Highest Quality



= Exclusive from CEP



GLOVES

Product Code	Description
CEP-GLOVENIT	Glove Nitrile, Green, 15 mil, 13"
CEP-GLOVEPVC	Glove PVC, Black, Smooth, 12"
CEP-GLOVENE014	Glove Neoprene, Black, 14"
CEP-GLOVENIT-813	Glove Nitrile Powder Free, Disposal 100/Box
CEP-CEP-GLOVES-SS	Glove Silver Shield, 4H



BOOTS


Product Code	Description
CEP-BOOTCVRXL	Yellow Latex Over the Shoe Boot, 12", Rough Sole, Haxmat, XL
CEP-BOOTPVC -SIZE	Black PVC Boot Steel Toe, 16", Tread Sole, Sizes 6-13

BOOTPVC also available in White, specify color.



SAFETY EYEWEAR

Product Code	Description
CEP-GOGGLES	Chemical Goggles
CEP-FACESHIELD	Clear Visor
CEP-FSHIELD	Headgear with Ratchet Adjustment





ROLL OFF BOX LINERS

Product Code	Description
CEP-BOXLINER-6	22.6'L X 5.5'H X 8'W 6 mil Black

Form fitted liner for roll off box sizes 20-30 yards.

Other sizes available upon request.



DRUM LINERS AND POLY SHEETING



Product Code	Description
CEP-DLIN55-4	Drum Liner 38"X63", Clear: Industrial Std., 4 mil, 50/rl
CEP-DLIN55-6	Drum Liner 38"X63", Clear Industrial Std., 6 mil, 50/rl
CEP-DLIN55-4TRUE	Drum Liner 38"X63", Clear 4 mil, 50/rl
CEP-DLIN55-6TRUE	Drum Liner 38"X63", Clear 6 mil, 50/rl
CEP-DLIN55-6-YEL	Hazmat Drum Liner 38"X63", Yellow Printed 6 mil, 50/rl
CEP-DLIN55ASBESTOS	Asbestos Drum Liner 38"X63", Clear Printed 4 mil, 50/rl
CEP-POLSHT100-4	Poly Sheeting 20'X100', Clear 4 mil
CEP-POLSHT100-6	Poly Sheeting 20'X100', Clear 6 mil
CEP-POLSHT100-4BLK	Poly Sheeting 20'X100', Black 4 mil
CEP-POLSHT100-6BLK	Poly Sheeting 20'X100', Black 6 mil

CEP's line of poly bags and sheeting range from 4 mil. to 10 mil. CEP also offers a wide range of asbestos abatement bags and sheeting.





Contractor Response

GENERAL PURPOSE PROTECTIVE CLOTHING

Product Code	Description	
CEP-MMNSEWA	White Coverall, Elastic Wrist & Ankles	25/cs.
CEP-MMNSEWAHB	White Coverall, Elastic Wrist, Ankles, Hood, And Booties	25/cs.
CEP-MMNSCVR	White Standard Coverall	25/cs.

- Excellent abrasive resistance.
- Light splash and dry particulate protection.
- Scrim re-enforced for superior strength.
- Serged seams.



**LOWEST PRICED
PPE IN THE
INDUSTRY**

Chem Max® PROTECTIVE GARMENTS LEVEL 1, 2 AND 3

ChemMax1 Entry level Chemical Protection garment, yellow garment, bound seams, set in sleeve 25 /cs

CEP-CMX1CVR-(SIZE)	Coverall, Open Wrist and Ankles
CEP-CMX1EWA-(SIZE)	Coverall, Elastic Wrist, Ankles
CEP-CMX1EWAH-(SIZE)	Coverall, Elastic Wrist, Ankles and Hood
CEP-CMX1EWHB-(SIZE)	Coverall, Elastic Wrist, Hood and Booties

ChemMax2 Second level of barrier protection with proven protection of Dow Saranex® 23P barrier film. White garment, bound seams, set in sleeve, 12/cs

CEP-CMX2CVR-(SIZE)	Coverall, Open Wrist and Ankles
CEP-CMX2EWA-(SIZE)	Coverall, Elastic Wrist, Ankles
CEP-CMX2EWAH-(SIZE)	Coverall, Elastic Wrist, Ankles and Hood
CEP-CMX2EWHB-(SIZE)	Coverall, Elastic Wrist, Hood and Booties

ChemMax3 The highest level of ChemMax protection available. Provides a barrier against a broad spectrum of toxic industrial chemicals, dual use chemicals, chemical warfare agents and other harmful contaminants. Gray garments, sealed seam and storm flap over zipper, 6/cs

CEP-CMX3CVR-(SIZE)	Coverall, Open Wrist and Ankles
CEP-CMX3EWA-(SIZE)	Coverall, Elastic Wrist, Ankles
CEP-CMX3EWAH-(SIZE)	Coverall, Elastic Wrist, Ankles and Hood
CEP-CMX3EWHB-(SIZE)	Coverall, Elastic Wrist, Hood and Booties

**ALL SUITS ARE AVAILABLE IN SIZES SMALL - 5XL
OTHER CONFIGURATIONS AVAILABLE UPON REQUEST**

WE OFFER FULL LINE OF LAKELAND
PRODUCTS . . . CALL FOR QUOTE

FIRE RESISTANT COVERALLS

Product Code **Description**

CEP-PP2WA Blue Fire Resistant Coverall, Elastic Wrist & Ankles 25/cs

- Exceeds NFPA 701 for flame resistance.
- Meets ANSI/ISEA 101-1996 standards.



Available in 7 sizes! Please indicate size by adding one of these codes to the product code:

SM	Small	2X Large
MD	Medium	3X Large
LG	Large	4X Large
XL	Extra Large	



ACCESSORIES

Product Code	Description
CEP-TYVEKBOOTIES	Tyvek Booties
CEP-BOOTCVRXL	Yellow Latex Boot Covers, XL



Contractor Response



Contractor Response



ORANGE POWER PAD

Product Code	Description		
CEP-OPP15	Universal Absorption Pads with Citrus Fragrance	15" x 15"	85/cs




Completely Safe! Orange Power™ is non-toxic, non-hazardous, and non-flammable. Real anti-static protection that leaves no residue and is low linting. These easily rinsed and reusable towels perform like cloth.

Tackles isopropyl alcohol, MEK and other tough solvents without falling apart due to its powerful solvent resistance.

Superior wet and dry cleaning performance.


High intrinsic surface per unit mass of fiber providing excellent dirt pickup.



Orange Power™ high capacity absorption pads effectively remove general dirt and grime, greases, some inks, tar, asphalt, oils, lubricants, water-based paints, industrial carbon and other heavy-duty soils. The formula leaves your hands smelling clean and fresh.

This disposable, soft, high strength pad is ideal for cleaning hard, non-porous surfaces and can be used anywhere including, but not limited to, industrial manufacturing facilities, auto shops, aviation facilities, medical offices, hospitals, hotels, schools, day care centers, restaurants, nursing homes, correctional facilities, etc.

ABSORBS UP TO 25X ITS WEIGHT IN LIQUID!



Sorbent Technologies

PADS & ROLLS



Oil Only Pads 15"x 17" 100/cs.

Hvy Wt	Med Wt	Lt Wt	Sgl Wt
CEP-P100	CEP-EP100	CEP-L100	CEP-P200 (200/cs)

Oil Only Pads 30"x 34" 50/cs

Hvy Wt	Med Wt
CEP-P50	CEP-EP50

Oil Only Rolls 15" x 150' 2/cs

Hvy Wt	Med Wt
CEP-SR144	CEP-ESR144

Oil Only Rolls 30" x 150' 1/cs

Hvy Wt	Med Wt
CEP-R144	CEP-ER144

Oil Only Rolls 30" x 300' 1/cs

Lt Wt
CEP-R288

- CEP pure meltblown polypropylene fibers are the most cost-effective adsorption technology today.
- Fast-wicking fibers absorb up to 25 times their weight in hydrocarbon.
- Product sold by net weight. Pad counts are approximate.
- 38" widths available.



BOOMS, PILLOWS & SOCKS



Product Code Description

1 CEP-B810	White Sorbent Booms, With Sock	8" x 10'	4/cs
2 CEP-B510	White Sorbent Booms, With Sock	5" x 10'	4/cs
3 CEP-B820	White Sorbent Booms, With Sock	8" x 20'	2/cs
CEP-B520	White Sorbent Booms, With Sock	5" x 20'	2/cs
4 CEP-DB510	White Double Sorbent Booms	5" x 10'	8/cs
5 CEP-PS12	White Poly Socks	3" x 46"	12/cs
6 CEP-PS10	White Poly Socks	3" x 10'	4/cs
7 CEP-PIL10	White Sorbent Pillows	3" x 18" x 24"	10/cs
8 CEP-SAKPIL10	White Sack Pillows	14" x 25"	10/cs
9 CEP-BPIL10	White Boom Pillows	8" x 18"	10/cs
CEP-PS20	White Bilge Socks	3" x 20"	20/cs
CEP-PS40	White Poly Socks	3" x 46"	40/cs

- Provides containment & adsorption while repelling water; comprised of anti-shed or non-lint netting; overlapping clips for deployment in any length.
- Pillows & socks are ideal for catch basins & sumps.



OIL ONLY ACCESSORIES



Product Code Description

1 CEP-SW100	White Sorbent Sweep, Rolled	19" x 100'	1/cs
2 CEP-PART25	White Particulate	25 lbs. bag	
3 CEP-ODTP25	White Drum Top Pads, W/Bung	22" dia.	25/cs
4 ODP12-CEP	Drip Pans	10.5" x 10.5" x 3"	12/cs
ODP24-CEP	Drip Pans	10.5" x 10.5" x 3"	24/cs
5 CEP-P100ASTAT	White Static Resistant Pads, Hvy Wt	15" x 17"	100/cs
CEP-P25ASTAT	White Static Resistant Pads, Hvy Wt	15" x 17"	25/cs
CEP-R144ASTAT	White Static Resistant Roll, Hvy Wt	30" x 150'	1/cs

CEP has a variety of oil only sorbents for all industrial maintenance needs.

- Drip Pans for continuous leaks, Drum Top Pads for lubricant sprays, and Static Resistant Sorbents for highly flammable liquids.

CEP Sorbent Sweeps are ideal for marine spill fine sheen removal.






**POLYPROPYLENE OIL-ONLY
SORBENT BOOM**



Product Code	Description		
CEP-B510	Oil Only Sorbent Boom	5" x 10'	4/cs
CEP-B810	Oil Only Sorbent Boom	8" x 10'	4/cs



This unique product, available in both 5" and 8" diameters, absorbs considerably more petroleum-based liquids than other poly boom. It has identical usage applications and each section is made with a durable sock and netting.

We can offer this special sorbent boom to you at a better price than the pure poly alternative. More absorption at a lower price? YES!

Features/Specifications:

- Oil only (for petroleum-based liquid)
- Non-toxic
- Non-shedding
- Durable sock and netting
- Absorbs more liquid than pure poly boom
- Rope and snap clips for easy deployment

RAPID RESPONSE CONTAINMENT BOOM

Product Code Description



CEP-8RD15 Rapid Response Containment Boom 150 ft

- Revolutionary containment boom stored in a convenient drum
 - MYCELX infused products instantly attach to fuel, sheen & oil
 - Virtually zero water dragout
 - Easy storage and deployment - connect multiple drums together for extendability
 - Storage container minimizes space and doubles as a disposal drum
 - Prevents weathering and separation of pollutants on contact
 - Each 10 ft. section capable of absorbing 28 pounds of oil or fuel
- 150' of extendable containment boom quickly dispenses from its storage container to encircle spills



OPFLEX

Product Code Description

OPXNB	Opflex Netted Boom	144", 1/2" Strips in Tubular Netting	4/pk
OPXSNARE	Opflex Snare Boom	98" X 36", 1/2" Thickness	5/pk
OPXSWEEP	Opflex Sweep	72" X 12", 1/4" Thickness	100/pk
OPXPAD	Opflex Pads	16" X 18", 1/4" Thickness	100/pk



- Absorbs up to 32 times its weight in oil while water flows through it.
- Biodegradable
- Reusable
- Open celled polyolefin foam, density 1.5 lbs. per cu. ft.
- Not designed or intended to replace all conventional booms.
- Designed to be used in conjunction with all other products.





Sorbent Technologies





GENERAL PURPOSE SOCKS & PILLOWS



Product Code	Description			
1 CEP-GS4	General Socks	3" x 4'	40/cs	
CEP-GS6	General Socks	3" x 6'	25/cs	
CEP-GS8	General Socks	3" x 8'	20/cs	
CEP-GS10	General Socks	3" x 10'	15/cs	
CEP-GS20	General Socks	3" x 20"	20/cs	
CEP-GS55	General Socks	3" x 20"	55/cs	
3 CEP-GPIL16	General Pillows	2" x 11" x 13"	16/cs	
2 CEP-COBSOC40	Corn Cob Socks	3" x 46"	40/cs	
CEP-COBSOC10	Corn Cob Socks	3" x 10'	14/cs	
4 CEP-GPILPAN	Pillow in Pan	16 pillow/4pans		



- These sorbents are ideal for solvents, lubricants, cutting oils and water.
- The GS Sock Series range from 4' to 10' in length.
- Perfect moldable application for continuous maintenance leaks.
- The recycled fiber fillers are BTU rich for multiple disposal options.

INDUSTRIAL RUGS & UNIVERSAL ACCESSORIES



Product Code	Description			
1 CEP-IR300	Industrial Rug	36" x 300'	1/cs	
CEP-SIR300	Split Industrial Rugs	18" x 300'	2/cs	
CEP-IR100	Industrial Rug	36" x 100'	1/cs	
CEP-IR150	Industrial Rug	36" x 150'	1/cs	
CEP-PBIR150	Poly Backed Industrial Rug	36" x 150'	1/cs	
CEP-PBIR50	Poly Backed Industrial Rug	36" x 50'	1/cs	
CEP-PBIR100	Poly Backed Industrial Rug	36" x 100'	1/cs	
CEP-PBIR300	Poly Backed Industrial Rug	36" x 300'	1/cs	
2 CEP-RAGRUG150	Cellulose Rag Rug	36" x 150'	1/cs	
CEP-SRAGRUG150	Cellulose Rag Rugs	18" x 150'	2/cs	
3 CEP-INDSQ100	Industrial Squares	18" x 18"	100/cs	
4 CEP-UDTP25	Universal Drum Top Pads	22" dia.	25/cs	
5 UDP12-CEP	Universal Drip Pans	3" x 11" x 13"	12/cs	
UDP24-CEP	Universal Drip Pans	3" x 11" x 13"	24/cs	



BIODEGRADABLE SORBENTS



Product Code	Description			
1 CEP-COTP100	Cotton Sorbent Pads	18" x 18"	100/cs	
2 CEP-COTB810	Poly/Cellulose Blended Booms	8" x 10'	4/cs	
3 CEP-COTB510	Poly/Cellulose Blended Booms	5" x 10'	4/cs	
4 CEP-UCOTP100	Univ. Cotton Pads	18" x 18"	100/cs	
5 CEP-COTR144	Cotton Sorbent Roll	36" x 150'	1/cs	
CEP-RAGPAD100	Cellulose Rag Pads	3/8" x 18" x 18"	100/cs	
CEP-WIPE800	Airlaid Crepe Fold Wipes		800/cs	



- These products are derived from all natural, non-toxic, and recycled fibers.
- Their natural biodegradable composition are environmentally friendly for disposal.
- The cotton sorbent products are available in both oil only and universal pads and rolls.



BONDED OIL ONLY > Q>SERIES

Product Code	Description			
1 CEP-BP100	White Sorbent Pads, Hvy Wt	15" x 17"		100/cs
3 CEP-BR144	White Sorbent Roll, Hvy Wt	30" x 150'		1/cs
CEP-BSR144	White Sorbent Split Rolls, Hvy Wt	15" x 150'		2/cs
CEP-BP200	White Sorbent Pads, Lt Wt	15" x 17"		200/cs



BONDED UNIVERSAL > Q>SERIES

Product Code	Description			
2 CEP-UQ100	Gray Sorbent Pads, Hvy Wt	15" x 17"		100/cs
CEP-UQ150	Gray Sorbent Roll, Hvy Wt	30" x 150'		1/cs
CEP-UQSR150	Gray Sorbent Split Rolls, Hvy Wt	15" x 150'		2/cs
CEP-UQ200	Gray Sorbent Pads, Lt Wt	15" x 17"		200/cs
CEP-UQ125	Gray Sorbent Pads, Hvy Wt	15" x 17"		125/cs
CEP-UQ288	Gray Sorbent Roll, Hvy Wt	30" x 300'		1/cs

The ultrasonic bonding (dimples) creates tensile strength ideal for wiping and MRO applications. The Universal Gray camouflages oil and grease.

Q> PERFORATED

Product Code	Description			
1 CEP-UQ100P	Gray Universal Perf. Pads, Hvy Wt	15" x 17"		100/cs
2 CEP-UQ150P	Gray Universal Perf. Roll, Hvy Wt	30" x 150'		1/cs
CEP-UQSR150P	Gray Universal Perf. Rolls, Hvy Wt	15" x 150'		2/cs
CEP-Q100P	White Oil Only Perf. Sorbent Pads, Hvy Wt	15" x 17"		100/cs
CEP-Q150P	White Oil Only Perf. Sorbent Roll, Hvy Wt	30" x 150'		1/cs
3 CEP-ROLLRACK-WM	Roll Rack For 30" Sorbent Rolls, Wall Mountable			



Q-Series

Q> BOXED/ PERFORATED

Product Code	Description			
4 CEP-UQR19BOX	Universal Gray Perf & Boxed	19" x 100'		1/cs
5 CEP-QR19BOX	Oil Only Perf & Boxed	19" x 100'		1/cs

BLUE Q>SERIES OIL ONLY

Product Code	Description			
1 CEP-BBP100	Blue Bonded Sorbent Pads, Hvy Wt	15" x 17"		100/cs
2 CEP-BBP200	Blue Bonded Sorbent Pads, Lt Wt	15" x 17"		200/cs
3 CEP-BBR144	Blue Bonded Sorbent Roll, Hvy Wt	30" x 150'		1/cs
CEP-BBSR144	Blue Bonded Sorbent Rolls, Hvy Wt	15" x 150'		2/cs



Q-Series Blue Sonic bonded meltblown is the strongest oil only pad in the sorbent industry. The blue color is ideal for both marine and industrial disguise of hydrocarbon.





COLDFORM SINGLE LAMINATED PADS AND ROLLS

Product Code Description

WHITE – OIL ONLY

CEP-QPL100	Pads Heavy 16"x18"	100/cs
CEP-QEPL100	Pads Medium 16"x18"	100/cs
CEP-QRL150	Rolls Heavy 28"x150'	1/cs
CEP-QRSL150	Split Rolls Heavy 14"x150'	2/cs
CEP-QERL150	Rolls Medium 28"x150'	1/cs
CEP-QESRL150	Split Rolls Medium 14"x150'	2/cs



The Cold Form Process saves you money in cost and use!!

GREY - UNIVERSAL

CEP-UQPL100	Pads Heavy 16"x18"	100/cs
CEP-UQEPL100	Pads Medium 16"x18"	100/cs
CEP-UQRL150	Rolls Heavy 28"x150'	1/cs
CEP-UQSRL150	Split Rolls Heavy 14"x150'	2/cs
CEP-UQERL150	Rolls Medium 28"x150'	1/cs
CEP-UQESRL150	Split Rolls Medium 14"x150'	2/cs

CAMOUFLAGE - UNIVERSAL

CEP-CML100	Pads Heavy 16"x18"	100/cs
CEP-CMRL150	Rolls Heavy 28"x150'	1/cs
CEP-CMLSR150	Split Rolls Heavy 14"x150'	2/cs

COLDFORM NATURAL BONDED PADS AND ROLLS

Product Code Description

WHITE – OIL ONLY

CEP-C100	Pads Heavy 16"x18"	100/cs
CEP-EC100	Pads Medium 16"x18"	100/cs
CEP-EC200	Pads Medium 16"x18"	200/cs
CEP-CR150	Rolls Heavy 28"x150'	1/cs
CEP-CSR150	Split Rolls Heavy 14"x150'	2/cs
CEP-CER150	Rolls Medium 28"x150'	1/cs
CEP-CESR150	Split Rolls Medium 14"x150'	2/cs



GREY – UNIVERSAL

CEP-UC100	Pads Heavy 16"x18"	100/cs
CEP-UEC100	Pads Medium 16"x18"	100/cs
CEP-UC200	Pads Light 14"x18"	200/cs
CEP-UCR150	Rolls Heavy 28"x150'	1/cs
CEP-UCRS150	Split Rolls Heavy 14"x150'	2/cs
CEP-UCER150	Rolls Medium 28"x150'	1/cs
CEP-UCESR150	Split Rolls Medium 14"x150'	2/cs

BIODEGRADABLE

COLDFORM FINE FIBER PADS AND ROLLS

Product Code Description

WHITE - OIL ONLY

CEP-QF100	Pads Heavy 16"x18"	100/cs
CEP-QF150	Rolls Heavy 28"x150'	1/cs
CEP-QSF150	Split Rolls Heavy 14"x150'	2/cs

GREY - UNIVERSAL

CEP-UQF100	Pads Heavy 16"x18"	100/cs
CEP-UQF150	Rolls Heavy 28"x150'	1/cs
CEP-UQSF150	Split Rolls Heavy 14"x150'	2/cs

GREEN - UNIVERSAL

CEP-GQF100	Pads Heavy 16"x18"	100/cs
CEP-GQF150	Rolls Heavy 28"x150'	1/cs
CEP-GQSF150	Split Rolls Heavy 14"x150'	2/cs



CEP

Sorbent Technologies

MILITARY PADS & ROLLS

CAMO

Product Code	Description			
1 CEP-MM100	Sorbent Pads	16" x 20"	100/cs.	
2 CEP-MM150	Sorbent Roll	30" x 150'	1/cs.	
CEP-MM150S	Sorbent Split Rolls	15" x 150'	2/cs.	



LAMINATED PADS & ROLLS

HQ
HIGHEST
QUALITY

Product Code	Description			
OIL ONLY				
CEP-Q100SMS	White Sorbent Pads, Hvy Wt.	15" x 17"	100/cs.	
CEP-QEP100SMS	White Sorbent Pads, Med Wt	15" x 17"	100/cs.	
CEP-Q150SMS	White Sorbent Roll, Hvy Wt	30" x 150'	1/cs.	
CEP-QER150SMS	White Sorbent Roll, Med Wt	30" x 150'	1/cs.	
CEP-QSR150SMS	White Sorbent Split Rolls, Hvy Wt	15" x 150'	2/cs.	
CEP-QESR150SMS	White Sorbent Split Rolls, Med Wt	15" x 150'	2/cs.	

GRAY LAMINATED – UNIVERSAL

CEP-UQ100SMS	Gray Sorbent Pads, Hvy Wt	15" x 17"	100/cs.	
CEP-UQEP100SMS	Gray Sorbent Pads, Med Wt	15" x 17"	100/cs.	
CEP-UQ150SMS	Gray Sorbent Roll, Hvy Wt	30" x 150'	1/cs.	
CEP-UQER150SMS	Gray Sorbent Roll, Med Wt	30" x 150'	1/cs.	
CEP-UQSR150SMS	Gray Sorbent Split Rolls, Hvy Wt	15" x 150'	2/cs.	
CEP-UQESR150SMS	Gray Sorbent Split Rolls, Med Wt	15" x 150'	2/cs.	

SMS
TECHNOLOGY



PADS & ROLLS

HQ
HIGHEST
QUALITY

Product Code	Description			
1 WHITE FINE FIBER – OIL ONLY				
CEP-Q100	White Sorbent Pads, Hvy Wt	15" x 17"	100/cs.	
CEP-QEP100	White Sorbent Pads, Med Wt	15" x 17"	100/cs.	
CEP-Q200	White Sorbent Pads, Lt Wt	15" x 17"	200/cs.	
CEP-Q50	White Sorbent King Pads, Hvy Wt	30" x 34"	50/cs.	
CEP-Q150	White Sorbent Roll, Hvy Wt	30" x 150'	1/cs.	
CEP-Q24	White Sorbent Roll, Hvy Wt	24" x 150'	1/cs.	
CEP-Q288	White Sorbent Roll, Lt Wt	30" x 300'	1/cs.	
CEP-QSR150	White Sorbent Split Rolls, Hvy Wt	15" x 150'	2/cs.	
CEP-Q288S	White Sorbent Split Rolls, Hvy Wt	15" x 300'	2/cs.	
2 GRAY FINE FIBER – UNIVERSAL				
CEP-UQ100P	Gray Sorbent Pads, Hvy Wt	15" x 17"	100/cs.	
CEP-UQ200P	Gray Sorbent Pads, Lt Wt	15" x 17"	200/cs.	
CEP-UQ50P	Gray Sorbent King Pads, Hvy Wt	30" x 34"	50/cs.	
CEP-UQ150P	Gray Sorbent Roll, Hvy Wt	30" x 150'	1/cs.	
CEP-UQR24P	Gray Sorbent Roll, Hvy Wt	24" x 150'	1/cs.	
CEP-UQ288P	Gray Sorbent Roll, Lt Wt	30" x 300'	1/cs.	
3 GREEN FINE FIBER – HAZMAT				
CEP-UP100P	Green Sorbent Pads, Hvy Wt	15" x 17"	100/cs.	
CEP-UEP100P	Green Sorbent Pads, Med Wt	15" x 17"	100/cs.	
CEP-UR150P	Green Sorbent Roll, Hvy Wt	30" x 150'	1/cs.	
CEP-UER150P	Green Sorbent Roll, Med Wt	30" x 150'	1/cs.	
4 BLUE FINE FIBER – OIL ONLY				
CEP-QBP100	Blue Sorbent Pads, Hvy Wt	15" x 17"	100/cs.	
CEP-QBEP100	Blue Sorbent Pads, Med Wt	15" x 17"	100/cs.	
CEP-QBP200	Blue Sorbent Pads, Lt Wt	15" x 17"	200/cs.	
CEP-QBR144	Blue Sorbent Roll, Hvy Wt	30" x 150'	1/cs.	
CEP-QBER144	Blue Sorbent Roll, Med Wt	30" x 150'	1/cs.	
CEP-QBP288S	Blue Sorbent Roll, Lt Wt	30" x 300'	1/cs.	





POLY BACKED DRIP PAD



Product Code	Description		
CEP-OP1250	Oil Zap Pad	17"x23"	150/CS
CEP-OP2442	Oil Zap Pad	24"x42"	40/CS
CEP-OPR-9200	Oil Zap Roll	Perforated	1 Roll (133 pads)

- Eliminates shop rags.
- Quick absorption.
- Absorbs one-half quart of oil.
- Pad will withstand hot oil up to 210 degrees.
- Needle-punched for strength.




OIL ONLY DRIP SENTINEL DRIP PAD

Product Code	Description		
CEP-5694-YE	Drip Sentinal Drip Pad	21" x 21"	1/cs



- Oil only (for petroleum-based liquids)
- Great for oil changes, lawn, farm and garden equipment
- Absorbs and retains up to 7 quarts of liquid
- Non-slip barrier envelope that helps capture the spill
- Nominal size: 21" x 21"
- Drip catching surface: 13.5" x 13.5"
- Optional grommet and 3-foot nylon tether (not shown)



Simply throw down the Drip Sentinel Drip Pad under leaky equipment and watch as it absorbs and retains up to 7 quarts of liquid (oils and hydrocarbons).

RAILROAD PETROLEUM SORBENTS

Product Code	Description	
CEP-PRRTB18	Track Blankets	19" x 100'
	60 Gallons, 2 Rolls	
CEP-PRRT59	Track Blankets	59" x 100'
	90 Gallons, 1 Roll	

- Three layer construction for durability.
- Protects railroad ties, soil and rock ballast.
- Ultrasonic welded edge won't tear or shred, prevents delamination.
- Applications
 - Locomotive refueling sites, ready track areas, maintenance/repair yards/ships, wayside track lubrication sites.



For additional railroad products reference page 53

RAIL BERM

Product Code	Description
CEP-45-RSB-FS	Rail Berm, Portable Spill Containment

This new light weight containment pad is deisgned to provide a temporary bermed containment area around the valves underneath a rail tank car during loading/ unloading operations. Light weight (only 80 lbs) it can be easily lifted into place by two operators!

Function: The berm provides a 4'x4' x12" H bermed area that sits in the void between the tracks directly under the valves; should a

large release occur, caputred product would begin to fill this berm; the spilled product would then be directed over the outside rail to a side compartment 4'x18"x12"H. This outside compartment is fitted with two 2" drains that include male CAM-LOC fittings for quick coupling of system to hoses that can transport the spilled materials to a nearby catchment area.





5 GALLON SPILL KITS

Product Code	Description	Contents
CEP-SK5	Oil Only Spill Kit	10- white oil only pads, 2- socks, goggles, gloves, disp. Bag.
CEP-HAZSK5	Hazmat Spill Kit	10- green hazmat pads, 2- socks, goggles, gloves, disp. Bag.
CEP-GPSK5	General purpose/	10 - grey universal pads, 2- socks,



20 GALLON SPILL KITS

Product Code	Description	Contents
CEP-SK20	Oil Only Spill Kit	50- white oil only pads, 4- socks, 2-pillows, goggles, gloves, disp. Bag.
CEP-HAZSK20	Hazmat Spill Kit	50- green hazmat pads, 4- socks, 2-pillows, goggles, gloves, disp. Bag.
CEP-GPSK20	General purpose/ Universal Spill Kit	25 - grey universal pads, 4- socks, 2-pillows, goggles, gloves, disp. Bag.



30 GALLON SPILL KITS

Product Code	Description	Contents
CEP-SK30	Oil Only Spill Kit	50- white oil only pads, 12- socks, 4-pillows, goggles, gloves, disp. Bag.
CEP-HAZSK30	Hazmat Spill Kit	50- green hazmat pads, 12- socks, 4-pillows, goggles, gloves, disp. Bag.
CEP-GPSK30	General purpose/ Universal Spill Kit	50 - grey universal pads, 6- socks, 4-pillows, goggles, gloves, disp. Bag.



95 GALLON SPILL KITS

Product Code	Description	Contents
CEP-SK95	Oil Only Spill Kit	100- white oil only pads, 4- booms, 10-pillows, goggles, gloves, disp. Bag.
CEP-HAZSK95	Hazmat Spill Kit	100- green hazmat pads, 4- booms, 10-pillows, goggles, gloves, disp. Bag.
CEP-GPSK95	General purpose/ Universal Spill Kit	100 - grey universal pads, 4-booms, 10-pillows, goggles, gloves, disp. Bag.



TRANSPORT SPILL KITS

Product Code	Description	HQ HIGHEST QUALITY
CEP-TRSK5	Oil Only Transport Spill Kit	
CEP-UTRSK5	Universal Transport Spill Kit	
Each kit contains:	2 - Drum Liners 55 gal.	
10 - Sorbent pads	1 - Pair Goggles	
2 - Sorbent Socks	1- Pair Nitrile Gloves	
1 - Epoxy Stick	1 - 32oz Scoop	
	1 - 5.5 gal Lab Pack w/screw lid	





VACPAK25

Product Codes Description

CEP-VACPAK25 Oil Only Vacuum Sealed Spill Kit	CEP-UVACPAK25 Universal Vacuum Sealed Spill Kit
--------------------------------------------------	----------------------------------------------------

Contains:
 10 - Sorbent pads
 2 - Sorbent Socks
 1 - Case Wipes
 1 - Plug Patty
 1- Pair Nitrile Gloves

Contains:
 15 - Sorbent Pads
 3 - Sorbent Socks
 1 - Pair Goggles
 1 - Pair Nitrile Gloves
 1 - Drum Liner 55 gal.



SAFETY & INFECTION CONTROL KITS



Product Code Description

1 CEP-UPCKIT-17102	Universal Precautions Compliance Kit
2 CEP-EZKIT-17121	Blood and Bodily Fluid Clean Up Kit
3 CEP-FSP-48630	Formaldehyde Spill



DECONKIT > PORTABLE DECON KIT

Product Code Description

DCONKIT	Portable Decon Kit	Vacuum Pack
---------	--------------------	-------------

Includes:
 3 Disposable Towels
 1 Bottle Antibacterial Soap
 1 Disposable Coverall
 1 First Step Eyewash
 1 Pair Tyvek Booties





BATTERY ACID SPILL KIT



Product Code	Description
CSK-SK-2BA	Battery Acid Spill Kit

Includes:

- 1 20 Gal Overpack Drum
- 4 Acid Neutralizers 2lb ea.
- 3 General Purpose Socks 3" x 4'
- 20 Sorbent Pads
- 2 Pair Nitrile Gloves
- 2 Pair Safety Goggles
- 2 Pair Disposable Coveralls
- 3 Disposable Bag Liners



DUFFLEBAG SPILL KIT

Product Code	Description
DBAGKIT	Duffle Bag Spill Kit

DBAGKIT Duffle Bag Spill Kit

Includes:

- 2 Poly Socks 3" x 46"
- 10 White Oil Only Sorbent Pads
- 1 Pair Nitrile Gloves
- 1 Plug Patty
- 1 Emergency Response Guide
- 1 55 Gal Drum Liner
- 1 Water Resistant Bag



55 GALLON CONSTRUCTION SITE SPILL KITS

Product Code	Description
CEP-CSKU-F55	55 Gallon Construction Site Spill Kit

Kit Contains

- 50 Universal Sorbent Pads
- 3 Universal Sorbent Booms
- 5 Universal Sorbent Socks
- 1 20lb Bag Granular Sorbent
- 1 Neoprene Drain Cover
- 5 Disposable Bags
- 1 Shovel
- 2 Pair of Safety Goggles
- 2 Pair of Nitrile Gloves
- 2 Pair Disposable Coveralls
- 1 55 gallon poly drum





GENERAL PURPOSE 64 GAL. MOBILE SPILL KIT

Product Code	Description	
GPSK-MOB	Spill Kit	64 Gallon

Includes:

- 1 20LB bag Granular Sorb
- 100 Universal Pads
- 4 General Socks 10'
- 4 Haz Mat Pillows
- 1 Neoprene Drain Cover 36"x36"
- 1 Epoxy Stick/Repair Putty
- 2 Pair of Nitrile Gloves
- 2 Goggles
- 3 Drum Liners 55GAL. 38"x63"
- 1 Yellow 64 Gal Wheel Cart



DUFFLEBAG MULTI SPILL KIT

Product Code	Description
DBAG-MULTI Kit	Duffle Bag Multi Spill Kit

Includes:

- 3 Poly Socks 4'
- 1 Sorbent Pillows
- 4 General Socks 4'
- 4 Gray Sorbent Pads
- 3 Haz Mat Socks 4'
- 1 Haz Mat Pillow
- 3 White Oil Only Sorbent Pads
- 3 Green Universal Sorbent Pads
- 1 Universal Drip Pan
- 2 Universal DrumTop Pads 22" Dia.
- 2 White DrumTop Pads w/Bung 22" Dia.
- 3 Oil Zap Pads 17" x 23"
- 1 Water Resistant Bag



**3 IN 1 KIT
OIL, UNIVERSAL,
AND HAZMAT**



CSK 75 OIL ONLY STACKABLE KIT

Product Code	Description
CSK75	Oil Only Stackable Kit

Includes:

- 1 Rubbermaid Brute Container 24" x24" x30
- 1 Lid For Brute Container
- 10 White Oil Only Sorbent Pads
- 2 White Poly Socks 3" x 46"
- 1 Pair Goggles
- 1 Pair of Nitrile Gloves
- 1 Drum Liner 55GAL. 38"x63"
- 1 20Lb bag Granular Sorbent
- 1 Scoop, Small 32 oz.

**HQ
HIGHEST
QUALITY**





Spill Kits

HURRICANE SPILL KIT 95 GAL

Product Code	Description
STORMSK95	Hurricane Mobile Spill Kit 95 gal.



Includes:

- | | |
|----------------------------|----------------------------|
| 10 Universal pads | 1 Tarp |
| 4 Universal Booms 5" x 10' | 1 20' rope |
| 2 Goggles | 2 Lightsticks |
| 2 Pair Nitrile Gloves | 1 20' x 100' PolySheeting |
| 1 Disposable Coverall | 1 Emergency Response Guide |
| 1 AM/FM Radio | 1 Flash Light w/ batteries |
| 4 Batteries | 1 OverPack Wheeled 95 Gal. |
| 1 Drum Liner 55 gal. | |

HURRICANE



PREPAREDNESS



HURRICANE SPILL KIT 30 GAL

Product Code	Description
STORMSK30	Hurricane Spill Kit 30 gal.



Includes:

- | | |
|-----------------------|----------------------------|
| 50 Universal pads | 4 Batteries |
| 1 Hazardous Sock | 1 Drum Liner 55 gal. |
| 1 Goggle | 1 Emergency Response Guide |
| 1 Pair Nitrile Gloves | 1 Flash Light w/batteries |
| 1 AM/FM Radio | 1 OverPack 30 Gal. |

HURRICANE



PREPAREDNESS



UNIVERSAL ECONO KIT

Product Code	Description
USK-ECONO	Universal Econo Kit



Includes:

- 8 Universal Sorbent Pads
- 4 Sorbent Pillows
- 1 Goggle
- 1 Pair Nitrile Gloves
- 1 Drum Liner 55 gal.
- 1 Emergency Response Guide
- 1 Tow-N-Go or Wall Mount Box





MOBILE SPILL CARTS



Product Code	Description
CEP-MOBSK255	200-Pads 15" x 17", 4-B510 Booms, 12-Socks 3" x 4", 10-Pillows 10" x 10", 4-Disposable Bags, 2-Goggles, 2-Gloves, 1-Transport Shovel
CEP-MOBHAZSK255	200-Pads 15" x 17", 4-B510 Booms, 12-Socks 3" x 4", 10-Pillows 10" x 10", 4-Disposable Bags, 2-Goggles, 1-Glove, 1-Transport Shovel

For fast reponses! Cart is constructed of high density polyethylene that is chemical resistant.

All mobile kits are refillable.



MOBILE SPILL KIT TOOL KADDIE



Product Code	Description
CEP-MOBSKTOOL-GS	Tool Kaddie 40-Pads, 5-Socks 3" x 4', 2-Socks 3" x 10', 8-Pillows, 2-Nitrile Gloves, 1-Pair Goggles, 4-Epoxy Sticks, 2-Disposable Bags, 50-Wipes, 1-Emergency Response Guide

The Mobile Spill Kit Tool Kaddie is comprised of spill control and safety products for general purpose applications. Its easy out-opening doors and push cart mobility make this kit the most desirable spill kit for industrial applications. Also available in oil only version.

Customize your spill kits, add any safety products



DRUM REPAIR SPILL KITS



CEP-DRUMPATCHKIT

Our Drum Repair Kit contains components to repair punctures, cracks, gashes or surface rotting of containers. Restrain leaks resulting from damage or deterioration in drums and tanks.



MERCURY SPILL KITS

Product Code	Description
CEP-MERCSK25	Mercsorb Powder 1 Hg Absorb Jar (250 mg.) 2 Hg Absorb Sponges 1 500g. Absorb Powder



Spill Kits

MOBILE 95 GALLON OVERPACK SPILL KITS

Product Code	Description
CEP-990M	Oil Only Mobile 95 gallon Spill Kit
CEP-988M	Universal Mobile 95 Gallon Spill Kit
CEP-988MH	Hazmat Mobile 95 gallon Spill Kit



Oil Only Contains		Universal/Hazmat Contains	
4	Oil Only Sorbent Booms	10	General Purpose Sorbent Socks
100	Oil Only Sorbent Pads	8	General Purpose Pillows
1	Neoprene Drain Cover	100	General Purpose Sorbent pads
1	Caution Tape	1	Neoprene Drain Cover
1	Repair Putty	1	Caution Tape
2	Pair Nitrile Gloves	2	Pair Nitrile Gloves
2	Pair Safety Goggles	2	Pair Safety Goggles
2	Pair Disposable Coveralls	2	Pair Disposable Coveralls
10	Disposabale Liners	10	Disposable Liners

MOBILE 50 GALLON OVERPACK SPILL KITS

Product Code	Description
CEP-590M	Oil Only Mobile 50 gallon Spill Kit
CEP-588M	Universal Mobile 50 Gallon Spill Kit
CEP-588MH	Hazmat Mobile 50 gallon Spill Kit

Oil Only Contains		Universal/Hazmat Contains	
2	Oil Only Sorbent Booms	5	General Purpose Sorbent Socks 4'
50	Oil Only Sorbent Pads	4	General Purpose Pillows
1	Neoprene Drain Cover	50	General Purpose Sorbent pads
1	Caution Tape	1	Neoprene Drain Cover
1	Repair Putty	1	Caution Tape
2	Pair Nitrile Gloves	2	Pair Nitrile Gloves
2	Pair Safety Goggles	2	Pair Safety Goggles
2	Pair Disposable Coveralls	2	Pair Disposable Coveralls
5	Disposabale Liners	5	Disposable Liners

GO MOBILE



GPSK95 WHEELED

Product Code	Description
GPSK95Wheeled	General Purpose/Universal Spill Kit 95 Gal Wheeled Available in Oil-Only and Hazmat

MOVE YOUR KIT TO THE SPILL

Includes:

1	QP95-Wheeled	1	Pair Goggles
10	General Purpose Pillows	1	Pair Nitrile Gloves
1	Universal Boom 5" x 10'	1	55Gal Drum Liner
100	Universal Green Bonded Pads		



GPSK50 WHEELED

Product Code	Description
GPSK50-WH	General Purpose/Universal Spill Kit 50 Gal Wheeled Available in Oil-Only and Hazmat

Includes:

1	OP50-Wheeled	4	General Purpose Pillows
5	General Socks 3" x 4'	50	Wipes
5	General Socks 3" x 10'	1	Emergency Response Guide
50	Universal Pads	5	55Gal Drum Liner





LAB SPILL KIT

Product Code	Description
CEP-ABK001	Lab Spill Kit

HANDLES ALL CHEMICALS AND LABORATORY LIQUIDS.

Includes:

- 1 Plastic Carry Case
- 4 Universal Sorbent Pads
- 1 Acid Neutralizer
- 1 Base Neutralizer
- 1 Pair Safety Goggles
- 1 Pair Nitrile Gloves
- 1 Disposable Bag

Hospitals Schools Doctor/Dental Office



LEAK CONTROL PATCH KITS

Product Code	Description
KIT-A-1	Offset T Patch Kit

Universal leak control kit has components to repair punctures, cracks, gashes or surface rotting of all containers. Additionally, this new kit will allow you to patch some holes that previously were more difficult, such as cracks close to the edge of tanks or supports, and cracks that toggle winds will not fit into. All necessary tools and hardware are included.

KIT-WPS Wedges, Putty & Stop-it kit
Leak patch kit includes, lead wool, plug rug, premix putty, wooden wedges and dowels, fix stix and stop it pipe repair system.

At last a functional collection of the most proven and commonly used components for emergency and temporary leak stoppage of liquid or bulk hazardous materials due to puncture, gashes, cracks or surface rotting in most of the common containers- drums, cans, tank trucks and cars, automobile gasoline tanks and storage tanks.

These kits are designed for temporary control until the container can be disposed of properly.



MERCURY SPILL KIT

Product Code	Description
CEP-MERCAU	MercurySpill Kit



Includes:

- 1 MercSorb Powder
- 1 Mercury Vapour Suppressant
- 2 Universal Sorbent Pads
- 1 Dust Mask
- 1 Pair Disposable Booties
- 2 Pair Nitrile Gloves
- 1 Dust Pan with Brush
- 1 Aspirator
- 3 Disposable bags





SHOP SPILL KITS



Product Code	Description
--------------	-------------

CEP-CSKU205	Universal/Chemical	
CEP-CSK205	Oil Only	
Includes:		
50	Sorbent Pads	15" x 17"
4	Sorbent Socks	3" x 48"
2	Sorbent Booms	5" x 10'
1	Safety Sorb	2.5 lbs.
1	Neoprene Drain Cover	36" x 36"
1	Disposal Bag	
2	Pairs Nitrile Gloves	
2	Pairs Safety Goggles	

Spill contents are stored in a 55 gallon poly drum.



SPILL KITS

Product Code	Description
--------------	-------------

CEP-ASK-20-U	Universal/Chemical	Poly Zipper Bag
CEP-ASK-20-UN	Universal/Chemical	Nylon Bag
CEP-ASK-20-UP	Universal/Chemical	14 Gal. Pail
CEP-ASK-20-O	Oil Only	Poly Zipper Bag
CEP-ASK-20-ON	Oil Only	Nylon Bag
CEP-ASK-20-OP	Oil Only	14 Gal. Pail

Includes:		
20	Sorbent Pads	15" x 17"
3	Sorbent Socks	3" x 48"
2	Sorbent Pillows	8" x 18"
1	Safety Sorb	2.5 lbs.
2	Disposal Bags	
1	Pair Nitrile Gloves	
1	Pair Safety Goggles	

Your choice poly bag, nylon bag or 14 gallon pail.



FIRST RESPONDER KITS

Product Code	Description
--------------	-------------

CEP-CSKU15	Universal/Chemical
CEP-CSK15	Oil Only
Includes:	
1	Plastic Carrying Case
4	Sorbent Pads
1	Sorbent Sock
1	Disposal Bag
1	Epoxy Stick/Repair Putty
1	Pair Nitrile Gloves
1	Pair Safety Goggles

Contents are stored in a durable plastic case for protection against rough handling.





VEHICLE SPILL KITS

Product Code	Description		
CEP-CSKU40	Universal/Chemical		
CEP-CSK40	Oil Only		
Includes:	1	Nylon Bag	
	10	Sorbent Pads	15" x 17"
	4	Sorbent Socks	3" x 48"
	1	Neoprene Drain Cover	36" x 36"
	1	Disposal Bag	
	1	Epoxy Stick/Repair Putty	
	1	Pair Nitrile Gloves	
	1	Pair Safety Goggles	

Durable nylon carry bag requires minimal storage



TRUCK SPILL KITS

Product Code	Description		
CEP-CSKU20	Universal		
CEP-CSK20	Oil Only		
Includes:	20	Sorbent Pads	15" x 17"
	1	Sorbent Sock	3" x 48"
	1	Sorbent Sock	3" x 120"
	1	Disposal Bag	
	1	Pair Nitrile Gloves	
	1	Pair Safety Goggles	
	1	Clear Vinyl Zipper Bag	



PLASTIC WALL CABINET

Product Codes			
CEP-CSKU115	Universal/Chemical	CEP-HAZWMSK225	HazMat
CEP-CSK115	Oil Only	CEP-WMSK225	Oil Only

Includes:		Includes:	
1 - Plastic Wall Cabinet		1 - Plastic wall cabinet	
25 5/8x18 7/8x 35 5/8		25 5/8x18 7/8x 35 5/8	
10 - Sorbent Pads	15" x 17"	50 - Sorbent Pads	15" x 17"
8 - Sorbent Socks	3" x 48"	6 - Sorbent Socks	3" x 48"
4 - Sorbent Pillows		8 - Sorbent Pillows	
4 - Disposable Bags		1 - Pair Nitrile gloves	
2 - Pair Nitrile Gloves		1 - Pair of Goggles	
2 - Pair Safety Goggles		1 - Dust Pan	
2 - Disposable Suits			

* Cabinet has two doors and two shelves.



Wall > mountable.



BATTERY ACID SPILL STATION

Product Code	Description	
CEP-CSKU23	Universal	
Includes:	25	Sorbent Pads 15" x 17"
	3	Chemical Sorbent Socks 3" x 48"
	1	Chemical Sorbent Roll 19" x 144"
	1	Neoprene Drain Cover 36" x 36"
	2	Disposal Bags
	1	Epoxy Stick/Repair Putty
	1	Pair Nitrile Gloves
	1	Pair Safety Goggles
	1	Disposable Suit
	1	Respirator



All contents are in a 30 gallon poly drum.

SPILL STATION

Product Code	Description	
CEP-CSKU25	Universal	
CEP-CSK25Oil Only		
Includes:	1	Sorbent Boom 5" x 120"
	50	Sorbent Pads 15" x 17"
	5	Sorbent Socks 3" x 48"
	1	Neoprene Drain Cover 36" x 36"
	3	Disposal Bags 24" x 36"
	1	Epoxy Stick/Repair Putty
	1	Bag Absorbent 20 lbs.
	1	Pair Safety Goggles



Available Colors: Orange, Yellow or Forest Green

Lockable, sloped lid to shed rain.
Optional wheels upon request.

SPILL STATION > 95 GALLON

Product Code	Description	
CEP-CSKU27	Universal	
CEP-CSK27	Oil Only	
Includes:	100	Sorbent Pads 15" x 17"
	5	Sorbent Socks 3" x 48"
	5	Sorbent Socks 3" x 120"
	4	Sorbent Booms 5" x 120"
	1	Neoprene Drain Cover 36" x 36"
	3	Disposal Bags
	2	Epoxy Sticks/Repair Putty
	1	Bag Absorbent 1 cu. ft.
	1	Pair Safety Goggles
	1	Pair Nitrile Gloves
	1	Disposable Suit





Granular Absorbents

CHEETAH SORB

Product Code Description

CEP-TS20 Cheetah Sorb Absorbent 20 lb. bag

Give your oil absorbent "Cheetah Power!"

Many new oil absorbent technologies have come and gone. The #1 reason for market failure is simple: Price! Traditional clay based absorbents are dusty, dirty, absorb very little, and have respiratory drawbacks for the low price of the bag.

Introducing CHEETAH SORB! The first new oil absorbent that is dust free, highly absorbent, incinerable, and...priced like floor dry! Cheetah Sorb even looks like floor absorbent, without the harmful silica. Don't make price be the reason you handle the most cost consuming absorbent in the market. Lower your handling costs and



Cheetah Sorb the only industrial floor oil absorbent you ll need!

SPHAGNUM PEAT MOSS ABSORBENTS

Product Code Description

CEP-PEAT2-P	Peat Sorb	3 cu. ft. bags
CEP-PEATSOCK4	4"X4'	20/cs.
CEP-PEATSOCK8	4"X8'	10/cs.
CEP-PEATSOCK10	2"X10'	20/cs.

The CEP organic heat treated peat moss is a hydrophobic, biodegradable granular that absorbs 15 times its weight in hydrocarbons. It contains less than 5% moisture, making this one of the best absorbents on fine sheens or concrete stains.

Peat moss is non-toxic and all natural.





ANTI > SLIP ABSORBENTS



Product Code	Description	
CEP-VASH25	Volcanic Ash Safety Sorbent	25 lbs. bag
CEP-SAFETYSORB	Volcanic Ash Safety Sorbent	2 1/2 lb. carton



This safety sorbent maintains the highest anti-slip or non-skid characteristics of all sorbents. The volcanic ash rock creates a natural surface to plant floors. The product is also ideal for vapor suppression. Packaging is in a 25 lb. bag and in 2 1/2 lb. cartons.

Volcanic ash rock creates a natural surface to plant floors. Don't slip and fall, use this line of CEP sorbents!

OPTISORB

Product Code	Description	
OS25	Oil Absorbent Granulars	25 lb.



Optisorb Premium Oil Absorbent is an all purpose absorbent designed for the quick clean up of water, oil and grease. Made from diatomaceous earth, a naturally occurring mineral with superior absorption ability, this high quality product delivers **50% more absorbency** per pound than clay alternatives. Optisorb Premium Oil absorbent is available in a leak-resistant, moisture proof poly bag. Medium granulars.



100% Natural Mineral
 100% Moisture Free
 Environmentally Friendly
 Provides more absorption for your money
 Easy to use and transport

FLOOR DRY & DIATOMACEOUS EARTH



Product Code	Description	
CEP-DEARTH25	Diatomaceous Earth	25 lbs. bag

These traditional clay based absorbents are still very cost-effective absorbents for industrial plant every day spills. The granular mesh size creates a safe non-slip work area. 50 bags per pallet.





Granular Absorbents



GATOR ABSORBENT

Product Code	Description	
CEP-GATOR30	Oil Gator	30 lbs. bag

- Gator absorbent has an absorbent powder match for any liquid.
- Oil Gator is ideal for hydrocarbons.



KENAF ABSORBENTS

Product Code	Description	
CEP-KENAF2	Bio-Sorb	2 cubic ft. bag
CEP-KENAF3	Organic	2 cubic ft. bag

The Kenaf Bio-Sorb granular absorbent has indigenous oil eating microbes that solve many long-term spill disposal solutions. The product is all natural, non-toxic, and



DRY BIO REMEDIATED

CELLULOSE & VERMICULITE

Product Code	Description	
CEP-CELU18	Cellulose	20 lbs. bag
<i>(see CHEETAH SORB on page 28)</i>		
CEP-VERM4	Vermiculite	4 cubic ft. bag
CEP-COB20	Corn Cob	20 lb. bag

These recycled fiber sorbents are ideal for solidification, packaging, and incineration. The high BTU and low ash content of cellulose and cob fibers are excellent for fuel blending which can save in disposal costs.



FR RATED





NEUTRALIZING GRANULARS

Product Code	Description	
CEP-SODAASH50	Soda Ash	50 lbs. bag
CEP-SOBBIC50	Sodium Bicarbonate	50 lbs. bag

- These neutralizing powders perform on low pH acids.

CHEMKLENZ NEUTRALIZER

Product Code	Description
FD324-0901-00EP	ChemKlenz Shaker Wallmount Station
FA324-0750-00EP	ChemKlenz Shaker (750 Gram Granules)
FA-CKWK	ChemKlenz Wallmount Station & Shaker
FA324-0501-00EP	ChemKlenz Bag (500 Gram Granules)
FA324-5001-00EP	ChemKlenz Bag (5-kg Granules)
FA324-5000-00EP	ChemKlenz 5-kg Pail (Granules)
FA024-1000-00EP	ChemKlenz 1-kg Pressurized Cylinder
FA024-2000-00EP	ChemKlenz 2-kg Pressurized Cylinder
FA024-4000-00EP	ChemKlenz 4-kg Pressurized Cylinder
FA15-4902	4-kg Vehicle Mount
FA15-4903	4-kg Applicator Wand
FA15-4901	4-kg Wall Mount
FA15-2901	2-kg Wall Mount
FA15-2902	2-kg Vehicle Mount
FA15-1901	1-kg Wall Mount
FA15-1902	1-kg Vehicle Mount

**NO MORE
CONFUSING
SPILL-X.
CHEMKLENZ
WORKS ON ALL!**



Hazardous Liquid & Vapor Chemical Neutralizer. ChemKlenz can effectively contain and neutralize a broad range of chemical hazards associated with common industrial chemicals. Available in shakers, pails, bags, and pressurized cylinders. Wall mounts and stations make chemical safety a visible presence.

PORTA > SORB GRANULAR DISPENSER



Product Code	Description
CEP-PORTSORBCART	Porta-Sorb Dispenser

Complete with non-sparking broom, shovel and recycle screen.

Easiest or most convenient way to dispense granular absorbents. Very mobile and allows for consistent flow of all CEP granulars. Durable for continued use.



Product Code	Description
ENVIROSALV CEP-1295-YE	POLY SALVAGE DRUM PLUS Salvage Drum 95 gal




ENVIROSALV Poly Salvage Drum Plus



Detail image of Lock Down Clip

4-Point Locking System provides added security by "locking" stacked salvage drums.

Newly designed castellations allow for easy twist-down closing using available substrate or 2x4 standing on it's side or laying flat.



Lock Down Kit (1295-LK) is available as an Optional - lockable, serialized, identification security system when accountability matters most.

Lock Down Kit adds an identification feature to account for hazardous material from point A to Z.

Engineered shoulder design allows workers and material handling equipment to move drums with ease.



X-Base Technology lets you close unit easier with 2x4's or an available substrate.



UN certified and DOT approved.



Advanced sealing technology features crush-resistant seal.



X-Base Technology



Easy, secure stacking.



4-Point Locking System

New ribbed construction offers added strength.

Patents Pending - Globally

Secondary Containment



POLY OVERPACKS

Product Code **Description**



CEP-1237-YE	Poly-Overpack®	31.75" x 26" x 41.5"
CEP-1240-YE	Poly-Overpack® 110 110 Gallons For Distorted/Bowed Drums	31.75" x 25.75" x 45"

- Our Poly-Overpack® 95 & 110 meets Group 1 packaging standards and salvage drum regulations.
- Tight, secure and leak-free container closing is simple: just place any long object, like a wooden two-by-four, in the handy



POLY OVERPACKS

Product Code **Description**



**MOBILE OVERPACKS
ARE GREAT FOR SPILL
KITS!**

CEP-1065-YE	Poly-Overpack® 65 Gallons	28.25" x 23" x 37.37"
CEP-OP95-WHEELED	Wheeled Overpack™ 95 Gallons	31.75" x 36" x 47"

- Meets Group 1 packaging standards, salvage drum regulations.
- Nests for easy storage and has a gasket in the lid for secure containment.
- Light enough for one person to handle and large enough to pack



POLY OVERPACKS

Product Code **Description**

CEP-1220-YE	Poly Overpack 20 20 Gallon	23" x 18" x 19"
CEP-1230-YE	Poly Overpack 30 30 Gallon	23" x 18" x 30"

Poly Overpack® 20 and 30

- With 1/2 turn, lid allows for easy access, unlike traditional "hoop-ring" designs.
- Nestable for compact shipment.
- Built-in shoulder for easy handling.



Wheeled Overpack™

- Built-in handle and wheels.
- Choose Polyolefin wheels for indoor or rubber for outdoor.

POLY COLLECTOR

Product Code **Description**

CEP-8001-YE	Poly-Collector 66 w/Steel Drum
CEP-8002-YE	Poly-Collector 66 w/Poly Drum
CEP-8075-YE	Poly-Collector 66 Shell Only
CEP-8080-YE	Poly-Collector 110 w/Poly Drum
CEP-8081-YE	Poly-Collector 110 w/Steel Drum 8050-BU Drum Dolly





DISPENSING > POLY > DOLLIES

Product Code	Description	
CEP-5300-YE	Poly-Dolly® 95 Gallons	69" x 32.5" x 26.57"
CEP-5300-YE-A	Poly-Dolly® 95 ATD 95 Gallons	69" x 34.5" x 26.5"

**ATD OFFERS
ALL-TERRAIN
WHEELS**




- Transports 55 gallon drums with ease, lifts to become an efficient self-dispensing station and acts as its own secondary containment unit.

3 in 1 products act as a dolly, dispenser and drip pan>all in one!



DISPENSING > CARTS

Product Code	Description	
CEP-5205-YE	Spill Scooter™	34.62" x 8.82"
CEP-5206-BK	Spill Scooter™ Handle	
CEP-5200-YE	Poly-Spillcart™	66.5" x 29" x 43.25"
CEP-5200-YE-A	Poly-Spillcart-A™	ALL Terrain Spillcart



- Transporting around the plant is no longer a problem.
- Easily rolls through 36" doorway.

Inexpensive mobile dispensing!



DISPENSING

Product Code	Description	
CEP-8091-YE	Drums-Up™ to 55 Gallons	7.25" x 34"
CEP-5275-BK	Poly-Tank Containment Unit/275™	82.25" x 45" x 35.75"
CEP-5275-TARP	Tarp for CEP-5275-BK	
CEP-5550-TARP	Tarp for CEP-5550-BK	
CEP-5550-BK	Poly-Tank Containment/550	

- The incidental spill solution
- Designed for the widely used 275 gallon and 550 gallon above-ground tank.
- 275 gallon or 550 gallon sump which saves space and provides easy access to tanks and pumps.



Secondary Containment



DISPENSING > POLY > RACKER SYSTEMS

Product Code	Description	
CEP-6000-YE	Poly-Racker™	49" x 52.5" x 22.5"
CEP-6002-YE	Poly-Stacker™	49" x 41" x 13"
CEP-6003-YE	Poly-Shelf™	17" x 22" x 17.5"
CEP-6010-YE	Mini-Racker™	31" x 29" x 15"
CEP-6012-YE	Mini-Stacker™	31.5" x 19.5" x 18"

Poly-Racker™

- The centerpiece of the system is a unique, one-piece polyethylene rack that holds two 55 gallon drums securely in place.

Poly-Stacker™

- Combine a single Poly-Stacker with the Poly-Rackers to stack up to four drums. Add another Poly-Stacker and you have a storage system.

Poly-Shelf™

- Easily attaches to a Poly-Stacker and allows simultaneous dispensing from all drums.

Mini-Racker™

- Mini-Racker holds (2) 5 - 6.5 gallon metal or plastic lidded pails or cans. The Mini-Stacker™ adds an extra level or storage.



In stock for immediate delivery!



DISPENSING > RACKER / STACKERS

Product Code	Description	
CEP-6004-YE	Multi-Purpose Racker/Stacker™	48.5" x 41" x 20"



Racker/Stacker™

- One holds up to two 55 gallon drums.
- Stackable so you can double up to provide storage for four 55 gallon drums.
- Unit can be placed on floor (no sump) or on the Poly-Slim Line 6000 pallet.
- Forkliftable.

POLY SLIM LINE 6000 PALLET - CODE 5400YE, SEE PAGE 42



DISPENSING > SINGLE DRUMS

Product Code	Description	
CEP-6006-YE	Single Poly-Racker™	31" x 53" x 32"
CEP-6007-YE	Single Poly-Stacker™	31" x 40.5" x 20"
CEP-6005-BK	Poly-Racker Well Liner™	12.75" x 15.5" x 2.5"

Single Poly-Rack System

- Consists of separate single Poly-Racker, single Poly-Stacker, Poly Well Liner and Poly-Shelf.
- Poly-Stacker allows for stacking of second 55 gallon drum.

This system holds 1,600 lbs.





Secondary Containment

THE MINI > RACKER SYSTEM

MINI-RACKER

Part No. CEP-6010-YE
 Dimensions: 31"Lx29"Wx15"H
 124cmx133cmx57cm
 Weight :12.5lbs/454kg
 Load Bearing Capacity: UDL: 200lbs/1350kg
 Sump Capacity: 8gal./387.6 liters
 Regulations: EPA 40 CFR 264.175, SPCC and NPDES.



The new Mini-Racker system is ideal for storage and dispensing of small containers with built-in spill protection and patented enclosed sump. The system has a mobility option to make movement in the plant environment safe and easy too.

MINI-STACKER

Part No. CEP-6012-YE
 Dimensions: 31.5"Lx19.5"Wx18"H
 124cmx133cmx57cm
 Weight: 10lbs/454kg
 Load Bearing Capacity UDL: 100lbs./1350kg



The Mini-Racker Stacker System consists of the base Racker that will hold two (2) 5-6.5 US gallon metal or plastic lidded pails or cans, or two (2) 5 US gallon or smaller metal or plastic "jerry cans". The Racker version is available in two (2) versions: a "place and use" version (CEP-6010-YE) and a mobile version (CEP-6011-YE-M) that includes wheels and handle.

DRIP SENTINEL DRUM TOP WORKSTATION

Product Code	Description
CEP-3200-BK	Drip sentinel drum top workstation 3 lbs 24" O.D. x 20" I.D. 2.75" exterior height 2" interior height



**DRUM
 PRODUCT OF
 THE YEAR**

The Drip Sentinel Drum-Top Workstation helps save liquids that are routinely lost during the dispensing process by catching them and redirecting them to the drum fresh and free of debris. The Drip Sentinel Drum-Top Workstation is easy to install and use, fits 55 gallon steel tight-head drums, and works with all types of rotary drum pumps. Made of durable, non-corrosive and chemically resistant polyethylene. Equipped with a stainless steel mesh strainer.



ECONO SPILL SHELL

Product Code	Description
5002-BK	2-Drum Econo Spill Shell
5004-BK	4-Drum Econo Spill Shell

Economical Spill Containment. Engineered drainage channels facilitate the flow of spilled liquids away from containers for safe and effective clean-up.



OUTDOOR STORAGE > JOB HUTS

Product Code	Description	
CEP-4010-YE	Job Hut™	90" x 62.5" x 93"
CEP-5111-CG	Multi-Purpose Work Ramp	25.5" x 48" x 6.25"

- Stores up to eight 55 gallon drums right on their pallets.
- Forkliftable from all sides.
- Tough polyethylene means it won't rust or corrode.
- Large 75 gallon sump.
- Foam grates for easy cleaning.
- Molded in vents help reduce fumes and condensation.

Substantial savings!

Compare to similar metal or concrete storage buildings.

HQ
HIGHEST
QUALITY



OUTDOOR STORAGE > HAZARD HUTS

Product Code	Description	
CEP-4000-YE	Hazard Hut®	63.38" x 67" x 71.38"

- One piece molded 100% polyethylene construction means no joints or seams to leak.
- Molded inside vents reduce fumes.
- Removable grates make it easy to clean.
- 72 gallon sump capacity.
- Double doors provide easy access for up to four-55 gallon drums.
- Four-way forkliftable, easy to handle.

UV RESISTANT

HQ
HIGHEST
QUALITY



Indoor storage problem? Go outside!

OUTDOOR STORAGE > POLY SAFETY PACKS

Product Code	Description	
CEP-2038-YE	Poly-SafetyPack®	60.25" x 36.5" x 45.75"
CEP-2038-YE-D	Includes Drain	
CEP-2077-YE	Poly-Safety Pack® Plus	60.25" x 36.5" x 63.25"
CEP-2077-YE-D	Includes Drain	

- Outdoor or indoor.
- Holds two 55 gallon drums.
- 135 gallon sump capacity.
- Drum access easy with our unique gull-wing covers.
- Security lock included.
- "Plus" unit has inside height of 54.25" that allows the lid to be closed with pumps in place.

Safe, secure two drum storage.
Ideal for marine spill kit.



Secondary Containment



STORAGE TOTES

Product Code	Description	
CEP-1505-YE	Large Tote	45" x 35.62" x 30.37"
CEP-1525-YE	Extra Large Tote	51.62" x 47.5" x 32.5"
CEP-1515	Caster Kit With Handles & 4" Polyurethane Wheels	
CEP-1535	8" Pneumatic Wheels	



- Large and extra large.
- Both offer a 500 lb. load bearing capacity.

The only nestable, stackable, forkliftable, water resistant, mobile tote on the market.



ERM REPAIR KITS

Product Code	Description
--------------	-------------

CEP-48-BRK BERM REPAIR KIT
Contains: (5) 8"x11" peel and stick sheets.
Ship wt. 1/2lbs.

CEP-48-BRK-DLX DELUXE BERM REPAIR KIT
Contains: XR Material 1 sq.yd.(black), PVC material 1 sq.yd. (yellow), (4) replacement berm stays, (5) peel and stick berm patches, (1) hand held heat gun, (1) rubber brayer roller, (1) cutting knife,

PORTABLE SPILL CONTAINMENT

Product Code	Description	
CEP-4804-BK-SU	Stinger Berm™-4	4' x 6' x 12"
CEP-4806-BK-SU	Stinger Berm™-6	6' x 6' x 12"
CEP-4810-BK-SU	Stinger Berm™-10	10' x 10' x 12"
CEP-4860-BK-SU	Stinger Berm™-60	12' x 60' x 12"
CEP-4850-BK-SU	Stinger Berm™-50	15' x 50' x 12"
CEP-4866-BK-SU	Stinger Berm™-66	15' x 66' x 12"
CEP-4820-BK-SF	SNAP FOAM-Stinger™	10' x 26' x 1'
CEP-4836-BK-SF	SNAP FOAM-Stinger™	12' x 36' x 1'
CEP-4860-BK-SF	SNAP FOAM-Stinger™	12' x 60' x 1'
CEP-4854-BK-SF	SNAP FOAM-Stinger™	14' x 54' x 1'
CEP-4885-BK-SF	SNAP FOAM-Stinger™	14' x 85' x 1'



Stinger Berm™

Industrial, government, construction, transportation and emergency response applications.

- Side walls fold down for easy drive-in and drive-out.
- Excellent rip, tear and puncture resistance.
- Chemical and abuse resistance.
- Custom sizes available

Snap Foam™ Stinger

- Has foam ends that allow for one-time set-up and then





BERM ACCESSORIES


STORAGE AND TRANSPORT BAG

Product Code	Description
CEP-4810-BAG	Storage & Transport Bag for 4810-BK-SU
CEP-4816-BAG	Storage & Transport Bag for 4816-BK-SU
CEP-4820-BAG	Storage & Transport Bag for 4820-BK-SU or SF
CEP-4836-BAG	Storage & Transport Bag for 4836-BK-SU or SF
CEP-4854-BAG	Storage & Transport Bag for 4854-BK-SU or SF
CEP-4885-BAG	Storage & Transport Bag for 4885-BK-SU or SF



GROUND PAD

Product Code	Description
CEP-4804-GP	Ground Pad for 4'x6' Berm
CEP-4806-GP	Ground Pad for 6'x6' Berm
CEP-4808-GP	Ground Pad for 8'x10' Berm
CEP-4810-GP	Ground Pad for 10'x10' Berm
CEP-4812-GP	Ground Pad for 12'x12' Berm
CEP-4816-GP	Ground Pad for 16'x16' Berm
CEP-4820-GP	Ground Pad for 10'x26' Berm
CEP-4836-GP	Ground Pad for 12'x36' Berm
CEP-4850-GP	Ground Pad for 15'x50' Berm
CEP-4854-GP	Ground Pad for 14'x54' Berm
CEP-4860-GP	Ground Pad for 12'x60' Berm



TRAC MAT

Product Code	Description
CEP-4804-TM	Trac Mat for 4'x6' Berm (2x3x6)
CEP-4806-TM	Trac Mat for 6'x6' Berm (2x3x6)
CEP-4808-TM	Trac Mat for 8'x10' Berm (2x3x10)
CEP-4810-TM	Trac Mat for 10'x10' Berm (2x3x10)
CEP-4812-TM	Trac Mat for 12'x12' Berm (2x3x12)
CEP-4816-TM	Trac Mat for 16'x16' Berm (2x3x16)
CEP-4820-TM	Trac Mat for 10'x26' Berm (2x3x26)
CEP-4836-TM	Trac Mat for 12'x36' Berm (2x3x36)
CEP-4850-TM	Trac Mat for 15'x50' Berm (2x3x50)
CEP-4854-TM	Trac Mat for 14'x54' Berm (2x3x54)
CEP-4860-TM	Trac Mat for 12'x60' Berm (2x3x60)





PORTABLE SPILL CONTAINMENT

Product Code	Description	
CEP-5920-YE	Prowler Pool™ 20 Gallon	28" x 13" x 18"
CEP-5966-YE	Prowler Pool™ 66 Gallon	48" x 13" x 36"
CEP-5900-YE	Prowler Pool™ 100 Gallon	48" x 18" x 32"
CEP-5950-YE	Prowler Pool™ 150 Gallon	78" x 18" x 60"
CEP-1601-BK	Poly-Edge™, Black	34.75" x 20" x 15"



Prowler Pool™

- Puncture, abrasion and cold temperature resistant down to -65°F.

Poly-Edge™

- Lockable and weather resistant.

PORTABLE SPILL CONTAINMENT

Product Code	Description	
CEP-5650-YE	Dripillow Berm™ 1 Gallon – Small	22" x 22" x 3"
CEP-5660-YE	Dripillow Berm™ 2 Gallon – Medium	24" x 36" x 3"
CEP-5670-YE	Dripillow Berm™ 3 Gallon – Large	24" x 54" x 3"
CEP-5680-YE	Dripillow Berm™ 4 Gallon – XLarge	38" x 42" x 3"



- Stable weighted base so it will not tip or splash in windy conditions.
- Grommets in corners provide attachment points.
- Replaceable UV resistant pads available for reorder.

PORTABLE SPILL CONTAINMENT

Product Code	Description	
CEP-5750-YE	1 Drum Spillpal™	2' x 2' x 3"
CEP-5755-YE	2 Drum Spillpal™	2' x 4' x 3"
CEP-5760-YE	4 Drum Spillpal™	4' x 4' x 3"
CEP-5765-YE	4 Drum In-Line Spillpal™	2' x 8' x 3"
CEP-5770-YE	6 Drum Spillpal™	4' x 6' x 3"
CEP-5775-YE	8 Drum Spillpal™	4' x 8' x 3"
CEP-7006-BK	Deck Grates	48" x 23" x 1.75"



- Reusable! Just fold and place on shelf.
- Alternative to hard plastic pallets that need to be moved by a forklift.
- Foam sidewalls that spring back into place.
- Order with or without grates.



PORTABLE SPILL CONTAINMENT

Product Code **Description**



CEP-5700-YE	Stinger Yellow Jacket™	4' x 4' x 8"
CEP-5706-YE	Stinger Yellow Jacket™	6' x 6' x 8"
CEP-5708-YE	Stinger Yellow Jacket™	10' x 10' x 8"
CEP-5710-YE	Stinger Yellow Jacket™	4' x 6' x 8"
CEP-5720-YE	Stinger Yellow Jacket™	4' x 8' x 8"
CEP-5730-YE	Stinger Yellow Jacket™	6' x 8' x 8"
CEP-5740-YE	Stinger Yellow Jacket™	8' x 10' x 8"
CEP-5901-YE	HazMat Pool™	60" x 6" x 54"
	100 Gallon	
CEP-5901-YE-D	HazMat Pool™	60" x 6" x 54"
	With Drain	



Stinger Yellow Jacket™

- Make this a part of your spill kit, 22 oz. vinyl-coated polyester.
- Made of 22 oz. vinyl-coated polyester.

SPILL KIT VACUUM

Product Code **Description**

CEP-Q-VAC	Q-Vac™100
CEP-Q-VAC PLUS	Q-Vac™100 w/Spill Scooter

- Fits on a standard 55 gallon, closed-top drum.
- Requires no filters.
- No moving parts to break or replace.
- Pumps liquid directly into drum.
- A liquid overflow shut-off valve ensures vacuum automatically turns off when full.

SHOWN WITH OPTIONAL DRUM AND SCOOTER.




SPILLPADS

Product Code **Description**

CEP-5600-YE	Poly-Spillpad™	24" L x 24" W x 2" H
CEP-5610-YE	Poly-Spillpad™	24" L x 48" W x 2" H
CEP-5620-YE	Poly-Spillpad™	48" L x 48" W x 2" H

- Removable grate allows you to access the sump easily
- Grate is made of 100% polyethylene
- Variety of sizes available




LABTRAYS

Product Code **Description**

CEP-5248-YE	Poly-Labtray™	25" x 21.5" x 3"
-------------	---------------	------------------

- Low-profile unit is only 3" high.
- Small 25" x 21.5" footprint.







Secondary Containment

WORKSTATION SPILL PALLETS

Product Code	Description	
CEP-5110-YE	8 - Drum Workstation™	100" x 53.25" x 6"
CEP-5115-YE	6 - Drum Workstation™	76.5" x 53" x 6"
CEP-5116-YE	4 - Drum Workstation™	52.5" x 53" x 6"
CEP-5117-YE	2 - Drum Workstation™	53" x 28.5" x 6"



- Tough polyethylene construction, cannot rust or corrode.
- Low profile workstation actually becomes part of your factory floor.
- Large sump capacity.
- Removable heavy duty foam grates for easy cleaning.



Low Profile!

Dispensing station or customized work area.

HARDCOVER SPILL PALLETS

Product Code	Description	
CEP-4062-YE	2 - Drum Hardcover	62.5" x 34.6" x 69"
CEP-4064-YE	4 - Drum Hardcover	63" x 56.5" x 69"

2 & 4 Drum Hardcover/Spill Pallet

- Lockable.
- Indoor or outdoor.
- Ramp optional.
- Roll top design where swing-open doors are a problem.

GREAT AGAINST THE WALL



IN>LINE PALLETS

Product Code	Description	
CEP-5102-YE	Low Profile In-Line Poly-Spillpallet™ 3000	98" x 25.25" x 12"
CEP-5102-YE-D	Low Profile In-Line	98" x 25.25" x 12"

SPILL PALLETS

Product Code	Description	
CEP-5001-YE	4 - Drum Poly-Spillpallet™ 6000	50" x 50" x 17"
CEP-5001-YE-D	4 - Drum Poly-Spillpallet™ 6000 With Drain	50" x 50" x 17"
CEP-5253-YE	2 - Drum Poly-Spillpallet™ 2000	53.5" x 29" x 17"
CEP-5253-YE-D	2 - Drum Poly-Spillpallet™ 2000 With Drain	53.5" x 29" x 17"
CEP-5400-YE	4 - Drum Poly-Slim-Line™ 6000	54" x 54" x 12"
CEP-5400-YE-D	4 - Drum Poly-Slim-Line™ 6000 With Drain	54" x 54" x 12"

Heavy duty loads. The most reliable pallets in the industry.

In stock for immediate delivery!





IBC SPILL PALLETS


Product Code	Description	
CEP-5469-YE	IBC Spill Pal™	72.25" x 72.25" x 26.5"
CEP-5469-YE-D	IBC Spill Pal™ w/ Drain	

PALLET ACCESSORIES

Product Code	Description
CEP-5400-TARP	for use with CEP-5400-YE & CEP-5400 YE-D
CEP-5102-TARP	for use with CEP-5102-YE & CEP-5102 YE-D
CEP-5253-TARP	for use with CEP-5253-YE & CEP-5253 YE-D
CEP-5001-TARP	for use with CEP-5001-YE & CEP-5001 YE-D


PORTA > PALLETS

Product Code	Description	
CEP-5700-YE	Poly-Porta-Pallet™	48" x 48" x 8"
CEP-5710-YE	Poly-Porta-Pallet™	48" x 72" x 8"
CEP-7006-BK	Replacement Grate Fits CEP-5710-YE	48" x 23" x 1.75"



UNIVERSAL POLY > DRUM FUNNELS

Product Code	Description	
CEP-3004-YE	Funnel	26" x 5.5" x 4"
CEP-3004-YE-SF	Safety Funnel	26" x 5.5" x 4"
CEP-3040-YE	Funnel Cover	26" x 5.5" x 4"



Funnel

- Funnel fits both closed and open head 55 gallon drums and other containers.
- Exclusive feature – patented scalloped design, high side walls & bung fitting holders.

Safety Funnel

- Safety funnel has a non-sparking safety bung closure with flame arrestor.

Cover

- Optional lockable cover (lock not included.)

HOSE CONTAINMENT

Product Code	Description	
CEP-4701-YE	Hose Bibb™	Fits 3/4" Hose
CEP-4702-YE	Hose Wrap™	Fits 1 1/2" – 3" Hose
CEP-4704-YE	Hose Wrap™	Fits 4" – 5" Hose
CEP-4706-YE	Hose Wrap™	Fits 6" – 8" Hose



Hose Bibb™

- Safely wrap up to 3/4" quick-disconnect fittings or other hose attachment ends to absorb small leaks.
- Opening – 2 1/2".

Hose Wrap™

- Made of rugged and resistant 22 oz., 30 mil. material and an integrated sorbent pad.

DRIP SENTINEL MAINTENANCE BLANKETS

Product Code	Description	Dimensions
CEP-4720-BK	Drip Sentinel Maintenance Blanket	3' x 12' x 120 mil
CEP-4725-BK	Drip Sentinel Maintenance Blanket	6' x 12' x 120 mil
CEP-4730-BK	Drip Sentinel Maintenance Blanket	9' x 12' x 120 mil
CEP-4735-BK	Drip Sentinel Maintenance Blanket	12' x 12' x 120 mil



Blanket is designed to be utilized under vehicles or leaking equipment. The blanket is made of 8 oz. non-woven geo-textile

material, that is 100 mils thick, backed by 1 layer of 20-mil fuel/chemical resistant polyethylene. Custom Sizes Available.



Secondary Containment

GAS CYLINDER PRODUCTS

Product Code	Description	
CEP-7301-BK	Single Cylinder Dolly™ HD	22.5" x 24.75" x 46"
CEP-7301-BK-A	Pneumatic Wheels	
CEP-7212-YE	2 Cylinder Poly-Stand™	28" x 14" x 30"
CEP-7213-YE	4 Cylinder Poly-Stand™	41.75" x 29" x 46"
CEP-7202-YE	6 Pack Cylinder Rack™	48" x 31" x 41"
CEP-7203-BK	6 Pack Cylinder Ramp™	46" x 20" x 6"
CEP-7205-BK	Replacement Accessory Strap	



Cylinder Dolly™

- T and transport industrial cylinders.

2 Cylinder Poly-Stand™

- Ideal for inexpensive wall mounted storage.

6-Pack Cylinder Rack™

- Moves through standard doorways.
- Maximize floor space and eliminate clutter.

GAS CYLINDER PRODUCTS

Product Code	Description	
CEP-7302-BK	Dual Cylinder Dolly™	36.5" x 26.25" x 45.2"

- Accommodates any two cylinders, each up to 12" in diameter, including Class 300 SCF industrial gas cylinder and No.5 acetylene cylinders.
- Light weight and easy maneuverability with tough 16.5" diameter pneumatic wheels.
- Will not rust or corrode.

REPLACE METAL WITH POLY!


36 built-in tray holds tools, valves &



GAS CYLINDER PRODUCTS

Product Code	Description	
CEP-7216-YE	Universal Poly Cylinder Brackets	
CEP-7204-BK	Caster Frame	33.5" x 31.5" x 4.5"

New design can be used as a single, or can be multiplied and added up to "X" amount.



NEW

SPILLDECK BLADDER SYSTEMS



Product Code	Description	
CEP-1320	Ultra-SpillDeck P1 Bladder System	25 7/8" x 30 1/2" x 5 3/4"
CEP-2329	Ultra-Spill Deck P2 Bladder System	52" x 30 1/2" x 5 3/4"
CEP-2317	Bladder Attachment/ Fitting	25 1/8" x 4 5/8" x 4 5/8"
CEP-2320	Replacement Bladder/ Fitting Unfurled	66" x 58"
CEP-2345	Bladder Pump	12" x 7" x 5 1/2"
CEP-1089	Loading Ramp	24" x 32" x 5 3/4"
CEP-2330	Ultra-SpillDeck P4 Bladder System	52" x 56 5/8" x 5 3/4"




Low Profile!
Bladder attachment meets OSHA requirement for containment capacity.

SPILLDECK\$



Product Code	Description	
CEP-1321	Ultra-SpillDeck P1	25 7/8" x 25 7/8" x 5 3/4"
CEP-1086	Ultra-SpillDeck P2	52" x 25 7/8" x 5 3/4"
CEP-1072	Ultra-SpillDeck P4	52" x 52" x 5 3/4"
CEP-1089	Ultra-SpillDeck Loading Ramp	24" x 32" x 5 3/4"



- Bulkhead fittings not only lock connected modules together, but allow spilled liquid to flow from one to another.

Low Profile!
Connect these modules to custom design



SPILLDECK\$ PLUS

Product Code	Description	
CEP-2222	Ultra-SpillDeck Plus P2 2 Drum	54 1/2" x 27 1/4" x 4 1/4"
CEP-2223	Ultra-SpillDeck Plus P4 4 Drum	54 1/2" x 54 1/2" x 4 1/4"

- Extra rugged for heavy equipment and machinery.
- Loads up to 10,000 lbs. per square foot.
- 4 1/4" low profile.
- 2 and 4 drum models can be connected together with bulkhead fittings to increase overall sump capacity.

Extra rugged low profile 10,000 lbs. per square foot.





SPILLDECKS IN>LINE


Product Code	Description	
CEP-2360	Ultra 3 Drum	77 7/8" x 25 7/8" x 5 3/4"
CEP-2361	Ultra 4 Drum	104" x 25 7/8" x 5 3/4"
CEP-2333	Ultra 5 Drum	129 7/8" x 25 7/8" x 5 3/4"



- Narrow 25 7/8" depth allows drums to be stored along a wall.
- Additional spilldeck modules can easily be connected.

SPILLTRAYS

Product Code	Description	
CEP-1060	Spill Tray P2	17" x 12" x 4"
CEP-1061	Spill Tray P4	21" x 17" x 4"



SPILLCOLLECTORS

Product Code	Description	
CEP-1040	Flat Bottom Model	34" x 24 1/4" x 27 1/4"
CEP-1041	Pallet Jack Model	32 1/2" x 24 1/4" x 28 5/8"
CEP-1045	Drum Tray® No Grate	32" x 27 1/8" x 8 1/8"
CEP-1046	Drum Tray® With Grate	32" x 27 1/8" x 8 1/8"



- Flat Bottom and Pallet Models
- Applications: satellite waste collection, general storage of chemical drums, portable pumping stations.
 - 66 gallon capacity.
- Drum Trays
- 55 and 30 gallon drums.



SPILLSHELVES

Product Code	Description	
CEP-2430	Ultra Stacking Shelf® Yellow	47 3/4" x 14 3/4" x 24"
CEP-2431	Ultra Stacking Shelf® Black	47 3/4" x 14 3/4" x 24"

- Stack buckets, pails and small containers.
- Stack up to three high.
- Contoured top surface channels spills or leaks into sump below.

DOUBLE OR TRIPLE

Fits on any spill pallet or





SPILLKINGS[®]

Product Code Description



CEP-0801	Drum Pallet Model No Drain	51" x 51" x 17 1/2"
CEP-0802	Drum Pallet Model With Drain	51" x 51" x 17 1/2"



Drum Pallet Model

- 4-way forkliftable deck.
- Double stack drums to optimize valuable floor space.
- 100% polyethylene construction.
- 6,500 lbs. static load capacity.
- Removable heavy duty foam grates for easy cleaning.

NOTE: Only 55 gallon steel drums with equal height on lower level.

Removable deck!

SPILLPALLET[®]S

Product Code Description

CEP-1000	Ultra-SpillPallet P4 No Drain, 4 Drum	53" x 53" x 11 3/4"
CEP-1001	Ultra-SpillPallet P4 With Drain, 4 Drum	53" x 53" x 11 3/4"
CEP-1010	Ultra-SpillPallet P2 No Drain, 2 Drum	53" x 29" x 16 1/2"
CEP-1011	Ultra-SpillPallet P2 With Drain, 2 Drum	53" x 29" x 16 1/2"

- 4 drum, 6,000 lbs. load capacity.
- 2 drum, 3,000 lbs. load capacity.
- 100% polyethylene construction.
- Heavy loads and convenient handling.

**FLOURINATED
MODELS
ALSO AVAILABLE!**



IBC SPILLPALLET[®]S

Product Code Description

CEP-9630	Ultra-Spill Pallet P4 Plus No Drain	62" x 62" x 8 3/4"
CEP-9631	Ultra-Spill Pallet P4 Plus With Drain	62" x 62" x 8 3/4"
CEP-9610	Ultra-Spill Pallet P2 Plus No Drain	65 1/2" x 40" x 8 3/4"
CEP-9611	Ultra-Spill Pallet P2 Plus With Drain	65 1/2" x 40" x 8 3/4"

- Only low profile polyethylene spill pallet strong enough to handle full IBCs.
- Translucent side walls offer convenient visual leak detection.
- 52" x 52" deck.
- 4-way forkliftable entry.
- Versatile units can be used for drum containment also.





Secondary Containment

IBC SPILLPALLETS



Product Code	Description	
CEP-1057	Ultra-IBC Spill Pallet No Drain	58 3/4" x 58 3/4" x 33"
CEP-1058	Ultra-IBC Spill Pallet With Drain	58 3/4" x 58 3/4" x 33"

- Double stack IBC tanks.
- 16,000 lb. weight capacity.
- 100% polyethylene construction has no metal parts.
- 400 gallon sump.

Accommodates up to two full



IBC SPILLPALLETS PLUS

Product Code	Description	
CEP-1157	Ultra-IBC Spill Pallet Plus No Drain	62" x 62" x 28"
CEP-1158	Ultra-IBC Spill Pallet Plus With Drain	62" x 62" x 28"
CEP-1160	Bucket Shelf	19 1/2" x 16" x 14 1/2"

- Low profile, 28" overall height.
- All polyethylene construction.
- Forkliftable.
- 52" x 52" deck.
- 62" x 62" footprint.
- 360 gallon sump.



IBC HARD TOP



Product Code	Description	
CEP-1162	Hard Top No Drain 360 Gallons	64.5" x 62" x 96"
CEP-1161	Hard Top With Drain	64.5" x 62" x 96"

- Upper roll-top door and lower swing-out doors combine to allow easy access to IBC.
- Safely store IBC tank with maximum dimensions 52" x 52" x 61".
- Low profile 28" height, 360 gallon containment sump.
- Forkliftable, lockable, all polyethylene.

Comply with regulations while storing IBC tanks outdoors.




SPILLBERMS

Product Code	Description	
CEP-2100	10' SpillBerm	10' x 4" x 2 1/4"
CEP-2101	SpillBerm Black Connector	
CEP-2102	SpillBerm 90° Orange Corner	
CEP-2052	SpillBerm-Low Profile	10' x 2 1/4" x 1 3/8"



- 10' SpillBerm
- Flexible, will bend and turn to form almost any shape.
 - Can be cut to various lengths.
 - Non-absorbing, clean and reuse.
- 10' SpillBerm-Low Profile
- 1 3/8" tall berm.



Secondary Containment

OUTDOOR DRUM STORAGE

Product Code	Description	
CEP-9636	Ultra-Hard Top P4 Plus No Drain 75 Gallons	64.5" x 62" x 79"
CEP-9637	Ultra-Hard Top P4 Plus With Drain 75 Gallons	64.5" x 62" x 79"
CEP-0676	Loading Ramp	

- Unique "dual-closure."
- Roll-top covers can be easily lifted from waist height.
- Low profile 8 3/4" containment pallet.
- Forkliftable, lockable, all-polyethylene.

Safely store 4 drums outdoors!



OUTDOOR DRUM STORAGE

Product Code	Description	
CEP-9612	Ultra-Hard Top P2 Plus No Drain	67 1/4" x 41 1/4" x 74"
CEP-9613	Ultra-Hard Top P2 Plus With Drain	67 1/4" x 41 1/4" x 74"
CEP-0676	Loading Ramp	46" x 28" x 8 3/4"



- Tall 23 3/4" head space easily accommodates rotary drum pumps and large conical funnels.
- Low profile 8 3/4" containment pallet.
- 100% polyethylene construction will not rust or corrode.

ALLOWS FOR PUMP SPACE

Store 2 drums safely outdoors with





OUTDOOR DRUM STORAGE

Product Code	Description	
CEP-1082	Ultra-Hard Top P2 No Drain, 2 Drum	57" x 30 1/2" x 64 1/2"
CEP-1083	Ultra-Hard Top P2 With Drain, 2 Drum	57" x 30 1/2" x 64 1/2"

- UV inhibitor in polyethylene resin resists degrading effects of sunlight.
- Hinged covers are easily opened by one person.
- 66 gallon capacity.

LOCKABLE

Stores 2 drums, allows convenient access. Completely user friendly and lockable for security.



OUTDOOR DRUM STORAGE

Product Code	Description	
CEP-1080	Ultra-Hard Top P4 No Drain, 4 Drum	57" x 54" x 60"
CEP-1081	Ultra-Hard Top P4 With Drain, 4 Drum	57" x 54" x 60"

- Rugged steel lift brackets allow covers to be temporarily fixed in their position. Makes decanting of wastes safe and efficient.
- Deck grates are removable for easy cleaning.

Stores 4 drums, allows convenient access. Completely user friendly and lockable for security.



OUTDOOR DRUM STORAGE

Product Code	Description	
CEP-9640	Ultra-Hard Top P1 Plus No Drain	36" x 36" x 66"
CEP-9641	Ultra-Hard Top P1 Plus With Drain	36" x 36" x 66"
CEP-0417	Dolly	26 1/2" x 26 1/2" x 5"

- Safe Handling — can be moved by forklift under the "shoulder" area.
- Tall head space—25 3/4"— allows use with drum pumps and conical funnels.
- Dolly—has a load capacity of 800 lbs., constructed of steel with four wheels.

**LOCKABLE,
1-DRUM
CONTAINMENT!**



CONTAINMENT BERMS STAKE WALL[®]

Product Code	Description	
CEP-8308	Stake Wall Model 179 Gallons	4' x 6' x 1'
CEP-8309	Stake Wall Model 269 Gallons	6' x 6' x 1'
CEP-8310	Stake Wall Model 748 Gallons	10' x 10' x 1'
CEP-8337	Stake Wall Model 5610 Gallons	15' x 50' x 1'
CEP-8332	Stake Wall Model 7405 Gallons	15' x 66' x 1'

The only containment berm design that does not rely on inflation, hinged straps or cumbersome frames to keep sidewalls up.



CONTAINMENT BERMS COMPACT[®]

Product Code	Description	
CEP-8609	Compact Model 179 Gallons	4' x 6' x 1'
CEP-8610	Compact Model 269 Gallons	6' x 6' x 1'
CEP-8611	Compact Model 748 Gallons	10' x 10' x 1'
CEP-8612	Compact Model 5385 Gallons	12' x 60' x 1'
CEP-8613	Compact Model 5610 Gallons	15' x 50' x 1'
CEP-8614	Compact Model 7405 Gallons	15' x 66' x 1'

Folds into a tight package, store onboard trucks and haz mat response



CONTAINMENT BERMS ULTIMATE

Product Code	Description	
CEP-8505	Ultimate Model 5385 Gallons	12' x 60' x 1'
CEP-8506	Ultimate Model 5610 Gallons	15' x 50' x 1'
CEP-8507	Ultimate Model 7405 Gallons	15' x 66' x 1'

HQ
HIGHEST
QUALITY

- Entry and exit walls are supported every 12" with a patented "living hinge."
- Hands free drive-in/drive-out.
- Materials are Copolymer 2000™, XR5, polyurethane and others available.
- Walls automatically spring back once a vehicle has entered.
- PVC sidewall assemblies.

**LIVING
HINGE**



Secondary Containment



CONTAINMENT BERMS CAMO ^{fi}

Product Code	Description	
CEP-8609-CAM	Camo Model 179 Gallons	4' x 6' x 1'
CEP-8610-CAM	Camo Model 269 Gallons	6' x 6' x 1'
CEP-8611-CAM	Camo Model 748 Gallons	10' x 10' x 1'
CEP-8612-CAM	Camo Model 5385 Gallons	12' x 60' x 1'
CEP-8613-CAM	Camo Model 5610 Gallons	15' x 50' x 1'
CEP-8614-CAM	Camo Model 7405 Gallons	15' x 66' x 1'



Available for large orders only

- Use with tarps or netting to provide complete camouflaged coverage.

CONTAINMENT BERMS COLLAPSIBLE WALL ^{fi}

Product Code	Description	
CEP-8405	Collapsible Wall Model 179 Gallons	4' x 6' x 1'
CEP-8403	Collapsible Wall Model 269 Gallons	6' x 6' x 1'
CEP-8400	Collapsible Wall Model 748 Gallons	10' x 10' x 1'
CEP-8404	Collapsible Wall Model 5385 Gallons	12' x 60' x 1'
CEP-8401	Collapsible Wall Model 5610 Gallons	15' x 50' x 1'
CEP-8402	Collapsible Wall Model 7405 Gallons	15' x 66' x 1'



CONTAINMENT BERMS FOAM WALL ^{fi}

Product Code	Description	
CEP-8385	Foam Wall Model	4' x 2' x 2"
CEP-8386	Foam Wall Model	6' x 8' x 2"
CEP-8387	Foam Wall Model	8' x 10' x 2"

- Choose from 3 standard sizes.
- Custom sizes available.
- Low-2" sidewall.
- Simply unfold for quick deployment.

**LOW PROFILE
BERM CONTAINMENT**



RAILROAD PETROLEUM SORBENTS

Product Code	Description	
CEP-PRRTB18	Track Blankets 60 Gallons, 2 Rolls	19" x 100'
CEP-PRRT59	Track Blankets 90 Gallons, 1 Roll	59" x 100'



- Three layer construction for durability.
- Protects railroad ties, soil and rock ballast.
- Ultrasonic welded edge won't tear or shred, prevents delamination.
- Applications
 - Locomotive refueling sites, ready track areas, maintenance/repair yards/ships, wayside track lubrication sites.



RAILROAD TRACKPANS

Product Code	Description
CEP-9595	9-Foot Ultra-TrackPan System, No Covers (Includes 4 Side and 2 Center Pans w/ Grates)
CEP-9596	9-Foot Ultra-TrackPan System with Covers (Includes components listed above, plus 4 Side and 2 Center Covers)



**BUILD-YOUR-OWN
TRACKPAN SYSTEM**

- Modular, 53.5" long polyethylene TrackPans can be easily assembled to any length desired. (see photo #1)
- Rugged grating is slip resistant, keeps personnel elevated from spills. (see photo #2)
- Optional covers keep rainwater out of the pans, providing effective stormwater management. (see photo #3)
- Prevent costly cleanup and regulatory fines.
- Flow-through channels allow spills to flow from one TrackPan to the next.



Secondary Containment



ECONOMY & SPRUNG STEEL
POPUP POOLS



2 NEW SIZES

Product Code

Description

Product Code	Description	Capacity	Dimensions
CEP-8020	Sprung Steel Design	20 Gallon	8" x 28" x 35"
CEP-8022	Economy Model	20 Gallon	8" x 28" x 35"
CEP-8066	Sprung Steel Design	66 Gallon	12" x 42" x 53"
CEP-8068	Economy Model	66 Gallon	12" x 42" x 53"
CEP-8100	Sprung Steel Design	100 Gallon	12" x 53" x 64 1/2"
CEP-8102	Economy Model	100 Gallon	12" x 53" x 64 1/2"
CEP-8150	Sprung Steel Design	150 Gallon	24" x 64" x 76"
CEP-8153	Economy Model	150 Gallon	24" x 64" x 76"
CEP-8160	Economy Model	250 Gallon	12"X73"X85"
CEP-8162	Economy Model	400 Gallon	20"X73"X85"



CABMOUNT CONTAINERS^{fi}

Product Code **Description**

CEP-8155	PopUp Pool Storage	28 1/4" x 13" x 10 3/4"
----------	--------------------	-------------------------

CONTAINMENT SUMPS

Product Code **Description**

CEP-2800	275 Containment Sump No Drain	84 1/2" x 43 3/4" x 29"
CEP-2801	275 Containment Sump With Drain	84 1/2" x 43 3/4" x 29"
CEP-2820	550 Containment Sump With 3/4" Drain Fitting	87 x 62 1/4" x 32 3/4"
CEP-2810	Pull Over Cover	

- Containment for 500 or 550 gallon oval tanks.
- Indoors or outdoors.
- Rugged, all-polyethylene construction will not rust or corrode.

Indoors or outdoors
Eliminate costly spills while
storing fuels, oils, etc.



ULTRA >1000 CONTAINMENT SUMP

Product Code **Outside Dimensions** **Inside Dimensions** **Weight** **Containment Capacity**

CEP-2830	No Drain	148" x 63" x 33"	130 1/2" x 45 1/2"	180lbs.	1100 gallons
CEP-2831	with 1/2" Drain				
CEP-2832	with 2" Drain				

- Contains 1000-gallon fuel tanks.
- 1-piece molded polyethylene design – will not rust or corrode.
- Nestable design saves freight and minimizes storage space.
- Optional 1/2" drain fitting available – allows use with Ultra-Self Bailer.
- 2" drain fitting also available.
- Use with optional Ultra-Self bailer for outdoor containment.
- Self bailer allows clean stormwater to passively drain from sump while capturing hydrocarbons.

Meets StormWater, SPCC, and EPA containment regulations.



CONTAINMENT TRAYS^{EL}

Product Code	Description	
CEP-2351	Ultra-Containment W/O Grating, Tray	54" x 29 3/4" x 3 1/2"
CEP-2352	Ultra-Containment With Grating, Yellow Tray	54" x 29 3/4" x 3 1/2"
CEP-2350	Ultra-Containment With Grating, Black Tray	54" x 29 3/4" x 3 1/2"



- Low profile, 16.5 gallon sump is perfect for containment of 5 gallon pails, batteries, safety cans, dry cleaning waste drums and leaky machine parts.
- Optional 2 x 4 grating elevates containers from spilled liquid.



For small containers and packages.

SAFETY CABINET BLADDER SYSTEMS

Product Code	Description	
CEP-2421	Ultra-Safety Cabinet Bladder System V2 2 Drum (Does not include cabinet)	63 1/2" x 37 3/4" x 6 1/4"
CEP-2420	Ultra-Safety Cabinet Bladder System V1 1 Drum (Does not include cabinet)	37 3/4" x 37 3/4" x 6 1/4"

- Low profile 6 1/4" off plant floor.
- Bladder unfurls as sump fills up.
- Convenient height allowing wastes to be poured into drum top funnels.



Out of sight, should not be out of mind

TWIN IBC SPILLPALLET

Product Code	Description	
CEP-1140	No Drain	124 1/2" x 61 5/8" x 22"
CEP-1144	With Drain	124 1/2" x 61 5/8" x 22"
CEP-1160	Bucket Shelf	19 1/2" x 16" x 14 1/2"

- Available with optional Bucket Shelf for either or both sides – catches small leaks or spills during dispensing.
- Grates are easily removed for quick clean-up.

Meets EPA Containment and SPCC Regulations for Two IBC Tanks.



ULTRA>MODULAR IBC SPILL PALLETS



In Door Pallets	Description	Dimensions:	Gallon Capacity	Weight
CEP-1125	2-Tank Model	186" x 62" x 8 1/2"	280 gal.	310 lbs.
CEP-1126	3-Tank Model	248" X 62" X 8 1/2"	355 gal.	435 lbs.
CEP-1127	4-Tank Model	279" x 62" x 8 1/2"	365 gal.	531 lbs.
CEP-1128	5-Tank Model	310" x 62" x 8 1/2"	375 gal.	625 lbs.

Weight Capacity: 9,000 lbs. UDL per Pallet

Required accessory: CEP-1118 - Assembly Kit (Includes hole saw, arbor and set of (2) Tightening Tools

Option for Indoor Models:

CEP-9630 Spill Pallet Only

Outdoor Models	Description	Dimensions:	Gallon Capacity	Weight
CEP-1165	2-Tank Model	126" x 93" x 79"	280 gal.	881 lbs.
CEP-1166	3-Tank Model	188" x 93" x 79"	355 gal.	1258 lbs.
CEP-1167	4-Tank Model	250" x 93" x 79"	365 gal.	1603 lbs.
CEP-1168	5-Tank Model	312" x 62" x 79"	375 gal.	1948 lbs.

Weight Capacity: 9,000 lbs. UDL per Pallet

Required accessory: CEP-1118 - Assembly Kit (Includes hole saw, arbor and set of (2) Tightening Tools

Option for Outdoor Model:

CEP-9658 Extender Kit -

Options for Indoor & Outdoor Models:

CEP-1117 2" Bulkhead Fittings (Set of 2)

CEP-1124 Expansion Tank Only, 61" x 31" x 12 1/2", Capacity: 65 gallons, 30 lbs

- New Ultra-Modular IBC Spill Pallets provide low cost spill containment for multiple IBC tanks. Standard offerings include: 2-tank, 3-tank, 4-tank and 5-tank indoor and outdoor models. In addition, components may be purchased separately to allow users to "build-your-own" configurations for indoor models.
- Each IBC tank sits on a heavy-duty spill pallet that offers a Uniformly Distributed Load Capacity of 9,000 lbs. Each of the low profile spill pallets has a containment capacity of 75-gallons and measures 62" x 62" x 8.75"H.
- To increase containment capacity, a 65-gallon capacity Expansion Tank is available. "Flow-through" bulkhead fittings (1.25-inch diameter) are used to connect spill pallets and Expansion Tanks together. This patented feature allows spills to be channeled throughout the containment system, thereby "borrowing" containment capacity from adjacent spill pallets and Expansion Tanks.
- Any number of the modular spill pallets can be connected together with the bulkhead fittings. Two (2) bulkhead fittings are used to connect one pallet to the next.
- Connecting an Expansion Tank to a spill pallet also requires two (2) bulkhead fittings. Bulkhead fittings are included with each 2-, 3-, 4-, or 5-tank model. Once five (5) or more spill pallets are connected together, the total containment capacity is 375 gallons minimum and does not require use of an Expansion Tank to meet the spill containment regulations.
- Optional Extender Kits (Part# 9658) provide for the addition of another compartment to Outdoor Models. (1 tank per Extender Kit).
- Ultra-Modular IBC Spill Pallets are constructed of 100% polyethylene, eliminating the potential for rust and corrosion. They offer excellent chemical resistance to a broad range of chemicals including acids, solvents and oils.



Secondary Containment

TWIN IBC HARDTOP

Product Code	Description	
CEP-1148	No Drain	128" x 67" x 96"
CEP-1149	With Drain	128" x 67" x 96"

- Unique, lockable, dual-closure allows quick access to tanks.
- Roll-top covers can be easily lifted for routine visual inspection.
- Swing-out doors provide safety and convenience for loading/unloading tanks.
- Safely stores IBC tanks, with maximum dimensions of 52" x 52" x 61"



Upper roll-top door and lower swing-out doors combine to allow easy and convenient access to IBC.

UTILITY TRAYS

Product Code	Description
CEP-1031	12" x 48" x 4 3/4"ID
CEP-1032	24" x 48" x 4 3/4"ID
CEP-1033	30" x 48" x 4 3/4"ID
CEP-1034	24" x 36" x 4 3/4"ID
CEP-1035	36" x 36" x 4 3/4"ID
CEP-1036	40" x 48" x 3 1/2"ID

Ribbed bottom keeps cans, pails and other containers elevated above any spills or leaks.



SPILLBERM PLUS

Product Code	Description
CEP-2054	5' x 4" x 4 1/2"

- Taller SpillBerm helps contain or divert larger volume spills
- Flexible polyurethane
- Non-absorbent and chemical resistant
- Easily cleans with soap and water
- Multiple units can be quickly and easily connected





LEAK DIVERTERS[®]

Product Code	Description	
CEP-1780	Pipe Leak Diverter	18" x 18"
CEP-1785	Roof Leak Diverter	5' x 5'
CEP-1787	Roof Leak Diverter	10' x 10'

KEEP LEAKS OFF FLOORS!



- Keep fluid leaks off the floor - eliminate slip hazards and chemical exposure.
- Large 18" diameter opening captures overhead leaks, big and small.
- Bottom fitting connects to a standard garden hose.
- Allows fluids to be collected in a drum or tank.
- Rugged coated vinyl construction.
- CEP-1780 Pipe Leak Diverter ships complete with bungee cords and hooks for quick installation.

TANKER TOURNIQUETS[®]

Product Code	Description	
CEP-2000	Magnetic Model	15 3/4" x 32 1/4" x 3 1/4"

- Magnetic Model
- 8 magnets.
 - Spark resistant assembly for use on steel surfaces.
- Minimize environmental damage, protect lives and save the load!



DRUM TOURNIQUETS[®]

Product Code	Description	
CEP-2010	Magnetic Model	22 1/2" x 6 1/2" x 2 7/8"

Product Code	Description	
Magnetic Model	Universal Model	
• 2 magnets.	• 2 magnets.	
• Spark resistant assembly for use on steel drums, other ferrous applications.	• Spark resistant assembly.	
	• 10' long ratchet setup.	
	• Use on steel drums, polyethylene and fiber drums.	



Both models have stainless steel backing plate.

POLY OVERPACKS[®] SALVAGE DRUMS

Product Code	Description	
CEP-0510	Ultra-OverPacks® 30 Gallons	21 3/4" x 17" x 28 1/4"
CEP-0600	Ultra-OverPacks® 20 Gallons	21 3/4" x 17 3/4" x 16 3/4"
CEP-0526	Ultra-OverPacks® 55 Gallons	24 3/4" x 20" x 37 1/2"
CEP-0500	Ultra-OverPacks® 95 Gallons (x-rated)	31" x 25 1/8" x 43 1/4"

20, 30, 55, 95 gallon models.
Convenient no tools required closures.



CONCRETE WASHOUT BERM

Product Code **Description**

CEP-3512 Concrete Washout Berm

- UV resistant, 10 mil polyethylene
- Simple set-up
- Compatible with mixer, pump trucks and wheel barrows
- Built-in tie downs
- Dispose of after evaporation and job completion



ULTRA > DISPENSER

Product Code **Description**

CEP-620 Ultra-Dispenser, Mobile Model Holds up to 50 lbs

- Heavy-duty steel construction
- Easy operation dispensing gate
- Quart-sized application cup included for even and efficient application
- Optional Shovel Kit, Part# 0622
- Also comes in a Wall Mounted, Mode #0621



ULTRA > HOSE CONNECTOR

Product Code **Description**

CEP-9739 Ultra Hose Connector Connect and Disconnect Dewatering Bags and Pipe Socks, Fits 4" Dewatering Hoses



ULTRA > UNIVERSAL SAMPLER

Product Code **Description**

CEP-9247 Ultra-Universal Sampler Water Samples Pre and Post Treatment

- Collection cup at end of device fits through most drains and overflow ports in catch basin inserts and other treatment products.
- Built-in pump draws collected water in cup and channels it through attached hose into jars or containers so water can be tested.
- Unit breaks down for easy storage and shipping.



Secondary Containment



Secondary Containment

DECONDECKS
Product Code



CEP-TACTICAL MODEL – DCON-6000
 CEP-HOSPITAL MODEL – DCON-6010
 CEP-NON-AMBULATORY MODEL – DCON-6020

**DOMESTIC
DISASTER
PREPAREDNESS**

TACTICAL MODEL – DCON-6000

- Replaces conventional containment pools — contaminated water is captured in deck sump and attached 55 gallon bladder.
- Deck and bladder capacity is 99 gallons.
- Use for chemical, biological, and/or radiological response.

HOSPITAL MODEL – DCON-6010

- Privacy shelter quickly attaches to DeconDeck.
- Supply hose and shower unit provided — warm water supply required.
- Dual bladders and deck combine to contain 165 gallons of liquid – nearly one hour of continuous use.

NON-AMBULATORY MODEL – DCON-6020

- Elevated deck allows contaminants to be separated from workers and patients.
- Includes hose and spray wand.
- Deck and bladder contain 88 gallons.
- Replacement bladders – Product Code CEP-2320.

DISASTER PREP EQUIPMENT
Product Code

CEP-AIR BIO-GAS MONITOR
 CEP-LEVEL A HAZMAT SUIT-XL XXL



RESPONSE SHOVELS

Product Code Description



CEP-0401	Quick-Release Shaft and "D" Handle (Fits into 5 gallon or larger spill kits.)	15" x 10" x 3" Collapsed
CEP-0402	Quick-Release Telescoping Shaft (Fits into 20 gallon or larger spill kits.)	19 1/2" x 10" x 3" Collapsed
CEP-0404	Quick-Release Shaft, Polyethylene Scoop	37" Assembled



FUNNELS > POLYETHYLENE

Product Code Description



CEP-0482	Bung Access Funnel	23 5/8" x 5 1/2"
	W/ Spout	
CEP-0488	Bung Access Funnel	23 5/8" x 5 1/2"
	No Spout	
CEP-0484	Bung Access Funnel	29" x 26 3/4" x 9 1/2"
	W/ Spout, Hinged Cover	
CEP-0487	Bung Access Funnel	29" x 26 3/4" x 9 1/2"
	No Spout, Hinged Cover	



FUNNELS > POLYETHYLENE

Product Code Description



CEP-0471	Universal Funnel	25" x 6"
	W/ Spout	
CEP-0479	Universal Funnel	25" x 6"
	No Spout	
CEP-0476	Snap-on Cover	Optional
CEP-0497	Global Funnel	13 lbs.
	W/ Spout, No Cover	
CEP-0499	Global Funnel	18 lbs.
	W/ Spout, Hinged Cover	
CEP-9985	Pop-up Fill Gage	Optional
CEP-0498	Snap-on Cover	



OPENHEAD FUNNEL

Product Code Description

CEP-0460	For Drums 22 1/4" - 23 1/2" dia.	24 1/2" dia. x 11"
----------	----------------------------------	--------------------

Replaces drum lid allowing convenient drum access for pouring, collection rags, and soiled absorbents.



ULTRA BURP FREE FUNNEL

Product Code Dimensions Weight

CEP-0656	22" OD x 11 1/2"H	8 lbs.
	<ul style="list-style-type: none"> Built-in vent - No more splashing or "burping" when pouring liquids! Threaded brass insert screws into 2" drum bung. All polyethylene construction won't rust or corrode - provides excellent chemical resistance. Hinged, lockable lid prevents unauthorized access. New, larger style provides bigger pouring area and easy access. 	



Secondary Containment




WRINGERS



Product Code	Description	
CEP-WRINGER100	Manual Wringer	12" x 1" Dia Rolls



- Wring and reuse sorbent pads or towels.
- Mountable on open-head drums, tubs or boards.
- Excellent for carwashes.
- Built for heavy-duty, long life and low maintenance.
- Constructed with sturdy steel frame and springs.



DRUMVAPORLOCKS^{fi}

Product Code	Description	
CEP-0440	Ultra-VaporLock W/ Fill Tube	35 1/2" x 1 3/4"
CEP-0444	Ultra-VaporLock No Fill Tube	6" x 1 3/4"

Eliminate vapor escape while decanting wastes.

DRUMLIFTERS^{fi}

Product Code	Description	
CEP-0409	DrumLifter	Load Capacity:1000 lbs.

DRUMTIPPERS^{fi}

Product Code	Description
--------------	-------------




UTILITY BOXES

Product Code	Description	
CEP-0860	Utility Box - Forest Green No Wheels	48" L x 31" D x 31.5" H
CEP-0863	Utility Box - Forest Green 5" Solid Rubber Wheels	48" L x 31" D x 38" H



- Other available colors include safety orange and yellow.
- Perfect for spill kit usage or storage bin for parts, etc.
- Forkliftable and lockable.
- Heavy-duty, double-walled lid is sloped to shed rain.





MODULAR SPILL PLATFORM SYSTEMS

Product Code Description

CEP-1631	2 Drum Budget Basin	26 1/4" x 51 1/2" x 6 1/2"
CEP-1632	2 Drum Modular Platform	26 1/2" x 51 1/2" x 6 1/2"
CEP-1634	4 Drum Modular Platform	52 1/2" x 51 1/2" x 6 1/2"
CEP-1689	Poly Ramp for 1632, 1634	45 1/2" x 32" x 8"



Eagle has redesigned the 2 drum (1632) Modular Platform and 4 drum (1634) Modular Platform. New Features include

- Fork lift pockets
- Redesigned flat top grating
- New interlocking technology that eliminates the need for the U channel connectors.



Arrange in an endless number of




SPILL CONTAINMENT PLATFORMS

Product Code Description

CEP-1647	4 Drum In-Line Spill Platform	106" x 30 1/4" x 6 3/4"
CEP-1686	6 Drum Pallet Unit Low Profile	77" x 51 1/2" x 6 1/2"
CEP-1688	8 Drum Pallet Unit Low Profile	102" x 51 1/2" x 6 1/2"
CEP-1689	Poly Ramp for 1647, 1686, 1688	

- Low profile.
- Polyethylene construction for excellent chemical resistance.
- Grating with 1 3/4" square opening that removes easily for cleaning.



In stock for immediate delivery!

SPILL CONTAINMENT PALLETS

Product Code Description

CEP-1612	Single Drum Unit	31" x 33"
CEP-1620	2 Drum Pallet Unit	51" x 26 1/4" x 15"
CEP-1640	4 Drum Pallet Unit	51 1/2" x 51 1/2" x 18 1/2"
CEP-1645	4 Drum Pallet Unit Low Profile	51 1/2" x 51.5" x 8"
CEP-1689	Poly Ramp for 1645	45 1/2" x 32" x 8"
CEP-1698	Single Drum Containment Dolly	26 1/2" x 7"

- Forkliftable design with 3/4" drain plug.
- Polyethylene construction.
- Grating with 1 3/4" square opening that removes easily for cleaning.





HORIZONTAL DRUM STACKING SYSTEM

Product Code	Description	
CEP-1605	Cradle*	29" x 26 1/2" x 22 1/2"
CEP-1606	Single Stacker*	27" x 26 1/2" x 29"
CEP-1607	Double Stacker*	48" x 26 1/2" x 13"
CEP-1608	Shelf	19" x 23" x 19"

IBC SPILL UNIT

Product Code	Description	
CEP-1680	IBC Spill Unit Tub & Platform 400 Gallon (does not include IBC Tank)	67" x 67" x 26"
CEP-1958	Horizontal DrumLifter	



*Fits all spill containment platforms and



LAB & OVERPACK DRUMS

Product Code	Description	
CEP-1601	Lab Pack W/Plastic Ring	30 Gallon
CEP-1601M	Overpack W/Metal Lever Lock Ring	30 Gallon
CEP-1601MB	Overpack W/Metal Lever Lock Ring Blue	30 Gallon
CEP-1650	Lab Pack W/Screw Top Lid	20 Gallon
CEP-1652	Lab Pack W/Plastic Ring	20 Gallon
CEP-1661	Overpack Drum W/Screw Top Lid - 65 Gallon	65 Gallon
CEP-1690	Overpack Drum W/Screw Top Lid - 95 Gallon	95 Gallon

SALVAGE DRUMS^{ci}

Product Code	Description	
CEP-1602	Salvage Drum 30 Gallon	21 1/8" x 28 1/2"
CEP-1654	Salvage Drum 20 Gallon	22" x 20 1/2"
CEP-1665	Salvage Drum 65 Gallon	31" x 39"
CEP-1695	Salvage Drum 95 Gallon	31" x 44 1/2"
CEP-OP95-EG	Salvage Drum 95 Gallon	31" x 44 1/2"



- Polyethylene construction with UV inhibitors.
- Lids feature closed cell foam gasket for positive seal

OUTDOOR DRUM STORAGE BUILDINGS & WORKSTATIONS

Product Code Description

CEP-1626	2 Drum Workstation (Low)	60" x 34" x 46"
CEP-1628	2 Drum Workstation (High)	60" x 34" x 64"
CEP-1629	Workstation Dolly	6" x 60" x 34"
CEP-1649	4 Drum Poly Storage Building	57 1/2" x 57 1/2" x 72"

Storage Buildings

- Four-way forklift sockets.
- Vented door louvers.



DRUM ACCESSORIES

Product Code Description

CEP-1952	Overpack Dolly
CEP-1954	Drum Lifter
CEP-1958	Horizontal Drum Lifter

- Easy lifting.
- Safety first.

SAFETY FIRST!

CEP-1660	Drum Funnel	18" x 7"
CEP-1662	Drum Funnel With Screen	18" x 7"
CEP-1664	Drum Funnel Cover	18 1/2" x 5"
CEP-1666	Drum Cover—Closed Head	23" x 5"
CEP-1667	Drum Cover—Open Head	24" x 5"
CEP-1670	Drip Pan	10 1/2" x 10 1/2" x 3"

Drum Covers

- Dome shaped design keeps water contaminants from accumulating on drum head.



Secondary Containment



Secondary Containment

MOBILE SPILL CONTROL PLATFORMS^{fi}

Product Code	Description	
CEP-1637	Mobile Spill Dolly	28" x 56" x 41"
CEP-1614	DrumTray	31" x 6"
CEP-1615	DrumTray With Grating	31" x 6"
CEP-1618	DrumTray Dolly	31" x 7"




Safely transfer containers between



COLUMN/CORNER PROTECTORS^{fi}

Product Code	Description	
CEP-1706	Column Protector For 6" Column	24" x 24" x 42"
CEP-1708	Column Protector For 8" Column	24" x 24" x 42"
CEP-1710	Column Protector For 10" Column	24" x 24" x 42"
CEP-1712	Column Protector For 12" Column	24" x 24" x 42"
CEP-1738	Post Protector	
CEP-1720	Sm. Corner Protectors	21" H, 5 lb. ea. Set of 2
CEP-1725	Lg. Corner Protectors	42" H, 10 lb. ea.





THE THROW >N> GO BERM

Product Code	Description		
CEP-TG-1010	10' x 10' x 12"	65lbs	588 Gallons
CEP-TG-1236	12' x 36' x 12"	195 lbs	3001 Gallons
CEP-TG-1454	14' x 54' x 12"	310 lbs	5341 Gallons

- Easy to depoly in all situations, including emergencies
- Berm contains no working parts to malfunction
- Conforms to Federal, State, and Military environmental containment regulation
- Can be utilized with fuel and chemicals
- Custom Sizes available
- No assembly is required. Walls lay flat and setup takes less than 30 seconds.
- Berm can be driven on at any angle
- Walls rise automatically when fluid is spilled.
- Built in track mats prevent damage to Berm.



40MIL L BRACKET ECONO >BERM

Product Code	Description
CEP-BERM- (SIZE) -PT	CALL FOR QUOTE



Manufactured with your choice of bracketed sidewalls, pop-up sidewalls or drive thru endwalls, the versatile Econo-Berm can be customized for the most taxing of containment applications, including: roll-off containers, tanker trucks, frac tanks, decon wash pads, emergency response, drum storage and portable pumps. Its easy-to-install, pop-up design is ready to use in minutes, UV- and chemical-resistant, flexible, lightweight and dependably durable. Optional accessories-like a protective ground cover, track guard and hose support bridge-ensure complete investment protection.



LOWEST PRICED BERM IN THE INDUSTRY.





BAZOOKA TRICKLE FILTER W/AUTOMATIC SHUTOFF



Product Code	Description	Weight
CEP-BAZOOKA	Imbiber bazooka, 5" O.D. x 12" L	8 lbs.
CEP-BAZOOKA-12 KIT	Bazooka plus installation kit, 5" O.D. x 16.5" L	10 lbs



Introducing an exciting new product, The Imbiber Bead Bazooka! It's an automated shut off system which allows water drainage of containment berm applications, but also utilizes an innovative system for detection of Class I & II organics such as diesel fuel. Water will continually drain through the filter. But, in case of a spill within a berm when an organic substance is detected, the Imbiber Bead Technology takes over, and the flow is completely shut off. It's a virtually maintenance free design with very simple upkeep.

- Trickle filter allows water flow rate of 20 gallons per minute.
- Unique Imbiber Indicator pre-filter signals presence of organic substance with a distinct color change.
- Imbiber Beads inside capture the organic substance, and by doing so, shut off flow through the filter.
- Virtually maintenance free.



Bazooka Installation Kit. The kit contains all you need for an easy field installation of the Imbiber Bead bazooka, and can be completed in just minutes.

PLUG > IT

Product Code	Fits Drain Sizes	Plug Size (top diam/bottom diam)
CEP-PI-22	1.5 - 2.5 in.	3 inch/ 1 inch
CEP-PI-33	2.5 - 3.5 in.	4 inch/ 2 inch
CEP-PI-44	3.5 - 4.5 in.	5 inch/ 3 inch
CEP-PI-66	5.5 - 6.5 in.	7 inch/ 5 inch



Plug the drain as a safety precaution. The Plug-It can be used where there is almost no room between the top of the drain and the floor grate. Put PLUG-IT in the drain. cut to the height to fit and put the grate back on.

RESPONSE PLUG

Product Code	Fits Drain Sizes	Plug Size (top diam/bottom diam)
CEP-RP-2	1.5 - 2.5 in.	3 inch/ 1 inch
CEP-RP-3	2.5 - 3.5 in.	4 inch/ 2 inch
CEP-RP-4	3.5 - 4.5 in.	5 inch/ 3 inch
CEP-RP-6	5.5 - 6.5 in.	7 inch/ 5 inch



Response Plug - for floor drains - allows normal drainage, yet immediately plug the drain if a hazardous spill occurs. Simply put the Response Plug into the drain and put the grate back on. It is designed to float up and allow routine wash water to flow through. If a hazardous spill occurs, just take the plastic push rod, or a screw driver or pencil or other handy tool and slide it through the grate to push the Response Plug down into the drain. Immediately seals off the drain. Works with fuels, oils and many chemicals. Neoprene blend and plastic - will not spark.



**FIRE FIGHTING EQUIPMENT
FOLDING FRAME TANKS**



Use Part No. CEP-ALF-size for Alum. Or CEP-STF-size for steel

Tank Size	Open	Folded	Double Folded -Opt.	Steel	Aluminum
500 Gallon	5'8" x 5'8" x 30"	8" x 5'8" x 30"	16" x 2'11" x 30"	90 lbs	68 lbs
750 Gallon	7'0" x 7'0" x 30"	8" x 7'0" x 30"	16" x 3'7" x 30"	97 lbs	79 lbs
1000 Gallon	8'3" x 8'13" x 30"	8" x 8'13" x 30"	16" x 4'3" x 30"	116 lbs	96 lbs
1500 Gallon	10'3" x 10'3" x 30"	8" x 10'3" x 30"	16" x 5'3" x 30"	138 lbs	109 lbs
2100 Gallon	11'3" x 11'3" x 30"	8" x 11'3" x 30"	16" x 5'9" x 30"	154 lbs	124 lbs
2500 Gallon	12'3" x 12'3" x 30"	8" x 12'3" x 30"	16" x 6'3" x 30"	169 lbs	135 lbs
3000 Gallon	13'3" x 13'3" x 30"	8" x 13'3" x 30"	16" x 6'9" x 30"	185 lbs	149 lbs
3500 Gallon	14'3" x 14'3" x 30"	8" x 14'3" x 30"	16" x 7'3" x 30"	205 lbs	167 lbs
4000 Gallon	15'3" x 15'3" x 30"	8" x 15'3" x 30"	16" x 7'9" x 30"	223 lbs	178 lbs
5000 Gallon	17'3" x 17'3" x 30"	8" x 17'3" x 30"	16" x 8'9" x 30"	269 lbs	215 lbs

- Aluminum or Steel Frame (Steel frame folded width is 7")
- Vinyl Liner 22oz Std. Side and Heavy Duty 28oz Floor
- Easy Lift Handles Mounted to Floor of Tank
- Two DrainTubes Std. on 2500 Gallon and up
- 10" Drain tube w/ Quick release for fast Draining or Mating w/ another Tank



- Replacement Liners Available - Call for Quote

ULTRA RACK CONTAINMENT TRAYS

Product Code	Description	Dimensions	Capacity	Weight
CEP-2370	Single Tray	23 1/2" x 44" x 2 3/4"	8 gallons	8 lbs
CEP-2371	Two Tray System (Includes two trays and one connector)	48" x 44" x 2 3/4"	16 gallons	17 lbs.
CEP-2372	Three Tray System (Includes three trays and two connectors)	72" x 44" x 2 3/4"	24 gallons	27 lbs.
Optional: CEP-2373	Connector			

- Low-profile (2 3/4") slides easily under pallet racking and shelving.
- Small leaks and spills from palletized contents above are captured — keeping floors clean and free from slip hazards.
- Black, all-polyethylene construction provides excellent chemical compatibility and corrosion resistance.
- Multiple tray systems available to fit any size rack or shelf.
- Additional trays and/or connectors may be added for larger



Capture Leaks And Spills Underneath Pallet Racking



SPILL CONTROL PLATFORMS > STEEL

Product Code	Description	Sump Capacity	Dimensions	Wt.	Load Capacity
LOW-PROFILE MODELS					
CEP-SSB-5125	2-Drum	33 gal.	51 x 26 x 6.5	125	3000
CEP-SSB-5125-66	2-Drum	66 gal.	51 x 26 x 12	158	3000
CEP-SSB-5151	4-Drum	66 gal.	51 x 51 x 6.5	233	6000
CEP-SSB-5176	6-Drum	99 gal.	76.5 x 51 x 6.5	358	9000
CEP-SSB-RAMP	Ramp*		33 x 36 x 6.5	70	1500
CEP-DCC	Drip Channels		25-1/2" L	2	
*Ramp not for use with SSB-5125-66					
FORKLIFTABLE MODELS					
CEP-SST-5125	2-Drum	33 gal.	51 x 26 x 10.5	138	2000
CEP-SST-5125-66	2-Drum	66 gal.	51 x 26 x 16	171	2000
CEP-SST-5151	4-Drum	66 gal.	51 x 51 x 10.5	259	4000
CEP-SST-5176	6-Drum	99 gal.	76.5 x 51 x 10.5	381	6000
CEP-SST-RAMP	Ramp*		33 x 42 x 10.5	95	1500
CEP-DCC	Drip Channels		25-1/2" L	2	
*Ramp not for use with SSB-5125-66					



Spill Control Platforms: Heavy-gauge steel construction holds up in applications where plastic units just won't do, either for durability reasons, or when materials being stored are not compatible with plastic. Welded steel bar grating is removable for easy clean-up. Drip Channels "hook" units of same heights together, help prevent drainage between units. Optional Ramps available in 2 heights. All models help you comply with EPA and OSHA requirements; models with 66 and 99 gallon capacity help you comply with Uniform Fire Code.




STORMWATER DRAINGUARDS

Product Code **Description**

CEP-9217	Oil & Sediment Model	48" x 36" x 18"
CEP-9219	Oil & Sediment Plus	48" x 36" x 18"
CEP-9227	Trash & Debris Model	48" x 36" x 18"
CEP-9235	Grate Lifting Hook	

- Stormwater pollution is state and local government's top concern for the new millennium.
- Helps comply with NPDES, 40 CFR 122.26 (1999).

Our catch basin inserts keep sediment and hydrocarbons from entering the rivers, lakes and streams.



STORMWATER DRAINGUARDS
CURB > INSERT STYLE

Product Code **Description**

CEP-9230	Oil & Sediment Model	24" - 42"
CEP-9239	Oil & Sediment Plus	24" - 42"
CEP-9231	Oil & Sediment Model	42" - 60"
CEP-9240	Oil & Sediment Plus	42" - 60"

- Use with combination catch basins with street grate and curb opening.
- Heavy-duty tension rod secures DrainGuard inside curb inlet.
- Helps comply with NPDES, 40 CFR 122.26 (1999).

Stop sediment, hydrocarbons and other debris from entering curb inlets and catch basins.



STORMWATER GRATEGUARDS

Product Code **Description**

CEP-9272-SED	Sediment Only Model	18" x 24" x 4"
CEP-9272-O/S	Oil/Sediment Model	18" x 24" x 4"
CEP-9273-SED	Sediment Only Model	24" x 24" x 4"
CEP-9273-O/S	Oil/Sediment Model	24" x 24" x 4"
CEP-9274-SED	Sediment Only Model	28" x 28" x 4"
CEP-9274-O/S	Oil/Sediment Model	28" x 28" x 4"
CEP-9275-SED	Sediment Only Model	30" x 32" x 4"
CEP-9275-O/S	Oil/Sediment Model	30" x 32" x 4"
CEP-9276-SED	Sediment Only Model	24" x 36" x 4"
CEP-9276-O/S	Oil/Sediment Model	24" x 36" x 4"
CEP-9277-SED	Sediment Only Model	24" x 40" x 4"
CEP-9277-O/S	Oil/Sediment Model	24" x 40" x 4"
CEP-9278-SED	Sediment Only Model	24" x 48" x 4"
CEP-9278-O/S	Oil/Sediment Model	24" x 48" x 4"

FOR USE WITH FLAT GRATE GATED BASINS



Stormwater



PASSIVESKIMMERS

Product Code	Description
CEP-9260	Ultra-Passive Skimmer 2 per box
CEP-9261	Ultra-Passive Skimmer 5 per box

- Floats on water surface, absorbs oil.
- Fits most catch basins, sumps, vaults and holding tanks.

Helps comply with NPDES, 40 CFR 122.26 (1999)



CURBGUARDS, INSERT-STYLE

Product Code	Description
CEP-9760	Insert-Style CurbGuard Fits 24" – 42" Inlets
CEP-9761	Insert-Style CurbGuard Fits 42" – 66" Inlets

- Two heavy-duty tension rods keep unit secured inside inlet for a clean, flush-mounted installation.
- Filtering material is quickly and easily replaced.

Helps comply with NPDES 40 CFR 122.26. For use in drains with curb inlets on



PIPESOCKS

Product Code	Description
CEP-9705-O/S	Oil/Sediment Model 8" dia.
CEP-9706-O/S	Oil/Sediment Model 12" dia.
CEP-9708-O/S	Oil/Sediment Model 16" dia.




DEWATERING BAGS

Product Code	Description	
CEP-9724-O/S	Oil/Sediment Model	6' x 6'
CEP-9725-O/S	Oil/Sediment Model	10' x 15'
CEP-9727-O/S	Oil/Sediment Model	15' x 15'
CEP-9729-O/S	Oil/Sediment Model	3' x 4'



DRAINPLUGS^{fi}

Product Code	Description	
CEP-2113	Drain Plug	2" dia.
CEP-2114	Drain Plug Non-absorbing Material	3" dia.
CEP-2115	Drain Plug Cleans With Soap	4" dia.
CEP-2116	Drain Plug Safety Orange Color	2", 3", 4"



Also available in 6", 8", 10" and 12".

- Tapered design wedges securely into standard drains to stop any flow.
- Eye bolts are removable, allowing installation of grating with drain plug in place.

DRAINSEALS^{fi}

Product Code	Description	
CEP-2126	Drain Seal	18" x 18"
CEP-2127	Drain Seal	24" x 24"
CEP-2130	Drain Seal	36" x 36"
CEP-2132	Drain Seal	48" x 48"
CEP-2140	Drain Seal Wall Mount	Fits 18" x 24"
CEP-2142	Drain Seal Wall Mount	Fits 36" Drain Seal
CEP-2143	Drain Seal Wall Mount	Fits 48" Drain Seal
CEP-2134	Circular Drain Seal	12" dia. x 3/8"
CEP-2135	Circular Drain Seal	20" dia. x 3/8"
CEP-2136	Circular Drain Seal	30" dia. x 3/8"
CEP-2137	Circular Drain Seal	42" dia. x 3/8"
CEP-2124	Rectangular Drain Seal	18" x 58" x 3/8"



Drain Seal

- No specified top or bottom. Both sides will seal drains.
- Reinforcing mesh between layers of polyurethane that increases durability and resistance to tearing.

Wall Mount

- Velcro straps. Just grab and go!

DRAINSEALS^{fi} TRUCKMOUNT

Product Code	Description
CEP-2145	Fits 18" x 18", 24" x 24", 12" dia and 20" dia. DrainSeals
CEP-2146	Fits 36" x 36", 30" dia. DrainSeals
CEP-2147	Fits 42" x 42", 48" x 48", 12" dia and



Stormwater



DRAIN PROTECTOR II

Product Code	Description
DRAINPROTECTOR II (RED)	
DC-18A	18" x 18" 4 lbs
DC-24A	24" x 24" 7 lbs
DC-36A	36" x 36" 15 lbs
DC-42A	42" x 42" 20 lbs
DC-48A	48" x 48" 26 lbs
DC-54A	54" x 54" 34 lbs


CIRCULAR DRAINPROTECTOR II (RED)

DC-12AR	12" 2 lbs
DC-20AR	20" 5 lbs
DC-30AR	30" 10 lbs
DC-42AR	42" 17 lbs

Product Code Description

Product Code	Description
RECTANGULAR DRAINPROTECTOR II (RED)	
DC-1860A	18" x 60" 13 lbs.
DC-3660A	36" x 60" 26 lbs.

Drain protector II: The DrainProtector II is a NEW reversible product. The pad is constructed of a solid tacky urethane product with no fillers that delivers a tough, durable seal using either side. Due to its lighter weight, it can be used quickly for emergency chemical spills.



The Economy Drain



ULTRA GUTTER GUARD PLUS

Product Code	Dimensions	Weight
CEP-9151	6"H x 6'L	10 lbs.
CEP-9158	6"H x 9'L	13 lbs.
CEP-9154	6"H x 12'L	16 lbs.
CEP-9159	6"H x 15'L	20 lbs.
CEP-9148 Counterweight*	14"L x 1 1/2" dia.	7 lbs.



Guard High-Flow Curb Inlets From Silt, Sediment And Other Contaminants

* One counterweight pouch for 6' GutterGuard Plus. All other sizes have two pouches.



- Designed for curb inlets with high-flow volumes.
- Unique, multi-dimensional outer filter combined with rigid inner frame maintains a low profile to prevent damage from vehicular traffic.
- Modular, 3-foot, inner frames allow for compact transport and storage.
- Counterweight inserts into inlet to keep unit upright and secure (Optional 7 lb. weight available)
- Tie-back straps on either end of unit can be used with sod pin or stake for additional anchoring.
- Can be easily cleaned and reused.
- Helps comply with NPDES, 40 CFR 122.26 (1999).
- Sizing note: When ordering allow 12" overlap on each side of curb inlet.



ULTRA OIL & DEBRIS BLOCKER

Product Code	Description	Dimensions	Weight
CEP-9380	8" Center Opening	4 1/2" x 12" x 14"	4 lbs.
CEP-9381	10" Right Opening	5 1/2" x 14" x 16"	6 lbs.
CEP-9382	10" Center Opening	5 1/2" x 14" x 16"	6 lbs.
CEP-9383	10" Left Opening	5 1/2" x 14" x 16"	6 lbs.
CEP-9384	12" Center Opening	6 1/2" x 16 3/8" x 18"	7 lbs.
CEP-9386	10" Adapter	9 1/2" x 10" x 12"	2 lbs.
CEP-9387	12" Adapter	11" x 12" x 12"	3 lbs.

- Stormwater is forced to flow through bottom of unit — floating trash and hydrocarbons remain on the water's surface and out of the outflow.
- Installs quickly and easily in storm drain outflows.
- Low-profile allows vector trucks to clean catch basin without removing the unit.
- Dual component, all-polyethylene unit will not rust or corrode.
- Helps comply with NPDES, 40 CFR 122.26 (1999) and TMDL requirements.
- * One counterweight pouch for 6' GutterGuard Plus. All other sizes have two pouches.





DOWNSPOUTS AND GUTTER GUARDS ^{fi}

Product Code	Description
--------------	-------------

CEP-9315	Down Spout Guard
CEP-9316	Refill for the Down Spout Guard

- Special "X-Tex" oil-absorbing material removes oil, grease and other hydrocarbons from gutter and downspout waterflow.
- Quick and easy to install on most downspouts.
- Filter material is easily removed and replaced.
- Polyethylene construction will not rust or corrode.

Remove pollutants from stormwater flow in gutters and downspouts.



ULTRA CURB GUARD PLUS

Product Code	Description
--------------	-------------

CEP-9248	Ultra Curb Guard Plus Dimensions: 4" dia. x 36"L
CEP-9251	Ultra Curb Guard Plus Dimensions: 4" dia. x 48"L

- Quick and easy installation.
- Modular design — build to any length.
- 3' long units can be quickly and easily connected to form longer lengths.
- Wedge-shaped, heavy-duty foam secures unit in curb inlet.
- Woven, polypropylene material provides high flow rate — will not cause ponding or flooding.

Protect Curb Inlets From Sediment-Laden Stormwater Runoff



ULTRA GRATE GUARD PLUS

Product Code	Description
--------------	-------------

CEP- 9130	Ultra-GrateGuard Plus, fits drains up to 48" x 59"
-----------	----------------------------------------------------

- One size fits all.
- Installs quickly and easily with included hardware — grate does not need to be moved or lifted.
- Rugged, polymer components will not rust or corrode.
- Built-in overflow port eliminates ponding and flooding during major rainfall events.
- Woven polypropylene construction provides superior strength and durability.
- Available for standard street drains and combination drains (street drains with curb inlets).

Keep Dirt And Sediment Out Of Storm Drains With Easy-To-Install Ultra-GrateGuard Plus





ULTRA> INLET GUARD

Product Code	Description
CEP-9170	24" x 24" (610 mm x 610 mm)
CEP-9171	24" x 36" (610 mm x 915 mm)
CEP-9172	24" x 48" (610 mm x 1220 mm)

Sediment Only Model, Curb-Style (for combination drains)

CEP-9173	24" x 24" (610 mm x 610 mm)
CEP-9174	24" x 36" (610 mm x 915 mm)
CEP-9175	24" x 48" (610 mm x 1,220 mm)

ULTRA-INLET GUARD PLUS (incl. built-in overflow port)

Sediment Only Models

CEP-9160	24" x 24" (610 mm x 610 mm)
CEP-9161	24" x 36" (610 mm x 915 mm)
CEP-9162	24" x 48" (610 mm x 1,220 mm)

Sediment Only Model, Curb-Style (for combination drains)

CEP-9163	24" x 24" (610 mm x 610 mm)
CEP-9164	24" x 36" (610 mm x 915 mm)
CEP-9165	24" x 48" (610 mm x 1,220 mm)

Sediment Only Model, Trench Grate Style

CEP-9191	14" x 36" (356 mm x 915 mm)
----------	-----------------------------

Oil & Sediment Models

CEP-9124	24" x 24" (610 mm x 610 mm)
CEP-9125	24" x 36" (610 mm x 915 mm)
CEP-9126	24" x 48" (610 mm x 1,220 mm)

Oil & Sediment Model, Curb-Style (for combination drains)

CEP-9127	24" x 24" (610 mm x 610 mm)
CEP-9128	24" x 36" (610 mm x 915 mm)
CEP-9129	24" x 48" (610 mm x 1,220 mm)
CEP-9193	14" x 36" (356 mm x 915 mm)



- Keeps dirt, sand, sediment, trash and debris out of drains.
- Quick and easy installation using built-in magnets — no more lifting of heavy catch basin grates.
- Available in several sizes for street drains and combination drains. Custom sizes also available.
- Heavy-duty, reinforced material allows up to 192 gal/ft²/min. through drains.
- Low maintenance — simply remove unit, shake off excess dirt, silt and sediment and put back in place.
- Low-profile design can be driven over and is unobtrusive to traffic and personnel.

Protect Drains and Inlets WITHOUT Lifting Any Grates



ULTRA DRAIN GUARD, RECYCLED MODEL

Product Code	Description	Dimensions	Weight	Performance
CEP-9378	1-Pack	48"L x 36"W x 18"H	1 lbs.	Oil - Up to 1.26 gallons Sediment - Up to 40 lbs.
CEP-9379	10-Pack			

- Made completely out of X-Tex material — 100% recycled content.
- Superior water flow rate (151 gal/ft.2), together with built-in overflow ports prevents ponding and flooding.
- X-Tex material captures silt and sediment from runoff in addition to absorbing hydrocarbons.
- Quick and easy installation — simply lift catch basin grate, lower DrainGuard in place, and replace the grate.
- Helps comply with NPDES, 40 CFR 122.26 (1999) and TMDL requirements.



Keep Oil and Sediment From Entering Catch Basins With Environmentally Friendly Inserts

STORM SENTINEL ADJUSTABLE CATCH BASIN INSERT

Product Code	Description
CEP-1340	Trash, Sediment & Debris, round 27" to 29"
CEP-1341	Trash, Sediment, Debris, rectangular 16"x20" to 28"x36"
CEP-1342	Non leaching hydrocarbon packet
CEP-1343	Trash, Sediment, Debris, Oils, Hydrocarbons, round 27" to 29"
CEP-1344	Trash, Sediment, Debris, Oils Hydrocarbons, rectangular 16"x20" to 28"x36"
CEP-1340-TD	Trash & Debris, Round 27" to 29"
CEP-1341-TD	Trash & Debris, Rectangular 16"x20" to 28"x36"
CEP-1341-TD-XL	Trash & Debris, Extra large up to 42"x42"
CEP-1341-XL	Trash, Sediment & Debris, up to 42"x42"
CEP-1344-XL	Trash, Sediment, & Debris, Oils, Hydrocarbons, extra large up to 42"x42"



The Storm Sentinel Drain Protection Inserts help companies comply with Stormwater Pollution Prevention Plans and Stormwater Best Management Practices by protecting your storm drains and catch basins. It's the sure way to catch oil and sediment headed into your storm drains and sewers. Equipped with an oil absorbent media in a screened bag, the Storm Sentinel guards against any potential discharge.


- Up to 500 GPM overflow rate helps avoid ponding.
- Requires no special tools to install.





STORM SENTINEL ADJUSTABLE CURB INLET INSERT

Product Code	Description
CEP-1346-TD	Trash & Debris
CEP-1346	Trash, Debris & Sediment
CEP-1346-OH	Trash, Debris, Sediment, Oils & Hydrocarbons.




The Storm Sentinel™ Adjustable Curb Inlet Insert was designed and engineered to perform to the same demanding test requirements as our award winning Catch Basin Insert's above. You can now have the same high quality inserts for Curb Inlet situations. Adjustable to fit curb inlet openings from 24" to 30" wide.

GREAT FOR USE IN:

- Industrial facilities
- Construction sites
- Parking lots
- Drive-up retail facilities

DRAIN DAM

Product Code	Description
CEP-1345	Drain Dam, 15"x4"x4", 2/pkg



Redirect water into catch basin while absorbing some hydrocarbons.

ULTRA FILTER DECK

Product Code	Dimintions	Weight	Weight
CEP-9368	74 1/2"L x 50"W x 5 1/2"H	90 lbs.	9,000 lbs.
Option			
CEP-9369	Replacement Filter Media for Ultra-Filter Deck (Box of 3)		

- Heavy-duty polyethylene units use X-TEX® material, a high performance oil absorbent, below removable grating to remove oil, grease and other hydrocarbons from stormwater runoff.
- Ports are located in base of units to drain off clean stormwater.
- X-TEX® roll of absorbent is quickly and easily removed and replaced.
- Excellent for use underneath dumpsters, grease collection tanks, outdoor machinery or equipment.
- All-polyethylene construction will not rust or corrode.
- Helps meet Stormwater Management Regulations.



Filter Grease and Oil From Stormwater Runoff



Safety Cans & Safety Cabinets

SPECIALTY USE CABINETS



Sliding Self-Closing	Manual Close	Self-Closing	Description
-	CEP-1904	CEP-1903	4 gal. 17 1/2" x 18" x 22 1/2"
-	CEP-1925	CEP-1924	12 gal. 23" x 18" x 35"
-	CEP-ADD-15	CEP-ADD-14	15 gal. 43" x 18" x 22 1/4"
-	CEP-1906	CEP-1905	16 gal. 23" x 18" x 44"
-	CEP-1971	CEP-1970	22 gal. 35" x 22" x 35"
-	CEP-1923	CEP-2310	24 gal. 23" x 18" x 65"
-	CEP-1976	CEP-1975	24 gal. 43" x 12" x 44"
CEP-1930*	CEP-1932*	CEP-3010*	30 gal. 43" x 18" x 44"
CEP-1945*	CEP-1947*	CEP-4510*	45 gal. 43" x 18" x 65"
CEP-1960*	CEP-1962*	CEP-6010*	60 gal. 31 1/4" x 31 1/4" x 65"
	CEP-1992	CEP-9010	90 gal. 43" x 34" x 65"



*FM Approved



Wall Mount Safety Storage

- 12" deep.
- Fits easily on the wall above work spaces.
- Eye level storage.



Under The Counter Safety

- Optimize work area.
- Compact, fits under counters.
- 3" kick space design.
- Fume hood or under windows.



Space Saver Storage

- Only 23" wide.
- One door.
- Self or Manual Closing.

**# 1947
TOP SELLER**



Small Storage

- Used for counter tops, work benches, or floor.

Standard Size

- Supports 350 lbs.
- Galvanized steel leveling legs.
- Internal and external welded construction.
- 18 gauge steel reinforced double wall panel construction with 1 1/2" air space.
- 2" raised leakproof sill.
- 2" vent with fire baffle and cap.
- Ground connection.
- 3 point key lock doors.



CEP has cabinets for all your needs. Please contact if specialty requirements are needed.

Introducing cabinets that mount on the wall, fit under counters and save space.



**HAZARDOUS / FLAMMABLE
DRUM STORAGE CABINETS**

Sliding	Manual Close	Self-Closing	Description	
-	CEP-1926*	CEP-2610*	55 gal.	31 1/4" x 31 1/4" x 65"
-	CEP-1928	CEP-2810	55 gal.	31 1/4" x 48 1/4" x 50"
-	CEP-1955	CEP-5510	110 gal.	58" x 31 1/2" x 65"
-	CEP-HAZ1926	CEP-HAZ2610*	55 gal.	31 1/4" x 31 1/4" x 65"
-			55 gal.	31 1/4" x 48 1/4" x 50"
-	CEP-HAZ1955	CEP-HAZ5510	110 gal.	58" x 31 1/2" x 65"
-	CEP-HAZ1992	CEP-HAZ9010	60 gal.	43" x 34" x 65"
CEP-1918	Dolly for 1928			
CEP-1920	2" Rollers			24" x 24" x 2"
CEP-1957	Drum Cabinet Ramp		1000 lbs.	23 1/4" x 26 1/4" x 4 1/4"
CEP-1994	Roller Kit for CEP-HAZ1992 & CEP-HAZ9010			20" x 30" x 2"
CEP-1950	Ground Wire W/Alligator Clips			
CEP-1951	Bonding Wire W/C Clip			
CEP-1953	Brass Horizontal Drum Vent			
CEP-1974B	Brass Faucet			



*FM Approved

- Horizontal or vertical drum storage.
- Vertical cabinets feature a convenient half shelf.
- Drum storage cabinets come with drum supports.
- Haz-Drum cabinets come with drum rollers.
- Cabinets come with large "Flammable-Keep Fire Away" labels.
- Hazardous cabinets come with "Hazardous Waste" labels.



COMBO CABINETS

Product Code	Description	Item	Weight
1932SC6	30 Gal Manual Close Safety Cabinet W/6 UI-50-FS	7	290 LBS.
1947SC9	45 Gal Manual Close Safety Cabinet W/9 UI-50-FS	10	405 LBS.
1962SC12	60 Gal Manual Close Safety Cabinet W/12 UI-50-FS	13	440 LBS.

These Cantastic new combos bring you Eagle's best selling Safety Cabinets filled with Eagle 5 gallon, Type I Safety Cans with funnels! Now one easy purchase can meet your compliance needs.



MEET OSHA REQUIREMENTS



PAINT AND INK CABINETS > RED

HQ
HIGHEST
QUALITY

Sliding	Manual Close	Self-Closing	Description
CEP-PI-30	CEP-PI-32	CEP-PI-3010	40 gal. 43" x 18" x 44"
CEP-PI-45	CEP-PI-47	CEP-PI-4510	60 gal. 43" x 18" x 65"
CEP-PI-60	CEP-PI-62	CEP-PI-6010	120 gal. 31 1/4" x 31 1/4" x 65"

PAINT AND INK CABINETS > YELLOW



Sliding	Manual Close	Self-Closing	Description
CEP-YPI-30	CEP-YPI-32	CEP-YPI-3010	40 gal. 43" x 18" x 44"
CEP-YPI-45	CEP-YPI-47	CEP-YPI-4510	60 gal. 43" x 18" x 65"
CEP-YPI-60	CEP-YPI-62	CEP-YPI-6010	120 gal. 31 1/4" x 31 1/4" x 65"

*FM Approved

- Support 350 lbs.

Recommended for Print Shops and Auto Paint & Body Shops.

ACID & CORROSIVE CABINETS

HQ
HIGHEST
QUALITY

Sliding	Manual Close	Self-Closing	Description
-	CRA-1904	CRA-1903	4 gal. 17 1/2" x 18" x 22 1/2"
-	CRA-1925	CRA-1924	12 gal. 23" x 18" x 35"
-	ADD-CRA-15	ADD-CRA-14	15 gal. 43" x 18" x 22 1/4"
-	CRA-1906	CRA-1905	16 gal. 23" x 18" x 44"
-	CRA-71	CRA-70	22 gal. 35" x 22" x 35"
CRA-30*	CRA-32*	CRA-3010*	30 gal. 43" x 18" x 44"
CRA-45*	CRA-47*	CRA-4510*	45 gal. 43" x 18" x 65"
-	CRA-1926*	CRA-2610*	55 gal. 31 1/4" x 31 1/4" x 65"
-	CRA-1928*		55 gal. 31 1/4" x 48 1/4" x 50"
CRA-60*	CRA-62*	CRA-6010*	60 gal. 31 1/4" x 31 1/4" x 65"

*FM Approved



Blue epoxy powder coating for greater protection from chemical

POLYETHYLENE ACID AND
CORROSIVE CABINETS

Poly Finish	Stone Finish	Description
CEP-CRA-PO4	CEP-CRA-PO4S*	4 gal. 18" x 18" x 22"
CEP-CRA-P22	CEP-CRA-P22S*	22 gal. 35" x 22" x 36"

*S Models feature an attractive Stone Fleck finish.

CEP-CRA-PO4

- For use on bench top.

CEP-CRA-P22

- For use under the counter.
- Both are available in a very attractive Stone Fleck Blue.

Suitable for use with sulphuric and nitric acid.
All chemical confidence!



PESTICIDE CABINETS



Manual Close	Self-Closing	Description
CEP-PEST 25	CEP-PEST 24	12 gal. 23" x 18" x 35"
CEP-PEST 32*	CEP-PEST 3010*	30 gal. 43" x 18" x 44"
CEP-PEST 47*	CEP-PEST 4510*	45 gal. 43" x 18" x 65"
CEP-PEST 26*	CEP-PEST 2610*	55 gal. 31 1/4" x 31 1/4" x 65"
CEP-PEST 62*	CEP-PEST 6010*	60 gal. 31 1/4" x 31 1/4" x 65"
CEP-PEST 1955		110 gal. 58" x 31 1/2" x 65"



*FM Approved

- Lead free high gloss polyester hybrid powder baked on finish.
- 3 point key lock doors.
- Large "Flammable Keep Fire Away and Pesticides" label.

Lawn care, golf course management and agricultural

DISPOSABLE CANS

Stainless	Galvanized	Description
CEP-1323	-	2 1/2 gal. 11 1/4" x 12"
CEP-1325	-	5 gal. 11 1/4" x 18"
-	CEP-1423*	2 1/2 gal. 12 1/2" x 12"
-	CEP-1425*	5 gal. 12 1/2" x 18"

* Galvanized Flame Arrestor.



POLY OILERS



Product Code	Description
CEP-OC4	4 oz. PinPoint Oiler, Brass Pump, includes 4" rigid and 5" flexible spout
CEP-OC6	6 oz. PinPoint Oiler, Brass Pump, includes 4" rigid and 5" flexible spout
CEP-OC6B	6 oz. All Purpose Oiler, Brass Pump, includes 4" rigid and 5" flexible spout with wide base
CEP-OC6M	6 oz. All Purpose Oiler, Snap Bottom, includes 5" Rigid Spout
CEP-OC10	10 oz. PinPoint Oiler, Brass Pump, includes 5" rigid and 6" flexible spout
CEP-OC14	14 oz. PinPoint Oiler, Brass Pump, includes 5" rigid and 6" flexible spout
CEP-OC16	16 oz. PinPoint Oiler, Brass Pump, includes 6" rigid and 7" flexible spout
CEP-OC16LN	16 oz. All Purpose Oiler, Brass Pump, includes 4" rigid and 5" flexible spout with Long Neck
CEP-OC24	24 oz. PinPoint Oiler, Brass Pump, includes 7" rigid and 8" flexible spout
CEP-OC32	32 oz. PinPoint Oiler, Brass Pump, includes 7" rigid and 8" flexible spout



REPLACE YOUR STEEL CANS WITH POLY



Safety Cans & Safety Cabinets

Lab Cans



LAB CANS

Metal Red	Stainless	Description
CEP-1401	CEP-1301	1 gal. 6" x 8" x 13"



POLYETHYLENE LAB CANS

Red	White	Description
CEP-1510	CEP-1512	1/2 gal. 6" x 8 1/2" x 9 1/2"
CEP-1511	CEP-1513	1 gal. 6" x 8 1/2" x 13"

*FM Approved.

FAUCET CANS

Brass	Oil Gate	Stainless	Description
CEP-1417*	CEP-1429	-	5 gal. 12 1/2" x 13 1/2"
-	-	CEP-1327*	5 gal. 11 1/4" x 15 7/8"
CEP-1427	Galvanized		
CEP-1327	Stainless		

*FM Approved.

PLUNGER CANS

Metal	Description
CEP-P-701	1 quart 6 1/4" x 8"
CEP-P-702	2 quarts 8" x 8 1/2"
CEP-P-704	4 quarts 8" x 10 3/4"

*All are FM Approved and feature a 5 1/4" wide dasher.

Poly	Description
CEP-P-711	1 quart 5 1/4" x 9 3/4"
CEP-P-712	2 quarts 6 1/2" x 11"
CEP-P-714	4 quarts 7 3/4" x 13"

BENCH & DAUB CANS

Product Code	Description
CEP-B-600-D	1/2 pint 4 1/4" 3 1/2"
CEP-B-601	1 quart 6 1/4" 3 5/8"
CEP-B-602*	2 quarts 8" 4 1/4"
CEP-B-604*	4 quarts 8" 6 1/2"
CEP-B-606	6 quarts 7 3/4" 9 1/2"
CEP-B-606-NL	6 quarts 7 3/4" 9 1/4"
CEP-B-608	8 quarts 11 1/4" 11 1/8"

*Parts cleaning basket available as necessary.

DOT TRANSPORT CANS

1" O.D. Spout	5/8" O.D. Spout	Description
CEP-1215	1215-SX5	5 gal. 12 1/2" x 15 3/4"



Both cans feature brass flame arrestors and meet DOT requirements.

POLY DISPOSAL CANS

White Poly	Red Poly	Description
CEP-1517	CEP-1519	3 gal. 12 1/2" x 14 1/2"
CEP-1523	CEP-1525	5 gal. 12 1/2" x 18 1/2"

POLY WASTE CANS

Red Poly	Yellow Poly	Bio-Haz	Description
CEP-933-FL	CEP-933-FLY	CEP-943BIO	6 gal. 16 1/2" x 13 1/2" x 16"
CEP-935-FL	CEP-935-FLY	CEP-945BIO	10 gal. 22" x 18" x 18"
CEP-937-FL	CEP-937-FLY	CEP-947BIO	14 gal. 22" x 18" x 16"



Poly (Red) Disposal Cans



Poly Waste Cans > Red



Poly Waste Cans > Yellow



Poly (White) Disposal Cans



Poly Waste Cans Bio>Haz



Plunger Cans



Faucet Cans



Bench & Daub Cans



DOT Transport Cans





BUTT CANS

Yellow	Beige	Description
CEP-1202	CEP-1202BEI	2 gal. 12" x 28"
CEP-1205	CEP-1205BEI	5 gal. 12" x 33"



SMOKING RECEPTACLES

Product Code	Description
CEP-1530	SmokeStop Only Cactus Green Top / Terra Cotta Base
CEP-1536	SmokeStop w/ Odor Absorbing Filter
CEP-1532	SmokeStop Only Beige
CEP-1533	SmokeStop Only Gray



- 1 CEP-1544 Key West
- 2 CEP-1540 Nautical
- 3 CEP-1542 Nantucket
- 4 CEP-1554 Roman Column



Attractive designs compliment any of factory, restaurant, hotel or res

DECORATIVE SAFE SMOKERS

Product Code	Description	Dimensions	Weight
CEP-1212Beige	Safesmoker Hitching Post	12.5" base dia x 44.5" h	18 lbs.
1212Black	Safesmoker Hitching Post	12.5" base dia x 44.5" h	18 lbs.
1212Gray	Safesmoker Hitching Post	12.5" base dia x 44.5" h	18 lbs.
CEP-1213Beige	Safesmoker Classic	12.5" base dia. x 37" h	18 lbs
CEP-1213Black	Safesmoker Classic	12.5" base dia. x 37" h	18 lbs
CEP-1213Gray	Safesmoker Classic	12.5" base dia x 37" h	18 lbs.
CEP-1214Beige	Safesmoker Golf Traditions	12.5" base dia x 37" h	18 lbs
CEP-1214Black	Safesmoker Golf Traditions	12.5" base dia x 37" h	18 lbs.



ULTRA > SMOKESTOP SMOKING RECEPTACLES

Product Code	Description	Dimensions	Weight
CEP-1555	SmokeStop, Golf Ball Model	49" H x 14" D	12 lbs
CEP-1556	SmokeStop, Roman Wall-Mount Model	24" H x 17 1/2" W x 9" D	10 lbs

Golf Ball Model

- Polyethylene construction will not rust or corrode
- Design minimizes smoke exit and water entry
- Unique odor-absorbing and fire suppressing filter available
- 4-gallon steel pail holds over 3,000 cigarettes — easily removed and cleaned

Wall-Mount Model

- Looks and feels like textured stone yet is light and easily mounted
- Complements entranceways, breezeways and smoking areas
- Fire-retardant additive in fiberglass helps maintain fire safety
- Two-piece construction allows easy access for cleaning/emptying of cigarettes



Attractive designs complement any office, factory, restaurant,



TYPE I SAFETY CANS

W/Funnel	Description	
CEP-UI-10-FS	1 gal.	9" x 10"
CEP-UI-20-FS	2 gal.	11 1/4" x 9 1/2"
CEP-UI-50-FS	5 gal.	12 1/2" x 13 1/2"



TYPE I SAFETY CANS

W/O Funnel	Description	
CEP-UI-2-S	1 quart	5 1/4 x 8"
CEP-UI-4-S	2 quarts	6 3/4 x 8 3/4"
CEP-UI-10-S	1 gal.	9" x 10"
CEP-UI-20-S	2 gal.	11 1/4" x 9 1/2"
CEP-UI-50-S	5 gal.	12 1/2" x 13 1/2"



- The above cans are available in Blue for the storage of kerosine, Yellow for storage of diesel and Green for storage of combustible liquids such as oils. When ordering, add "B" or "Y" or "G" at the end of product code.
- Type I cans feature deep drawn, 2-piece, no weld construction with no top or side seams, non-sparking brass pour spout and flame arrestor and a spring-closing lid with neoprene gasket that safely relieves internal pressure at 5 psi.
- Lead free technology that make our cans environmentally friendly.

**SEAMLESS
CONSTRUCTION**

Lead Free!

Constructed of 24-gauge hot dipped galvanized steel.
Other manufacturers safety cans use lead coated steel.





TYPE II SAFETY CANS

Product Code	Description
--------------	-------------

5/8" Spout

U2-26-SX5	2 gal. 11 1/4" x 9 1/2"
U2-51-SX5	5 gal. 12 1/2" x 13 1/2"

7/8" Spout

CEP-U2-26-S	2 gal. 11 1/4" x 9 1/2"
CEP-U2-51-S	5 gal. 12 1/2" x 13 1/2"

*UL and FM Approved.



TYPE I STAINLESS SAFETY CANS

Model	Description
-------	-------------

CEP-1313	2 1/2 gal. 11 1/4" x 9 5/8"
CEP-1315	5 gal. 11 1/4" x 15 7/8"

TYPE I POLY SAFETY CANS

Product Code	Description
--------------	-------------

White

CEP-1535	3 gal. 12 1/2" x 13"
CEP-1541	5 gal. 12 1/2" x 17"

Red

CEP-1537	3 gal. 12 1/2" x 13"
CEP-1543	5 gal. 12 1/2" x 17"

**UL, ULC, & FM
APPROVED**

HDPE & Stainless Type I & Type II Polyethylene Safety Cans

- Impervious to many liquid chemicals, acids, caustics, solvents, and corrosives.
- Help reduce the danger of explosions.
- Dent and puncture resistant.
- Feature corrosion resistant stainless steel fittings and flame arrestors.
- Brass grounding connectors.

Type I Stainless Steel Safety Cans

- 24-gauge Type 316 Stainless Steel construction.
- Ideal when high solvent purity is essential.

Type II Galvanized Steel Safety Cans


- Two openings, one with a pressure relief spring closing lid for filling, one with an actuated pour valve with flexible metal spout for safer controlled dispensing.
- Filler spout and flame arrestor in both openings are non-sparking brass designed for flashback protection.



Safety Cans & Safety Cabinets

STEEL DRUMS & OVERPACKS

Product Code	Description	
CEP-SD55OH-NEW	Steel Drum Open Head	55 gal.
CEP-SD55THNEW	Steel Drum Tight Head w/ Bung Holes	55 gal.
CEP-SD55OHBH-NEW	Steel Drum Open Head w/ Bung Holes	55 gal.
CEP-SD55THNEW-16GA	Steel Drum Tight Head 16 Gauge	55 gal.
CEP-SD55TH-PL	Steel Drum Tight Head Phenolic Lined	55 gal.
CEP-SD55BOHL	Steel Drum Open Head w/ Bung Holes, Epoxy Lined	55 gal.
CEP-SOP55	Steel Drum Overpack #HM5501-Yellow	55 gal. 16 ga
CEP-SOP85	Steel Drum Overpack-Gray	85 gal. 18 ga
CEP-SOP85-HM8501	Heavy Gauge Steel Overpack-Yellow	85 gal. 16 ga
CEP-SOP30	Steel Drum #HM3001, 18 Gauge-Yellow	30 gal.
CEP-SD5	Steel Pail w/ Crimped Lid	5 gal.
CEP-SD8-HM802	Steel Drum Open Head	8 gal.
CEP-SD20-HM2001	Steel Drum Open Head	20 gal.
CEP-SOP110-HM11001	Steel Drum Overpack-Yellow	110 gal.
CEP-SD30	Steel 30 Gallon Open top-Black/White	30 gal.
CEP-SD30-LTGRAY	Steel 30 Gallon Open top w/Bung Holes Light Gray	30 gal.



**OVERPACK & SALVAGE
DRUM RATED**

CEP's steel drums come in a variety of sizes, ratings, & configurations. Phenolic lining is available and sizes range from a 5 gallon to 110 gallon steel Overpacks.

FIBER DRUMS & FLUORESCENT LAMP CONTAINERS



Product Code	Description	
CEP-FIB55	Fiber Drum	55 gal.
CEP-FIB30	Fiber Drum	30 gal.
CEP-FIB4	Fiber Drum For 4' Lamps Holds Approx. 70 Bulbs	
CEP-FIBDRUM6-8	Fiber Drum For 6-8' Lamps	

Fiber drums are ideal for fluorescent lamp bulb disposal and non-haz waste incineration.

POLY DRUMS

Product Code

Description



CEP-PD55	Poly Drum Open Top Plain Lid	55 gal.
CEP-PD55CTBH	Poly Drum Closed Top W/ Bung Holes	55 gal.
CEP-PD55-OS55	Poly Drum Plain Lid Side Lever Lock	55 gal.
CEP-PD55-OS55-BR-BH	Poly Drum Blue Heavy Duty Bolt Ring W/ Bung Holes	55 gal.
CEP-PD55OTBH	Poly Drum Blue Open Top W/ Bung Holes	
CEP-OP30CTB	Poly Drum , Blue Closed Top W/ Bung Holes	30 gal.
CEP-OP30	Poly Drum Plain Lid, Blue	30 gal.
CEP-LP12	Lab Pack Plain Lid Side Lever Lock	12 gal.
CEP-LP14	Lab Pack Blue Plain Lid, Lever Lock, Open Top,# 014	14 gal.
CEP-PD20CT	Poly Drum Tight Head	20 gal.
CEP-LP20-1220-YE	Lab Pack W/ Screw Lid	20 gal.
CEP-LP20	Lab Pack W/Lever Lock Ring	20 gal.
CEP-OP55SL	Poly Drum Open Top Lever Lock #0526	55 gal.
CEP-OP55UL	Poly Drum Open Top Lever Lock #0525	55 gal.
CEP-LP5	Poly Drum Snap On Lid	5 gal.
CEP-LP5L	Screw On Lid	5 gal.

Poly drums range in sizes from 1 gallon to 55 gallon capacity. All are UN rated for salvage drum waste. All polyethylene drums are incinerable and chemical resistant.



Drums & Accessories



DRUM PUMPS

Product Code	Description
CEP-HANDPUMP22	PETROLEUM HAND PUMP PVC Stroke pump for petroleum, polyurethane valves, buna-n-seals, reinforced vinyl hose. Do not use with hot liquids. Not UL-Listed. Fits steel drum 2" NPS, 3' long hose, 1 1/4" D hose. Ship wt. 5 lbs.
CEP-PUMP-P50PX	ECONO DRUM & PAIL PUMP Polypropylene/polyethylene construction. Exceptional resistance to corrosive chemicals, non-flammable solvents. Fits 2" and 3/4" NPS, 16 oz. per stroke. Not recommended for chlorinated products. Fits 5-55 gallon drums. Tube must be cut to fit 15 or 30 gallon drums. Ship wt. 2 lbs.
CEP-PUMP-BR150	HIGH OUTPUT PISTON PUMP Durable diecast aluminum housing, s/s liner and piston shaft. Easy grip, lockable handle, telescoping suction tube fits 15-55 gallon drums with 2" NPS bung. For petroleum based liquids, UL-Listed for flammables, up to 20 gallons per 100 strokes. Includes a 5/8"x8' hose with an imbedded static wire and an aluminum nozzle. Ship wt. 15 lbs.
CEP-PUMP-P60P	LEVER ACTION POLYPROPYLENE DRUM PUMP Handles viscous liquids up to 12,000 cPs, delivers 10 ounces per stroke. Unique lever-action pumps up to 6 gallons per minute, handles liquids equivalent in viscosity to SAE90 oil. Telescoping suction tube adjusts to fit 15-55 gallon drums. Fits 2" NPS bung. Self venting spout rotates 360 degrees for versatile dispensing. Not for use above 125 degrees F or with heated drums. Ship wt. 4 lbs.

Handpump22



Pump > BR150



Pump > P50PX



Pump > P60P





272016



DRUM ACCESSORIES

Product Code	Description
--------------	-------------

CEP-POLYFAUC2	POLY FAUCET 2" 2" Polyethylene faucet with EPDM Gasket large bore for fast dispensing of fluids. Good for viscous non-corrosive fluids.
---------------	--------------------------------------------------------------------------------------------------------------------------------------------

CEP-POLYFAUC75	POLY FAUCET .75" .75" Polyethylene faucet for use with non-flammable, non-corrosive thin liquids not suitable for heavy oils.
----------------	----------------------------------------------------------------------------------------------------------------------------------

CEP-273108	PAIL TIPPER Steel pail tipper is used for manually dispensing liquid from 5-gallon steel or plastic pails. Easy assembly, ships knock down and boxed. Ship wt 10 lbs. Capacity 70 lbs. adjustable locking chime stop, dispensing height 10". Assembled overall dimension: 14 1/2"W x 14 1/2" D x 30" H.
------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

272301



CEP-240042	PT PAIL TRUCK Handles up to four standard steel or plastic 5-gal pails. Ergonomic design eliminated the need to stack pails on a nose plate. 10" semi-pneumatic wheels. Capacity 500 lbs. Ship wt. 40 lbs.
------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

CEP-272178	ALUMINUM NON-SPARKING DRUM WRENCH
------------	-----------------------------------

CEP-272016	BRONZE ALLOY NON-SPARKING DRUM WRENCH
------------	---------------------------------------

CEP-272301	100% NON-SPARKING DRUM DEHEADER
------------	---------------------------------

CEP-272302	REPLACEMENT BLADE FOR #272301
------------	-------------------------------

272037



CEP-272083	FAUCET ZINC DIE CAST ALLOY FAUCET, .75" NPT connection with flame arrestor, can be padlocked, self closing design, FM approved for non-viscous liquids. Viton gasket. Sold in packages of 10.
------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

CEP-272080	FAUCET ZINC DIE CAST ALLOY FAUCET, .75" NPT connection no flame arrestor, can be padlocked, self closing design, FM approved for non-viscous liquids. Viton gasket. Sold in packages of 10.
------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

CEP-272037	FAUCET HEAVY DUTY BRASS FAUCET, .75" NPT connection, Teflon gasket, self closing design. Adjustable shank designed to easily adjust to proper drain position after installing drum. Internal flame arrestor. FM approved for use with oil (under 30 SAE) and non-corrosive flammable. Sold in packages of 2.
------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

272034



CEP-272038	FAUCET HEAVY DUTY STAINLESS STEEL, Internal flame arrestor. FM approved for use with oils (under 30 SAE) and non-flammable, compatible with stainless steel. Adjustable shank designed to easily adjust to proper drain position after installing in drum. .75" NPT connection, Teflon gasket.
------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

CEP-272034	HEAVY DUTY GATE VALVE 2" BRASS FM approved for use with viscous non-corrosive fluids heavier than 30 SAE. Fast, self-closing Teflon blade. 2" NPT connection.
------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------

Polyfauc



273108



240042






GROUNDING WIRES & CABLES




Product Code	Description
CEP-CLAMP-GATP	Aluminum Clamp w/ Quick Release Harness
CEP-CLAMP-G40P	Bronze Clamp, (2) SIS Points w/ Chain Release
CEP-GRDGCLAMP-REB	#REB2960 Grounding Clamp W/SSTL Points
CEP-C-CLAMP-EP-1	C-Clamp
CEP-C-CLAMP-EP-2	C-Clamp
CEP-C-CLAMP-EP-3	C-Clamp
CEP-GRDGASSY-R1-10	#R-1-10 Grounding Assy w/3' SS Cable and, 2 Reb Clamps
CEP-CABLEREEL-R20	Cable Reel w/ 20' Cable & R&B Clamp
CEP-RETA CLMP-10	#RAC10 Retract A Clamp w/10' Cable and Reb Clamp
CEP-CABLE-RAC10	#RAC102 Cable, Cable Only, 10' Length Less Clamp
CEP-RETA CLMP-RAC20	#RAC20 Retract A Clamp 20' of Cable and GAT-P Clamp

CEP's grounding wires and cables are ideal for creating a static resistant setting for transfer of fluids from all metal containers and tanks.

CLAMP > GATP




CLAMP > G40P





CABLEREEL > R20



GRDGCLAMP > REB



C > CLAMP




RETA CLMP > 10





PIPE, VALVE & HOSE CONTAINMENT

Product Code	Description	
CEP-PCC 301	Poly Containment	24" x 24"
CEP-PCC 303	Poly Containment	36" x 36"
CEP-ROUNDUP42	Round Up	42" x 42" x 12"




DOLLIES



Product Code	Description
1 CEP-9709 DOLLY No Collar	Drip catching drum dolly – no collar
1A CEP-9713 DOLLY w/Collar	Drip catching drum dolly w/collar
2 CEP-DOLLY-433S	30 Gallon Drum Dolly

EXCELLENT DRUM SPILL COLLECTION



HAND TRUCKS

Product Code	Description
1 CEP-DTRUCK-1500	EZY Rol 2-Wheel Drum Truck 30 and 55 Gallon Drums
2 CEP-DTRUCK-2175	EZY Rol 4-Wheel Drum Truck 30 and 55 Gallon Drums








PORTABLE LIFTS

Product Code	Description
1 CEP-VERSA-LIFT	Manually propelled Floor Truck. 800lb. capacity.
2 CEP-ROTO-LIFT	Rotating Drum Handler Manually Propelled
3 CEP-RAPTOR-8575	Raptor Barrel Hawk
4 CEP-ROTOGRIP-78 CEP-ROTOGRIP-90	Roto-Grip Lifts and Rotates Drums and Cylinders 18-24" with electric clamping jaws Choose from 78" or 90" Model.
5 CEP-ROTOGRIP-CW78 CEP-ROTOGRIP-CW90	Counter weighted Rotogrip lifts and Rotates Drums 360° Choose 78" or 90" High Model.



LIFT TRUCK ATTACHMENTS

Product Code	Description
1 CEP-VG6139	Versa-Grip Lift Truck Attachment Self Powered Hydraulic for Steel and Fiber Drums
2 CEP-DSNATCHER	Gravity Actuated Mechanical Drum Snatcher for 55 Gallon Steel Drums
3 CEP-DSNATCHER-7438	Gravity Actuated Mechanical Double Drum




SEALANTS EPOXY PIPE REPAIR

Product Code	Description	
CEP-EPOXY12	Epoxy Sticks, Repair Putty	12/cs.
CEP-PIPEWRAP	Pipe Wrap	4" x 12'
CEP-PIPEPATCH-KIT	Wrap, 1-Pair Gloves, 1-Epoxy Stick	
CEP-PIPECLAMP	Pipe Patch Kit	
CEP-PIPECLAMP	Stop It Pipe Repair Clamp	10/cs.
CEP-FIXSTICK	Fix Stix, 20 Min. Epoxy Stick	28/cs.
CEP-FUSIONTAPE	Fusion Tape, 1" x 20' Self	12 rolls/cs.

HQ
HIGHEST
QUALITY

\$
SAVES
YOU
MONEY



NEUTRALIZERS & GELS

Product Code	Description	
CEP-NEUTA1	Neutralizer Dry Base	5 gal. pail
CEP-NEUTB1	Neutralizer Dry Acid	5 gal. pail
CEP-NEUTLIQ-D4	Neutralizer Liquid Acid	5 gal.
CEP-NEUT5GAL	Neutralizer Liquid Caustic	5 gal.
CEP-CHEMCLASS	Chemical Classifier Chart	
CEP-EMU5	Bunker C Solvent	5 gal.
CEP-PH50	PH Paper	50' roll

HQ
HIGHEST
QUALITY



CEP

Environmental Safety

CEP

Environmental Safety



SEALANTS PLUG N DIKE

Product Code	Description	
CEP-1PMP	Plug'N Dike, Premix	1 lbs.- 5/cs
CEP-PND48	Plug'N Dike, Dry Granular	48 lbs., 5 gal. pail
CEP-10PND	Plug'N Dike, Dry Granular	10 lbs., 1 gal. jar-4/cs
CEP-PND-10	Plug'N Dike, Plug Pattie, Premix	10 oz.- 8/cs
CEP-PND8R-4	Plug Rug	8" x 8"- 4/cs
CEP-PLRUG16	Plug Rug	16" x 16"- 4/cs
CEP-PLRUG24	Plug Rug	24" x 16"- 4/cs
CEP-1PMP-15	Plug'N Dike, Premix	1 lbs. -15/cs
CEP-4PND	Plug'N Dike, Premix	4 lbs. - 2/cs
CEP-SNC-11	Seal'N Contain Basin	
CEP-UNI-1	Uni-Safe	1 lb. (in 32 oz. Jar)
CEP-UNI-4	Uni-Safe	4 lb. (1 gal. Jar)
CEP-UNI-10	Uni-Safe	10 lb. (in 2 gal. Pail)



Plug N Dike sealant products are the most adhesive and fast hardening products in MRO applications. After the leak, stop it fast.



HAZ>MAT BOXES

Product Code	Description
CEP-BOX-HSCMEGA3	Cubic Yard Box Kit W/ Lid, Liner & Nail Kit
CEP-BOX-RSCMEGA3	Cubic Yard Box Kit W/ Liner & Nail Kit



TRI-WALL CONTAINMENT



CEP's cubic yard waste boxes are all tri-wall in construction, contain lid, liner, and nail kit.

Rated for packing groups I, II, & III

HAZ>MAT CONTAINERS

Product Code	Description	
CEP-WASTECON-MAV	Waste Container Maverick	1 cubic yard, 36" x 36" x 36"
CEP-WASTECON-CORRAL	Waste Container Corral	1.6 cubic yard, 42" x 42" x 42"



UN/DOT APPROVED



For hazardous waste, the bulk boxes we offer are rated for all UN/DOT transport requirements of all hazardous solids and liquids.

NEUTRALIZERS & SOLIDIFIERS



ACID LOCK

Product Code **Description**

CEP-AL-12001 5 oz., 24/cs
 CEP-AL-12003 15 oz., 12/cs

Neutralizes and solidifies low pH fluid spills.



PETRO LOCK

Product Code **Description**

CEP-PL-14101 2 oz., 24/cs
 CEP-PL-14103 8 oz., 12/cs

Absorbs petroleum base spills.



ALKY

Product Code **Description**

CEP-AK-13001 5 oz., 24/cs
 CEP-AK-13003 15 oz., 12/cs

Neutralizes and solidifies high pH fluid spills.



ZORB SHEETS

Product Code **Description**

CEP-ZORB3 3"x6", 2500/cs
 CEP-ZORB6 6"x6", 2500/cs
 CEP-ZORB12 12"x12", 500/cs
 CEP-ZORB33 3"x3" 20,000/cs

Tissue based papers impregnated with super absorbent polymers.



BIOHAZARD / INFECTION CONTROL

RED Z

Product Code	Description	
CEP-RZ-41101	Red-Z 5oz Shaker Top Bottle	24/cs
CEP-RZ-41102	Red-Z 11oz Shaker Top Bottle	12/cs
CEP-RZ-41103	Red-Z 15oz Shaker Top Bottle	12/cs
CEP-RZ-41115	Red-Z 3.5lb Bulk Bucket	
CEP-RZ-41116	Red-Z 17.5lb Bulk Bucket	
CEP-RZ-41220	Red-Z 50lb Bulk Drum	



ANTISEPTIC BIO>HAND CLEANER

Product Code	Description	
CEP-HC-17350	4 oz. Bottle	24/cs
CEP-HC-17357	64 oz. Bottle	8/cs
SOLD IN CASE QUANTITIES ONLY		



- Other sizes available upon request.
- Available in Fresh Scent or Citrus Scent.

ANTIMICROBIAL WIPE

Product Code	Description	
CEP-PAWS-3440	Individually Wrap Towelette	100/Box
CEP-PAWS-34405	Tub Dispenser	50 Ct.
CEP-PAWS-34410	Tub Dispenser	160 Ct.
SOLD IN CASE QUANTITIES ONLY		



- Available in Fresh Scent or Citrus Scent.

LENS CLEANER

Product Code	Description	
CEP-LC-3700	Lens Cleaner Wipes	50/Box
SOLD IN CASE QUANTITIES ONLY		



ANTIMICROBIAL HANDWASH

Product Code	Description	
CEP-SW-34450	8 oz. Bottle	24/cs
CEP-SW-34452	16 oz. Bottle	12/cs
CEP-SW-34455	1 Gal. Bottle	4/cs
SOLD IN CASE QUANTITIES ONLY		



- Contains PCMX antimicrobial action and aloe vera to moisturize hands.
- Meets PIC and OSHA standards.

SANIZIDE PLUS DISINFECTANT, CLEANER & DEODORIZER

Product Code	Description	
CEP-SZ-2	2 oz. Spray Bottle	24/cs
CEP-SZ-16	16 oz. Trigger Sprayer	12/cs
CEP-SZ-32	32 oz. Trigger Sprayer	6/cs
CEP-SZ-1	1 Gallon Bottle	4/cs
SOLD IN CASE QUANTITIES ONLY		



NATURES WAY HS
SPILL RESPONSE/BIOREMEDIATION

Product Code	Description
CEP-NW5	5 Gallon Pail
CEP-NW55	55 Gallon Drum
CEP-NWBULK	Bulk Tote



DIAMOND: ALL PURPOSE
INDUSTRIAL CLEANER/DEGREASER

Product Code	Description
CEP-DIAMOND-5	5 Gallon Pail
CEP-DIAMOND-55	55 Gallon Drum
CEP-DIAMOND-BULK	Bulk Tote

- Replaces strong industrial alkaline cleaners.



GOLD: NON PETROLEUM SOLVENT

Product Code	Description
CEP-GOLD-5	5 Gallon Pail
CEP-GOLD-55	55 Gallon Drum
CEP-GOLD-BULK	Bulk Tote

- Low odor, non flammable.
- Replaces strong petroleum and citrus solvents.



EMERALD: SUPER INDUSTRIAL CLEANER/DEGREASER

Product Code	Description
CEP-EMERALD-5	5 Gallon Pail
CEP-EMERALD-55	55 Gallon Drum
CEP-EMERALD-BULK	Bulk Tote



JEP 14 MULTI PURPOSE
CLEANER/DEGREASER

Product Code	Description
CEP-JEP-1	1 Gallon / 4 cs
CEP-JEP-5	5 Gallon Drum
CEP-JEP-55	55 Gallon Drum
CEP-JEP-275	275 Gallon Tote



- NSF/USDA Approved.
- Great for restaurants and food processing.
- Non toxic and biodegradable industrial cleaner.
- Great for oil platforms, tank and pipeline cleaning applications.



**WILL OUT PERFORM ALL
CLEANERS AT THE LOWEST PRICE.
GUARANTEED!**

CEP

Environmental Safety

CHEMICALS, CLEANERS & MICROBLAZE OUT



Product Code	Description	
CEP-DEGR55	Biodegreaser	55 gal. drum
CEP-DISP55	Oil Dispersant	55 gal. drum
CEP-DEG5	Degreaser	5 gal. pail
CEP-DISP1	Oil Dispersant	1 gal.
CEP-DISP5	Oil Dispersant	5 gal.
CEP-EMU5	Bunker C Solvent	5 gal. pail
CEP-MICROBLAZE-55	Microblaze	55 gal. drum
CEP-MICROBLAZE5	Microblaze	5 gal. container
CEP-MICROBLAZE-OUT	Microblaze	5, 55, 250 gal.
CEP-ACIDICACID	Acidic Acid	5 gal.

BIO REMEDIAL



CEP offers a full line of maintenance chemical cleaners, degreasers and lubricants. Oil spill dispersant cleaners and microbial action that acts on chemicals are also



WIPES & RAGS



Product Code	Description	
CEP-WIPE800	Trifold Wipes Air Laid	800/cs
CEP-RAG50	Rags, Colored	50 lbs. box
CEP-RAG133-25	Colored Sweatshirt, Recycled	25 lbs. box
CEP-RAG135-25	Recycled Colored Knits	25 lbs. box
CEP-RAG215-25	Colored Fleece, New	25 lbs. box
CEP-RAG333-25	White Sweatshirt, New	25 lbs. box
CEP-RAG455-25	Bleached Knit Wipers	25 lbs. box
CEP-RAG541-25	Red Shop Towel-Washed	25 lbs. box
CEP-RAG340-25	White T-Shirt, Recycled	25 lbs. box



NEW


CEP's wipes, rags and shop towels are the most cost-effective MRO clean room sorbents. Soft tissue wettable wipes are also available.



TOOLS/BRUSHES/MOPS



Product Code	Description
CEP-SCOOP1	Scoop Plastic Square Bottom
CEP-SCRAPER	Scraper, Hand, Plastic
CEP-NSSHOVIR	Large Scoop Non-Sparking Shovel
CEP-NSSHOV-6880EB	Small Scoop Non-Sparking Shovel
CEP-SQ18-HEAD ONLY	Squeegee 18" Plastic,
CEP-SQHANDLE-60	Wood Handle For Squeegee
CEP-DPAN2005	Dust Pan Non-Spark
CEP-PSHBRM-24HD	Push Broom Head Only 24" Wood Block w/ Plastic Bristles
CEP-NSTOOLKIT-BC5	Tool Kit Non-Sparking #BC5 6 Pc





SAFETY RAIL PROTECTORS




Product Code	Description
CEP-C-1	Single Rail Application – 18" Column
CEP-C-2	Dual Rail Application – 42" Column
CEP-C-3	Triple Rail Application – 42" Column



(For rail dimensions, see graphic at right.)

		Dim. A	Dim. B	Dim. C
CEP-R-10	10' Rail	115-7/16"	120"	130"
CEP-R-9	9' Rail	103-7/16"	108"	118"
CEP-R-8	8' Rail	91-7/16"	96"	106"
CEP-R-7	7' Rail	79-7/16"	84"	94"
CEP-R-6	6' Rail	67-7/16"	72"	82"
CEP-R-5	5' Rail	55-7/16"	60"	70"
CEP-R-4	4' Rail	43-7/16"	48"	58"



NOTE: Add "-LO" to the model number for lift out rails and columns.

BARRICADE PROTECTORS

Product Code Description

CEP-VS11	Versa-Guard Standard	11'4" x 37"H
CEP-VS15	Versa-Guard Expanded	15'4" x 37"H
CEP-VS48	Versa-Guard Expanded	11'4" x 48"H Height

Options

- Sign hanging brackets.
- Flashing lamp/flag holder.
- Wall mounting kits.
- Locking caster feet.
- Fixed position locking bar.



E>X>P>A>N>D>I>N>G & Portable!

BARRICADE SYSTEMS

Product Code Description



CEP-1830POLICE	Quick-Deploy Police Barricade, White, Police Sheeting
CEP-1830NS	Quick-Deploy Police Barricade, White, No Sheeting
CEP-18104E	Traffic Barricade, Orange, 4" Engineer Grade Sheeting
CEP-18106E	Traffic Barricade, Orange, 6" Engineer Grade Sheeting
CEP-18106H	Traffic Barricade, Orange, 6" High Intensity Sheeting
CEP-1810NS	Traffic Barricade, Orange, No Sheeting
CEP-1840PEDX	Ped-X Barricade, Lime, Ped-X-ing Sheeting
CEP-1840NS	Ped-X Barricade, Lime, No Sheeting



Barricades fold flat

PROTECTORS



Product Code	Description	
CEP-1525	Post Protectors	For 4" posts— 4 1/2" dia. x 52"
CEP-1526	Post Protectors	For 6" posts— 6 5/8" dia. x 52"
CEP-1521	Beam Protectors	7 1/2" x 8 1/2" x 36"
CEP-1523	Corner Protectors	5 3/4" x 5 5/8" x 42"
CEP-1522	Wall Protectors	2" x 6" x 48"

Post Protectors

- Come in custom colors for the top cap and bottom.
- Preformed channel in top of post can be used for promotional or cautionary signage.

Beam Protectors

- Modular design — install in "stacked" mode to protect from high-reaching equipment.
- Special designed groove allows for easy install.

Corner and Wall Protectors

- Buffer your facility from material handling damage.



BOLLARD POST & SLEEVE COMBOS

Product Code	Description	Bollard Dims.	Post Sleeve	Item	Weight
1743PS	4" Round Bollard Post w/4" Smooth Post Sleeve	36"h x 4.5" dia.	5" dia. X 36"h	2	50lbs.
1744PS	4" Round Bollard Post w/4" Smooth Post Sleeve	42"h x 4.5" dia.	5" dia. x 42" h	2	55 lbs
1763PS	6" Round Bollard Post w/6" Smooth Post Sleeve	36"h x 6.625" dia.	7" dia. x 36" h	2	70 lbs.
1764PS	6" Round Bollard Post w/6" Smooth Post Sleeve	42"h x 6.625" dia.	7" dia x 42" h	2	77 lbs




ALUMINUM DOCKPLATES

Product Code	Description	
CEP-A-4836	3,700 lb. capacity	48" x 36" x 5" x 3/8"
CEP-A-4860	2,200 lb. capacity	48" x 60" x 9" x 3/8"
CEP-A-6048	3,600 lb. capacity	60" x 48" x 7" x 3/8"
CEP-A-6060	2,800 lb. capacity	60" x 60" x 9" x 3/8"
CEP-B-4848	4,800 lb. capacity	48" x 48" x 7" x 1/2"
CEP-B-4860	3,900 lb. capacity	48" x 60" x 9" x 1/2"
CEP-B-6048	5,900 lb. capacity	60" x 48" x 7" x 1/2"
CEP-B-6060	4,900 lb. capacity	60" x 60" x 9" x 1/2"



ALUMINUM DOCKBOARDS

Product Code	Description	
CEP-AC-6036	10,000 lb. capacity	60" x 36" x 5"
CEP-AC-6060	10,000 lb. capacity	60" x 60" x 9"
CEP-AC-7248	10,000 lb. capacity	72" x 48" x 7"
CEP-AC-7260	10,000 lb. capacity	72" x 60" x 9"
CEP-BC-6060	15,000 lb. capacity	60" x 60" x 9"
CEP-BC-7236	15,000 lb. capacity	72" x 36" x 5"
CEP-BC-7260	15,000 lb. capacity	72" x 60" x 9"



- 11" lip with 11° bend angle provides wide service range.
- Bolted locking legs give added safety in loading/unloading.
- Aluminum/steel combination absorbs stress.



ULTRA> POST PROTECTORS

Product Code	Description
--------------	-------------

CEP-1743-BK	Post protector, Decorative (Black) Fits Posts 6"- 6 3/4" D up to 52" H
-------------	------------------------------------------------------------------------

Decorative Model

- Sculptured design complements facility grounds and surroundings
- Several colors to choose from
- Rugged construction minimizes scratches, dents and other damage
- UV inhibitor in resin resists degrading effects of sunlight for years of service

Post Protectors put an end to dents, scratches and constant upkeep



CLEARANCE BARS

Product Code	Description	Dimensions	Weight
--------------	-------------	------------	--------

1780	5" Clearance bar	5" dia x 76"	7 lbs
1781	7" Clearance bar	7" dia x 77"	9 lbs



POST SLEEVES

Product Code	Description	Dimensions
--------------	-------------	------------

CEP-POSTSLV-1732	4" Post Sleeve	
CEP-POSTSLV-1730	6" Post Sleeve	
CEP-POSTSLV-1738	8" Post Sleeve	
CEP-POSTSLV-1730-72	6" Post Sleeve	72"H
CEP-POSTSLV-1738-72	8" Post Sleeve	72"H

- Standard color is yellow.

Add:

W=White	R=Red	GN=Green	OR=Orange
LM=Lime	BR=Brown	Blk=Black	

to part number.





POLY CURB RAMP



Product Code **Description**

CEP-CRAMP-1794 Poly Curb Ramp 28"Wx27"Lx4"H



CEILING PANELS WITH A DRAIN


Product Code **Description**

CEP-IB2x2 2' x 2' Ceiling Panel

CEP-IB2x4 2' x 4' Ceiling Panel

1. Simply replace an existing 2' x 2' or 2' x 4' acoustical ceiling panel with the patented drain panel.
2. Attach the enclosed drain hose with our clips and ties to your ceiling.
3. Direct any leak as far away as 25 feet. (This patented system can be used again and again.

Unsafe floor conditions, damaged equipment and unhealthy mold deposits are just some of the headaches caused by ceiling leaks. This patented system quickly and efficiently replaces an existing leaking acoustical ceiling panel and allows you to easily direct leaks as far as 25 feet away. The panel allows you to avoid an unattractive appearance and wasted time while protecting your equipment, floors, facility, staff and customers from ceiling leaks.



DRUM CHOCK

Product Code **Description**

CEP-DRCH-1 Drum Chock – Mini
For Front or Back of Drum

CEP-DRCH-2 Drum Chock – Full Length
Hold Drum in Place

CEP-DRCH-3 Drum Chock – Full Length
Tilts Drum Forward

CEP-DRCH-4 Drum Chock
Tilts Drum Forward w/Fork Opening





WORK PLATFORM



Product Code	Description	
CEP-STP18	Work Platform	18"x18"x10"H

- Interlocking Sections
- 500lb. Capacity
- Polyethylene Anti-Skid Deck



STEP STOOLS



Product Code	Description	
CEP-ST1	One Step Stool	18"x12"x12"H
CEP-ST2	Two Step Stool	22"x21"x20"H
CEP-ST3	Three Step Stool	32"x22"x30"H
CEP-ST4	Four Step Stool	45"x25"x69.5"H



POLY > CADE BARRICADE



Product Code	Description	
CEP-PC-6	Poly-Cade Barricade	72"Lx16"Wx35"H





WALL PROTECTORS

Product Code	Description	
CEP-BBG-48	Wall Protector	48"L x 6 1/4"W, 2 1/4" Thick
CEP-RP-18	Rack Protector	18"H x 4 1/2"W x 8"D
CEP-PP-5R	Pipe Protector For pipes and electrical conduit	42"H x 12"W x 6"D





Bolts to wall and covers up to 5 round pipe.

Wall Protector

Bolt to floor or attach with Velcro straps.

MOLDED POLYETHYLENE MODULAR PIECES CAN BE INTERLOCKED TO ANY CONFIGURATION.

CALL FOR QUOTE.





HOSE BRIDGES

Product Code	Description
CEP-HBRIDGE2472	Hose Bridge 24" x 72" x 5 1/2"



- Low angle profile and wide for easy access.
 - All cars.
 - Fire rescue.
 - Apparatus and heavy trucks.
- Recycled plastic.
- NOW with 6 hose openings!
 - Two 5", two 4", two 3".
- In plant use:
 - Welding cables.
 - Electrical conduit.
 - Water lines.
 - Hydraulic lines.
 - Air lines.
 - Steam lines.



Industrial use water department, electrical/gas/phone utilities, construction.





FLOOR MATS & GRATES

Product Code	Description
CEP-FLMAT2	2' Floor Matting
CEP-FLMAT3	3' Floor Matting
CEP-FLMAT4	4' Floor Matting
CEP-DRIDEK3	3' x 4' Grating



ANTI-FATIGUE

CEP's line of floor matting and grates are both anti-fatigue and durable for high traffic work areas.





Construction Safety

CUSHION TILE SYSTEMS



Product Code	Description
CEP-MAT12X2	Modular Safety Station Mats

- Beveled ramps for wheelchairs.
- Anti-fatigue, 3/4" thick supported by 81 "mini shock absorbers."
- Interlocking "waffle grid" allows maximum drainage.
- Modular 12" x 12" tiles fit snugly together to create any size mat.
- 2 3/4" ramps or new extra-wide 6" ramps.
- 100% recycled plastic.
- Specify color and surface style.
- Choose from 13 eye-catching colors.
- Tiles available in 8 styles.
 - Standard.
 - Encapsulated Dura Grit®.
 - Conductive and Static Dissipative.
 - Super Tough.
 - Carbide Grit Top®.
 - Solid Tile.
 - Super Soft.
 - Tuft Stuff Carpet. Tile®
- Pre-assembled workstations in 9 sizes.
 - 30" x 36" - 42" x 60"
 - 30" x 48" - 42" x 72"
 - 30" x 60" - 42" x 96"
 - 30" x 72" - 42" x 120"
 - 30" x 96"





TARPS

Product Code	Description	
CEP-FRTARP10X12	Tarp Fire Retardant	10' x 12'
CEP-FRTARP12X12	Tarp Fire Retardant	12' x 12'
CEP-FRTARP12X16	Tarp Fire Retardant	12' x 16'
CEP-FRTARP12X24	Tarp Fire Retardant	12' x 24'
CEP-FRTARP16X16	Tarp Fire Retardant	16' x 16'
CEP-FRTARP20X20	Tarp Fire Retardant	20' x 20'



FR RATED

CEP's tarps & slings are fire retardant and UV resistant for all weather conditions.

SAFETY FENCING

Product Code	Description	
CEP-FENCING-100	Safety Fencing	4' x 100'



CONSTRUCTION VERTICAL NETTING & NETTING WRAP



Product Code	Description
CEP-SBN-22-4OR	Vertical debris netting 4'x150' orange
CEP-SBN-22-4BLK	Vertical debris netting 4'x150' black



Knitted polyethylene threads with reinforced border. Meets NYC Local Law 61 and OSHA specs. Available in fire-retardant, high visibility fluorescent orange or non fire retardant black. Hole openings approx. 1/4". Other roll sizes available.

CEP-SBN-427-4OR	Vertical debris netting 4'x150' orange
CEP-SBN-427-4BLK	Vertical debris netting 4' x150' black

PVC coated polyester with reinforced border. Fire retardant. Meets NYC Local Law 61 and OSHA specs. Available in high visibility orange and black. Hole openings approx. 1/8" x 3/16". Other roll sizes available.



STOP FALLING DEBRIS



All CEP construction and netting is available in orange and black coloring, all OSHA regulations and NYCLOCAL Law 61 for construction applications.



Construction Safety



CONSTRUCTION SAFETY



Product Code	Description		
CEP-FLAG-XX	Flag - Plain	2.5" x 3.5", 15" - 36"	Please specify length
CEP-CFLAG-XX	Flag - Custom	4" x 5", 15" - 36"	Please specify length
CEP-TAPE-WARN	Tape	3" x 1000' Roll	Please specify verbiage
CEP-FLAG-DANGER	Flag	4 Mil Red Polyethylene, 12" x 300'	Sold by roll only
CEP-TAPE-SURVEYOR	Tape	1 3/16" Taffeta Roll Flagging, 2.5 Mil Glo Colors	144 roll/cs.



CONSTRUCTION SAFETY

Product Code	Description
CEP-TAPE	3" x 1000' Caution Tape Yellow w/ Black Letters
CEP-SAFETYCONE28	Safety Cone - Orange
CEP-FLRSIGN	Spill Floor Sign
CEP-GOGGLES	Safety Goggles
CEP-GLOVENIT-813	Disposable Nitrile Glove



CEP offers a full line of construction safety and remediation products.

CAN BE ADDED TO SPILL KITS





SOIL EROSION PREVENTION

Product Code	Description
Call for quote and sizes	
GEOTEX-W- (SIZE)	Geotextile woven fabric
GEOTEX-NW- (SIZE)	Geotextile nonwoven fabric

Applications used for

- RailRoad Stabilization
- Pond Underliners
- Erosion Control
- Asphalt Overlay
- Stabilization
- Drainage

Woven and Non-Woven Geotextile Fabric This geotextile is made up of polypropylene fibers. These fibers are needed to form a stable and durable network such that the fibers retain their relative position. It is non-biodegradable and resistant to most soil chemicals, acids and alkali with a pH range of 3 to 12.

CALL FOR QUOTE



ASPEN FIBER LOGS

Product Code	Description
CEP-ASPLOG9	9"x 25'
CEP-ASPLOG12	12"x 10'
CEP-ASPLOG20	18"x 10'

Aspen Fiber logs come in 9"x12" and 18" diameters. These are used anywhere sediment needs to be filtered. They have also been used in lieu of silt fence around job perimeters when allowed. They are traditionally staked in place with either t-posts or wood stakes.





MARINE CONTAINMENT BOOMS

Product Code	Description	
CEP-CB10-50	Containment Boom	10" x 50'
CEP-CB10-100	Containment Boom	10" x 100'
CEP-CB18-50	Containment Boom	18" x 50'
CEP-CB18-100	Containment Boom	18" x 100'
CEP-CB24-50	Containment Boom	24" x 50'
CEP-CB24-100	Containment Boom	24" x 100'
CEP-CB36-50	Containment Boom	36" x 50'
CEP-CB36-100	Containment Boom	36" x 100'
CEP-MINICB25	Mini Creek Boom	5" x 25'
CEP-NEO-4	Self Inflatable Neo Boom	10" x 100'



MARINE FIRE BOOMS



MARINE BOOM REELS, DISPERSANT SPRAYERS & PUMPS

Product Code	Description	
CEP-BREEL500-M	Manual Boom Reel	500' Capacity
CEP-BREEL500-E	Electric Boom Reel	500' Capacity
CEP-BREEL500-D	Diesel Driven Boom Reel	500' Capacity

* 1000' capacity is available in all models.



CEP-DISPRAY25	Dispersant Sprayer – Mobile – Fits Any Tank
CEP-SPATEPUMP250	Oil Spill Spate Pump – Diesel Driven
CEP-PUMP3	Diesel Driver – 3" Inlet Explosion Proof Power Pack




The CEP line of boom reels, dispersant sprayers and pumps are ideal for any catastrophic oil spill response.



MARINE SKIMMERS & TURBIDITY CURTAINS

Product Code	Description
CEP-RMOPSKIM	Electric or Diesel Driven Rope Mop Skimmer
CEP-DISCSKIM	Diesel Driven Disc Skimmer
CEP-VACSKIM	Vacuum Suction Skimmer
CEP-WEIRSKIM	Fiberglass-Weir Skimmer
CEP-BAFSYST100	Turbidity or Baffle Curtain System Various Lengths – 10' – 50'




CEP's oil skimmers are the leaders in continuous mechanical recovery. All models vary in recovery rates. The CEP Turbidity Curtains are designed for wastewater treatment or pond sludge



INDUSTRIAL OIL SKIMMERS

Product Code	Description	
CEP-BELTSKIM8	Belt Skimmer – Electric	40 GPH
CEP-BELTSKIM4	Belt Skimmer – Electric	20 GPH
CEP-BELTSKIM2	Belt Skimmer – Electric	12 GPH



**GREAT FOR
CONTINUOUS
RECOVERY**

CEP's line of industrial oil skimmers offer continuous high recovery rates of hydrocarbons in industrial sumps and catch basins. The belt driven electric skimmers vary in recovery by model.



MARINE SPILL ACCESSORIES

Product Code	Description	
CEP-TOWBR25	Boom Tow Bridle	7 lbs.
CEP-TIDESLIDE18	Boom Tide Slide	4'
CEP-CBRKIT	Boom Repair Kit	
CEP-BOOMSTAKE4	Boom Stake – Steel	4'

**\$
SAVES
YOU
MONEY**




CEP offers the widest range of boom accessories anywhere worldwide!



MARINE SPILL ACCESSORIES

Product Code	Description	
CEP-ANCHOR25	Anchor	25 lb.
CEP-ANCHOR50	Anchor	50 lb.
CEP-SNARE 30	Viscous Snare	Loose 30/cs
CEP-SNAREROPE	Viscous Snare	Rope 50' Sections
CEP-BUOY	Oil Boom Buoy / Light System	
CEP-HOSE2	2" Hose – Suction	

**\$
SAVES
YOU
MONEY**



**IDEAL FOR
HEAVY OILS**



Boom buoys, lights and anchors ensure full containment boom safety. CEP's viscous snare products are ideal for heavy crudes.



BIOSOK BILGE MAINTENANCE SYSTEM

Product Code	Description
CEP-BIOSOK	BIOSOK Bilge Maintenance System 3" D x 10" L, 8 oz

- Contains 8 ounces of scientifically modified beeswax
- Easy to use - Just tie the BioSok in the bilge where oil and water collects
- Captures and degrades oil and fuel that leaks in a boat bilge
- Nontoxic and environmentally safe – 100% natural
- BioSok will last a full boating season under most normal conditions



DOCKSIDE EMERGENCY BOX

Product Code	Description
CEP-8-ER1	Dockside Marina Spill Kit

Includes:

- 1 PowerSolve (12oz.)
- 1 Sheen Devil (10')
- 40 SmartPads
- 1 Terra Guard (10')
- 1 Versimat (55" x 10')
- 20 Versipads
- 2 Viscochips (1lb. bag)

IDEAL FOR ALL MARINE DOCKS OR VESSELS

For spills of oil, gasoline, diesel, transmission fluids and other petroleum products into streams, rivers, lakes or bays. Sturdy storage box designed for permanent dock placement.



CEP > SUPERSOCK

Product Code	Description
Cep-SuperSock	2.5" dia x 15" long, with hard core

For Heavy duty bilge containment, it has up to 10 times the absorption capability of the other bilge socks. Easy to use, easy to retrieve and to dispose of.

LED LIGHTS

Product Code	Description	Lumin/Length	Colors
CEP-2220	VB3 LED Light	5.5 / 3 1/2"	● ○ ● ● ●
CEP-1930	L1 LED Light	8.9 / 3 5/8"	● ○ ● ● ●
CEP-1930IR	L1 IR LED Light	2 5/8"	● ○ ● ● ●
CEP-2020	SabreLite LED	35 / 8 3/4"	● ○ ● ● ●
CEP-1990	MityLite 3N LED	8.9 / 5"	● ○ ● ● ●
CEP-2330	M6 LED Light	41 / 5 1/2"	● ○ ● ● ●
CEP-8020	M8 LED	35 / 10 1/4"	● ○ ● ● ●
CEP-2620	HeadsUP Lite	9 Low 14 Hi / 1 1/2"	○ ○ ○ ○ ○
CEP-2610	HeadsUP Lite	3 Low 28 Hi / 1 1/2"	○ ○ ○ ○ ○
CEP-2600	HeadsUP Lite	25 / 3 13/16"	○ ○ ○ ○ ○
CEP-2640	HeadsUP Lite	9 Low 21 Hi / 2 5/8"	○ ○ ○ ○ ○



HEAVY DUTY LIGHTS

Prod Code	Description	Lumin/Length	Colors
CEP-3600	Little Ed Alkaline 4AA	25 / 7 1/2"	● ○
CEP-3650	Little Ed Rechargeable	28 / 7 1/2"	● ○



MEDIUM DUTY LIGHTS

Product Code	Description	Lumin/Length	Colors
CEP-2000	Super SabreLite	33 / 7 13/16"	● ○ ●
CEP-1820	Pocket SabreLite	15 / 5 13/16"	● ○ ●
CEP-1800	Super PeliLite	15 / 6"	● ○ ●



WATERTIGHT PROTECTOR CASES

Product Code	Interior Dimension	Exterior Dimension	Colors
CEP-1120	7 3/8" x 4 7/8" x 3 1/16"	8 1/4" x 9 11/16" x 4 7/8"	● ● ● ● ●
CEP-1200	9 3/8" x 7 1/4" x 4 1/16"	10 5/8" x 6 9/16" x 3 9/16"	● ● ● ● ●
CEP-1300	9 3/8" x 7 1.4" x 6 1/8"	10 5/8" x 11 5/8" x 6"	● ● ● ● ●
CEP-1400	12" x 9 1/16" x 5 3/16"	13 3/8" x 6 9/16" x 3 9/16"	● ● ● ● ●
CEP-1500	17" x 11 7/16" x 6 1/8"	18 1/2" x 14 1/16" x 21 1/4"	● ● ● ● ●
CEP-1600	21 3/4" x 16 13/16" x 7 7/8"	24 1/4" x 19 7/16" x 8 11/16"	● ● ● ● ●
CEP-1750	50 1/2" x 13 7/16" x 5 1/4"	53" x 17 7/16" x 6 1/16"	● ● ● ● ●
CEP-350	20" x 20" x 20"	22 1/2" x 22 7/16" x 3 9/16"	● ● ● ● ●



Many other sizes available.
Optional pull straps and wheels.
Optional padded dividers.




Extra Protection
Pick N Pluck foam allow
you to customize the interi
according to your gear.



PORTABLE DECON WASTE POOLS

Product Code Description

1	CEP-DP-6	Decon Pool	62"ID x78"OD	85 Gal. Capacity
	CEP-DPP-96	6' Pool Ground Pad		
	CEP-DPH-20	6' Pool Retention Hose		
2	CEP-DPI-5	Inflatable Collar	5'Dia x 13"High	120 Gal. Capacity
		Wash Pool w/Case		
	CEP-DPI-8	Inflatable Collar	8'Dia x 13"High	307 Gal. Capacity
		Wash Pool w/Case		



QUICK & EASY TO DEPLOY



DECON CONTAINMENT BERMES

Product Code Description

CEP-DBI-1414	Std. Duty Inflatable Sidewall Decon Berm	14' x 14' x 7"D
CEP-DBI-1426	Std. Duty Inflatable Sidewall Decon Berm	14' x 26' x 7"D
CEP-DBI-1640	Std. Duty Inflatable Sidewall Decon Berm	16' x 40' x 7"D

- Standard Duty 10 oz. PVC.
- Also available in Heavy Duty 32 oz. PVC.

INFLATABLE



ENCLOSED DECON WASTE TANK


Product Code Description

CEP-TEWT-110	Enclosed Waste Tank	110 Gal.
CEP-TEWT-150	Enclosed Waste Tank	150 Gal.
CEP-TEWT-300	Enclosed Waste Tank	300 Gal.
CEP-TEWT-600	Enclosed Waste Tank	600 Gal.
CEP-TEWT-1200	Enclosed Waste Tank	1200 Gal.
CEP-TEWT-1800	Enclosed Waste Tank	1800 Gal.
CEP-TEWT-2500	Enclosed Waste Tank	2500 Gal.

HQ HIGHEST QUALITY

100-2,500 GALLON STORAGE CAPACITY

28 oz. PVC coated rip>stop woven fabric. Ideal for potable and non>potable water storage.




DECON > U > SHOWER

**Product Code** **Description**

CEP-DU-50	Portable DeCon "U" Shower includes bag	52" x 52" x 7'6"H Assembled Size
-----------	-------------------------------------------	-------------------------------------

Containment pool sold separately.

- Output 6.33 GPM @ 30 PSI

DISPOSABLE DECON SHOWER &
AIRLOCK SYSTEM**Product Code** **Description**

CEP-DCON3	3-Room System: Clean, Shower and Equipment Room	37" x 37" x 77"
CEP-DCON3XL	Extra Large 3-Room System: Clean, Shower and Equipment Room	43" x 48" x 81"
CEP-DCON2	2 Clean and / or Equipment Rooms	37" x 37" x 81"

Low > cost, durable and disposable.





Poles and shower nozzles sold separately.



DECON SPRAY HOOPS

Product Code **Description**

CEP-DH40	DeCon Spray Hoop	45"OD x 39"ID
	2 Pieces	Two 43"-66" Extendable Handles
CEP-DH40-4P	DeCon Spray Hoop	45"OD x 39"ID
	4 Pieces	Two 32"-53" Extendable Handles
CEP-DHSB4	Storage Bag for DH40	
CEP-DHSB44	Storage Bag for DH40-4P	



**BE PREPARED
FOR DISASTER!!**

CEP

Emergency Response Equipment

QUICK ERECT DECON/EMERGENCY SHELTER


Product Code	Description	
CEP-QE1014	Decon Shelter	10' x 14'
CEP-QE1020	Decon Shelter	10' x 20'
CEP-QE1025	Decon Shelter	10' x 25'

12 oz. White Rip>Stop fire retardant material.

Includes frame, cover, hardware, 2 vents, 1 window and 1 door.

Options:

HQ
HIGHEST
QUALITY



SHELTER HEATER

Product Code	Description
CEP-HOT VENT PRO-70	Shelter Heater

HQ
HIGHEST
QUALITY

- Heat output from 100°F to 250°F.
- 70,000 Btu system.
- Connect to any 8"-10" air hose duct.

**GENERATED HEAT
FOR INCIDENT
COMMAND**



PORTABLE HIGH PRESSURE SOAP INJECTOR

Product Code	Description	
CEP-FSI-1	H.P. Soap Injector	2 Gal Capacity

- Manually operated.
- High pressure.
- Foot pump with serrated foot treadle.
- Supply line hose: 3/8" x 10'
- Overcome line pressures to 1250 lbs.



DAT SERIES HAZMAT DECON SHOWERS

Product Code	Description		
CEP-DAT2020S	Decon Shower, One Person, Full Size	80 lbs	7' x 7' x 8'H
CEP-DAT1010S	Decon Shower, One Person, Economy Size	45 lbs	3' x 3' x 8'H
CEP-DAT3060S	Decon Shower, Multiple Personnel, Large	185 lbs	13' x 20' x 9'H

- Portable, heavy duty construction
- Rapid deployment
- Multiple models/sizes available
- No pool to roll out - no parts to assemble
- High visibility interior incorporated into all DAT series showers

Incredible stability even in high wind conditions to 70 mph plus when properly tied down



STANDARD DECONTAMINATION SHOWER SYSTEM

Product Code	Description	
CEP-HMK1101A	Standard Decontamination Shower System	95 lbs

- System includes: shower, pool, elevation grids and carry bags
- Unique quick-connects for fast assembly
- Six shower heads plus an independent hand-held sprayer
- Heavy-duty yet transports easily in two vinyl bags



ISOLATION ROOM



Product Code	Description	
CEP-IR-99	9' X 9' X 7'6" H	100 lbs
CEP-IR-910	9' X 10' X 7'6" H	
CEP-IR-912	9' X 12' X 7'6" H	



Specialized care can be administered while still protecting indoor or outdoor environments with our new Isolation Room. Built with a series of heat-welded tubes, air flow is maintained throughout the room making it a strong, safe structure and protected working environment. A variety of options are available, including custom sizes, carry bag, pump carry bag, additional 4" ports with lids and a complete negative flow system. Air support system not shown.



All rooms come complete with blower, non-skid floor and portholes.

ISOLATION CHAMBER

Product Code	Description
CEP-ISO-1	ISO CHAMBER ONLY
CEP-ISO-4	ISO-CHAMBER w/6 C2A1 (NBC) FILTERS, POWER - ALKALINE D BATTERIES



CEP is pleased to add the Isolation Chamber to their product line. This chamber is perfect for hospital use when transport is needed for patients exposed to hazardous elements or life threatening events. It protects hospital staff and emergency personnel while they attend to the patient's needs. With the chemical threats of today, such as Anthrax, the Isolation Chamber greatly reduces the danger of exposure. Gurney not included.

All chambers include blower assembly, oxygen port and storage bag.



PORTABLE DIAPHRAGM HAND PUMP

Product Code	Description
CEP-MP-15	15GPM diaphragm Hand Pump Includes Female Nyglass quick Couplers and Mounting Board
CEP-P-151H	10' x 1-1/2" Inlet Hose Assy
CEP-P-150H	20' x 1-1/2" Outlet Hose Assy



AEROSOL FILLER CRUSHERS,
HYDRAULIC WASTE
& DRUM COMPACTORS

Product Code	Description
CEP-DCRUSH55	Steel Drum Compactor – 60,000 lbs. force
CEP-AEROSOLV-5000	Aerosol Can Puncture/Recycle System
CEP-WASTECOMPACT250	Bulk Waste Compactor – 60,000 lbs. force

\$
SAVES
YOU
MONEY

HQ
HIGHEST
QUALITY





All CEP compactors are EPA certified and offer the highest level of compactor force. The aerosol puncture and recycle systems are static resistant and ideal for proper aerosol

AEROSOL CANS DEPRESSURIZED

Product Code	Description
CEP-J-7	Can-Emiter
CEP-2001	V.O.C. Filter Kit
CEP-2002	Hose Kit with Drum Adapters

- After can is punctured, the liquid and propellant are expelled through the hose into the drum.
- Propellants escape through the vent in the lid or through the filter where hydrocarbons are absorbed.

Remains sealed at all times and will accept all sizes of aerosol cans!





POLY TANKS & BULK TOTES

Product Code	Description	
CEP-PTANK300	Poly Tank 300 Gallon	22" Manhole
CEP-PTANK500	Poly Tank 500 Gallon	22" Manhole
CEP-PTANK1000	Poly Tank 1000 Gallon	22" Manhole
CEP-TC275	275 Bulk Tote	
CEP-IBCTOTE-330	IBC Bulk Container 330 Gallon	



CEP's poly tanks and bulk totes are ideal for bulk liquid storage and transfer. All sizes

HAZ MAT TRAILERS

Product Code	Description
CEP-UTRAIL16	16' Dual Axle-Bumper Pull Utility Trailer
CEP-UTRAIL20	20' Dual Axle-Bumper Pull Utility Trailer
CEP-ERTRAIL16	16' Dual Axle-Enclosed Response Trailer



HAZ MAT TRAILERS

Product Code	Description
CEP-ERTRAIL20	20' Dual Axle-Enclosed Response Trailer






CEP offers the finest line of bumper pull and enclosed emergency response trailers. All trailers are dual axle with anti-lock brakes, optional bumper pull and rear or side doors and ramps.

IN>LINE MULTI MANIFOLD

Product Code	Description
CEP-MM15-3	1-1/2" Inlet / 3 Valve Outlet
CEP-MM15-6	1-1/2" Inlet / 6 Valve Outlet
CEP-MM25-3	2-1/2" Inlet / 3 Valve Outlet
CEP-MM25-6	2-1/2" Inlet / 6 Valve Outlet

NH threaded rocker lug inlet couplings are standard.

Quickly connect standard 3/4 inch hose to hydrants, fire hoses, or fire apparatus.



HIGH VOLUME PUMPS

Product Code	Description
CEP-D75	Selwood High Volume Pump 5HP, 264GPM
CEP-D100	Selwood High Volume Pump 8.7HP, 528GPM
CEP-D150	Selwood High Volume Pump 38HP, 1672GPM
CEP-D200	Selwood High Volume Pump 56HP, 2640GPM

- Self prime
- Environmentally friendly
- Indefinite dry running
- Oil immersed mechanical seal
- Super silent from 58db



POSITIVE DISPLACEMENT PUMPS

Product Code	Description
1 CEP-PD50	Selwood Simplite Diaphragm Pump, general purpose 1HP, 48.5GPM
2 CEP-PD75	Selwood Spate Pump 3.3HP, 132GPM
3 CEP-PD100	Selwood Spate Pump 8HP, 339GPM

- Unique auto self priming.
- Environmentally friendly.
- Indefinite dry running.
- Handles oils and sludges.
- Simple maintenance.



SOLIDS HANDLING PUMPS

Product Code	Description
1 CEP-S150	Selwood Seltorque Pump 32HP, 1408GPM
2 CEP-S200	Selwood Seltorque Pump 56HP, 2200GPM
CEP-S300	Selwood Seltorque Pump 106HP, 4843GPM

- Seltorque pumps for solid handling.
- Auto self priming.
- Environmentally friendly.
- Indefinite dry running.
- Oil immersed mechanical seal.



SPILL PREVENTION, CONTROL AND COUNTERMEASURES RULE

A. BACKGROUND:

• Under authority of The Federal Water Pollution Control Act (as amended by The Clean Water Act) the SPCC rule took effect on January 10, 1974. Its purpose is to prevent oil and oil-related materials from reaching navigable waters and adjoining shorelines. Parts of the original rule were unclear (i.e., container size was not specified) and compliance was expensive for small business due to the need to obtain certification by a Professional Engineer (PE). As a result, the original rule was revised in July 2002. Various extensions have taken place since then that address special cases. (See section F below).

B. SUMMARY:

- Facilities subject to the rule must prepare and implement a plan to prevent any discharge of "oil" into or upon navigable waters of the U.S. (including groundwater that leads to surface water) or adjoining shorelines. This written plan is called an SPCC Plan.
- Unlike oil spill contingency plans that address spill cleanup measures after a spill has occurred, SPCC Plans ensure that facilities put in place containment and other countermeasures that would prevent oil spills that could reach navigable waters.
- The SPCC Plan must address: (a) operating procedures the facility implements to prevent oil spills; (b) control measures installed to prevent oil from entering navigable waters (i.e. secondary containment); (c) countermeasures to contain, clean up and mitigate the effects of oil spills.

C. REGULATED MATERIALS:

- Animal oils, fats and greases (including oils from fish or marine mammals), asphalt, aviation gasoline, bunker fuel, crude oil, cutting oil/machine coolants, dielectric fluid, diesel fuel, heating oil, gasoline, greases, hydraulic oil, jet fuel, lubricating oil, mineral spirits, motor oil, naphtha, natural gas condensate, oil refuse, oily wastes (other than oil mixed with dredged soil), stoddard solvent, synthetic oils, tall oil, turpentine, residual fuels, used oil, vegetable oils (including oils from nuts, seeds, fruits and kernels).

D. WHAT FACILITIES ARE REGULATED?

- Facilities with combined (indoor and outdoor), above-ground oil storage capacity (not actual gallons on site) dedicated to any of the regulated materials greater than 1,320 gallons or a completely buried storage capacity greater than 42,000 gallons must comply.
- To calculate oil storage "capacity", **all containers with a capacity of 55 gallons or more are included.**
- Overall, the Rule applies to owners or operators of facilities that drill, produce, gather, store, use, process, refine, transfer, distribute or consume oil or oil products.

E. WHAT ACTIONS ARE NECESSARY FOR COMPLIANCE?

- All qualifying drums and tanks must have secondary containment and be included in the written Plan. **Facilities with above-ground oil storage capacity of 10,000 gallons or less are permitted to self-certify their Plan (no PE required) if they meet certain criteria related to spill history.** Secondary containment is also required for loading and unloading areas for tanker trucks and railcars. Secondary containment must be equal to the largest vessel. In the case of a railcar, the containment area must provide a means to divert a significant spill to a retention pond, oil/water separator, etc.
- The Plan must include a facility diagram, and must mark the location and contents of each container. Secondary containment must be constructed so that any discharge from a primary containment system (i.e. drum, tank or pipe) will not escape before cleanup occurs.

F. EPA HAS ISSUED COMPLIANCE DATE EXTENSIONS — WHAT DOES THAT MEAN?

- EPA has caused a great deal of confusion related to its various extensions. Soon after the 2002 rule changes were published, concerns expressed by industry focused on four (4) problem areas:
 1. Qualified, oil-filled operational equipment

2. Motive power containers (e.g. vehicle fuel tanks)
3. Mobile refuelers
4. Animal fats & vegetable oils at onshore & offshore oil production, drilling facilities

The most recent extension date (currently July 1, 2009) applies only to the four (4) special cases listed above.

The July 1, 2009 date is not an extension date for general compliance with SPCC.

G. WHO MUST COMPLY AND WHEN?

- Compliance dates for facilities (other than farms) are as follows:
 - A facility starting operation on or before August 16, 2002 **MUST** Maintain its existing Plan; must amend and implement the Plan no later than July 1, 2009. Facilities in this group that do not currently have an SPCC Plan are out of compliance and are subject to regulatory action.
 - A facility starting operation after August 16, 2002 through July 1, 2009 MUST:** Prepare and implement a Plan no later than July 1, 2009.
 - A facility starting operation after July 1, 2009 MUST:** Prepare and implement a Plan before beginning operations.

H. OTHER SPCC-RELATED ITEMS

- An SPCC inspector is not required to provide advance notice of a facility inspection.
 - Facility owners or operators regulated by SPCC must designate a person who is accountable for discharge prevention and who reports directly to management.
 - In general, "transfers" of oils are regulated by SPCC; "transportation" of oil is not regulated.
- Visit <http://www.epa.gov/oilspill/spcc.htm> to review the SPCC Regulation in its entirety.**

STORMWATER MANAGEMENT REGULATIONS

A. SUMMARY:

- The National Pollutant Discharge Elimination System (NPDES) permit program controls water pollution by regulating point sources and non-point sources that discharge pollutants into waters of the United States.
- These regulations are a key component of EPA's Clean Water Act.
- The overriding goal is to protect the quality of U.S. waterways by reducing the discharge of sediment, oil and chemicals into storm drains, surface water and groundwater.

B. WHO MUST COMPLY?

Three (3) main categories must comply with the NPDES Regulations:

1. **Industrial Sites** — a diverse range of 450 Standard Industrial Classification Codes (SIC) are regulated. Visit www.Stormwater-Products.com/regs for a detailed listing.
2. **Construction Activities** — Phase II of the regulations went into effect in March 2003 and requires that construction sites on one (1) acre or more (commercial or residential) must comply.
3. **Municipalities** — Phase II requires that all municipalities with a population of 10,000 or more must comply. Regulated properties include city-owned facilities (i.e. maintenance yards, water treatment plants, refuse dumps, city parks, parking garages, marinas, etc.) and city-supervised construction activities (i.e. road work, water main repairs, landscape development and maintenance, etc.)

C. WHAT ACTIONS ARE NECESSARY FOR COMPLIANCE?

- A Stormwater Pollution Prevention Plan (SWPPP) must be filed with the state or regional EPA to receive a stormwater permit.
- The Stormwater Plan requires the use of "Best Management Practices" (BMPs) to control stormwater runoff during construction activity or as part of a long-term maintenance plan.
- BMPs that are specified in the Plan must reduce the discharge of pollutants to the maximum extent practicable (MEP), protect water quality and satisfy the appropriate water quality requirements of the Clean Water Act.

