

Congreso de la Unión N° 234 Col. Janitzio.
Delg. Venustiano Carranza, C.P. 15200 México, D.F

Tel. 52 (55) 5705•4947 c/20 Líneas



FUSIBLES LIMITADORES DE CORRIENTE



FAMILIA FTR


FURUNO®

DIMENSIONES


	VOLTAJE	AMPERAJE	LARGO (L) (mm)	DIAMETRO	I ₃	kA.	A (mm)	B (mm)	C (mm)	PESO (kg)
VOLTAJE 15/24										
FTR-15/24-6-595-80	15/24	6	595	80	18	63	595	80	85	5
FTR-15/24-10-595-80	15/24	10	595	80	30	63	595	80	85	5
FTR-15/24-16-595-80	15/24	16	595	80	48	63	595	80	85	5
FTR-15/24-25-595-80	15/24	25	595	80	75	63	595	80	85	5
FTR-15/24-32-595-80	15/24	32	595	80	96	63	595	80	85	5
FTR-15/24-40-595-80	15/24	40	595	80	120	63	595	80	85	5
FTR-15/24-50-595-80	15/24	50	595	80	150	63	595	80	85	5
FTR-15/24-63-595-80	15/24	63	595	80	189	63	595	80	85	5
FTR-15/24-80-595-80	15/24	80	595	80	240	63	595	80	85	5
FTR-15/24-100-595-80	15/24	100	595	80	300	63	595	80	85	5
FTR-15/24-125-595-80	15/24	125	595	80	375	63	595	80	85	6
FTR-15/24-160-595-80	15/24	160	595	80	480	63	595	80	85	6
FTR-15/24-200-595-80	15/24	200	595	80	600	63	595	80	85	6
VOLTAJE 36										
FTR-36-6-715-80	36	6	715	80	18	50	715	80	85	7
FTR-36-10-715-80	36	10	715	80	30	50	715	80	85	7
FTR-36-16-715-80	36	16	715	80	48	50	715	80	85	7
FTR-36-25-715-80	36	25	715	80	75	50	715	80	85	7
FTR-36-32-715-80	36	32	715	80	96	50	715	80	85	7
FTR-36-40-715-80	36	40	715	80	120	50	715	80	85	7
FTR-36-50-715-80	36	50	715	80	150	50	715	80	85	7
FTR-36-63-715-80	36	63	715	80	189	50	715	80	85	7
FTR-36-80-715-80	36	80	715	80	240	50	715	80	85	7
FTR-36-100-715-80	36	100	715	80	300	50	715	80	85	7
FTR-36-125-715-80	36	125	715	80	375	50	715	80	85	7
FTR-36-160-715-80	36	160	715	80	480	50	715	80	85	7
FTR-36-200-715-80	36	200	715	80	600	50	715	80	85	7
VOLTAJE 15/24										
FTR9-15/24-6-122-604	15/24	6	604	122	18	63	604	122	85	9
FTR9-15/24-10-122-604	15/24	10	604	122	30	63	604	122	85	9
FTR9-15/24-16-122-604	15/24	16	604	122	48	63	604	122	85	9
FTR9-15/24-25-122-604	15/24	25	604	122	75	63	604	122	85	9
FTR9-15/24-32-122-604	15/24	32	604	122	96	63	604	122	85	9
FTR9-15/24-40-122-604	15/24	40	604	122	120	63	604	122	85	9
FTR9-15/24-50-122-604	15/24	50	604	122	150	63	604	122	85	9
FTR9-15/24-63-122-604	15/24	63	604	122	189	63	604	122	85	9
FTR9-15/24-80-122-604	15/24	80	604	122	240	63	604	122	85	9
FTR9-15/24-100-122-604	15/24	100	604	122	300	63	604	122	85	9
FTR9-15/24-125-122-604	15/24	125	604	122	375	63	604	122	85	9
FTR9-15/24-160-122-604	15/24	160	604	122	480	63	604	122	85	9 ^x
FTR9-15/24-200-122-604	15/24	200	604	122	600	63	604	122	85	9 ^x

Diagramas





RSM Simétricos Corriente Prospectiva



Valor Virtual De La Corriente Prospectiva (kA)

