

FULL LINE CATALOG



Water Coolers

Drinking Fountains

Chillers

Bottle Filling Stations



Halsey Taylor

Satisfying Thirsts Since 1912.

Halsey Taylor...

We Have The Solution, Inside and Out!



Filtered models are equipped with a lead reduction system and certified to NSF/ANSI 42 and 53 for the filter certification



HVR8HD 14 Gauge Water Cooler



4420BFDB Outdoor Bottle Filling Station

Halsey W. Taylor made the decision to dedicate his life to providing a safe drink of water in public places in 1912, when he developed the Puritan sanitary drinking fountain. The rest, as they say, is history, and while we are extremely proud of the many innovations that are associated with the Halsey Taylor name, we have never lost focus of our original mission of providing the safest drink of water possible.

For both indoor and outdoor applications, Halsey Taylor can provide the solution to meet your drinking water needs. From the classroom to the playground, indoor arenas to the ballfields, correctional facility to the jogging path, office to the golf course, hotel lobby to the sidewalk...you can count on Halsey Taylor to deliver a safe, satisfying drink with style.

Stroll through our catalog to see exciting new products, such as the Bottle Filling Station series and the 14 gauge vandal-resistant water cooler, in addition to the tried-and-true water cooler, drinking fountain and remote chiller favorites. Most of our products are offered with optional filtration systems which are NSF/ANSI 42 and 53 certified.

Halsey Taylor would like to thank you for your continued trust and support. As always, exciting new products and innovations will be a part of our future. But more importantly, just as it's been since 1912, our top priority will always be the safety of those who drink from water coolers, fountains, and bottle filling stations. We're certain Halsey W. Taylor would be proud.



All current Halsey Taylor drinking water products are certified to lead free compliance. Third party certified to NSF/ANSI 61.



Our manufacturing facility, located in Savanna, Illinois, holds ISO 9001 Registration.



All Halsey Taylor products are assembled in the USA.



ADA Compliant, when properly installed. *All products on pgs 4-18 are compliant; other products as designated with ADA symbol.*

Halsey Taylor Water Coolers are designed to meet ARI Standard 1010.

TABLE OF CONTENTS

HydroBoost™ Bottle Filling Stations.....	4-5
ADA Wall Mounts.....	6-18, 19*-21 *
Wall Mounts.....	19-23
Floor Models.....	24-25
Outdoor Bottle Filling Stations.....	26-27
Outdoor Fountains.....	28-32
Standard Fountains.....	33-35
Remote Chillers.....	36
Accessories.....	37-41
Color Guides.....	42
Index.....	43

*as noted for ADA compliance

Halsey Taylor...

Our commitment to sustainability



We, at Halsey Taylor, understand the importance of offering products which support efficiency and lessened environmental impact. Halsey Taylor continuously looks for opportunities within products and processes to reduce waste, such as the recent elimination of a tinning process in the manufacturing of our refrigeration systems. Additionally, we invest in research and development to keep current on the latest trends and new technology.

We are proud to offer our portfolio of GreenSpec® Listed products*:

HTHB HydroBoost™ Bottle Filling Stations help to reduce our dependency on plastic water bottles which often end up as landfill waste. The innovative Green Counter™ counts the number of plastic bottles saved from waste. Offered with optional WaterSentry® Plus filtration system.

- In-Wall models as stand-alone, or pairing with our OVL-II™ and Contour™ fountains
- Complete combination units with our top-selling HAC water cooler
- Retrofit for most existing HAC installations
- HVRGRN water coolers & OVL-II GRN refrigerated fountains feature high-efficiency refrigeration systems, reduced refrigerant and SmartFlow™ bubblers for conserving water usage over the average market performance.
- SJ8GRN water chiller, which comes standard with the OVL-II™ GRN series, features a high-efficiency refrigeration system which realizes 55% greater energy efficiency over average market performance. Smart Application Tip: Pairing the SJ8GRN Chiller and HydroBoost Bottle Filling Station provides an energy-wise water station from our landfills.

Halsey Taylor also carries a line of Marblyte™ composite fountains which have been awarded with the U.S. Dept. of Agriculture BioPreferred designation. These fountains are produced from corn and soy which are rapidly renewable agricultural materials. The HRFG fountains are durable, attractive, and a responsible choice.



*Listed in CSI Section 22 47 00

BOTTLE FILLING STATIONS

HydroBoost™ In-Wall Recessed Bottle Filling Stations



HTHB-8



HTHB-LR

For filter replacement cartridges, order:

- 55898C (single)
- 55898C_3PK
- 55898C_12PK
- 55898C_24PK
- 55898C_48PK



- Designed as a stand-alone unit or for pairing with Halsey Taylor's OVL-II™ or Contour™ fountains
- Available with GreenSpec® Listed high-efficiency SJ8GRN water chiller
- Ideal for fitness centers, education, recreation, healthcare, and hospitality facilities
- Quick fill rate
- Sanitary sensor-activation with automatic 20-second shut-off
- Innovative Green Counter™ displays the quantity of plastic bottles saved from waste
- Available as filterless or with WaterSentry® Plus 3000 Gallon Filter (Certified to NSF 42 & 53 for lead, chlorine, particulate and taste & odor reduction)
- Filtered models include Visual Filter Monitor to indicate when replacement is necessary
- Integrated Silver Ion Anti-microbial protection
- Includes mounting frame for quick and simple installation
- Hinged door allows for easy servicing
- Rated for Indoor service

Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS
						220 Volts
HTHB-8	HWF3000 Filter	8.0	370	4.0	80	🟢
HTHB-8-NF		8.0	370	4.0	76	🟢
HTHB-SJ8GRN	HWF3000 Filter, SJ8GRN	8.0	260	2.8	81	🟢
HTHB-SJ8GRN-NF	SJ8GRN	8.0	260	2.8	77	🟢
HTHB-LR	HWF3000 Filter	-	-	-	33	🟢
HTHB-LR-NF	Cup Dispenser	-	-	-	29	🟢

🟢 Available option

HAC-HydroBoost™ Stations



HTHB-HAC8WF



Exclusive
Halsey Taylor
Double Bubbler™

- Ideal for fitness centers, education, recreation, healthcare and hospitality facilities.
- Available as:
 - Retrofit kit for existing HAC cooler installations (115V, pushbar models)
 - Complete HAC water cooler plus HydroBoost Bottle Filling Station
- Available as filterless or with WaterSentry® Plus 3000 Gallon Filter (Certified to NSF 42 & 53 for lead, chlorine, particulate and taste & odor reduction)
- Bottle Filling Station features:
 - Sanitary sensor-activation
 - Automatic 20-second shut-off
 - Innovative Green Counter™ displays the quantity of plastic bottles saved from environment
 - Quick fill rate
 - Integrated Silver Ion Anti-microbial protection
 - Filtered models include Visual Filter Monitor to indicate when replacement is necessary
- HAC Water Cooler features:
 - Easy-to-operate front and side pushbars with raised letters for the visually impaired
 - Access to trap without removing side panels
- Rated for Indoor service
- Optional cane aprons: 98312C (PV), 98324C (SS)



HTHB-HAC8BL-WF



**HAC Cabinet
Finish Options:**
Platinum Vinyl (PV)
Stainless Steel (SS)

For filter replacement cartridges, order:

- 55898C (single)
- 55898C_3PK
- 55898C_12PK
- 55898C_24PK
- 55898C_48PK

Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (lbs)	AVAILABLE OPTIONS
						220 Volts
RETROFIT UNITS						
HTHB-HAC-RF	HWF3000 Filter & Basin	(all three above are based on existing cooler)			33	
HTHB-HAC-RF-NF		(all three above are based on existing cooler)			28	
SINGLE UNITS						
HTHB-HAC8-WF	HWF3000 Filter	8.0	370	4.0	89	🌿
HTHB-HAC8-NF		8.0	370	4.0	85	🌿
HTHB-HAC-LR-WF	HWF3000 Filter	--	--	--	54	🌿
HTHB-HAC-LR-NF		--	--	--	49	🌿
BI-LEVEL UNITS						
HTHB-HAC8BL-WF	HWF3000 Filter	8.0	370	4.0	111	🌿
HTHB-HAC8BL-NF		8.0	370	4.0	107	🌿
HTHB-HACDBL-LR-WF	HWF3000 Filter	--	--	--	76	🌿
HTHB-HACDBL-LR-NF		--	--	--	72	🌿

🌿 Available option

BOTTLE FILLING STATIONS

ADA WALL-MOUNTS

GreenSpec® Listed OVL-II™ GRN Refrigerated Fountains



Features
SmartFlow™
Bubbler



GreenSpec®
LISTED



OVL-II ER-GRN-VR



OVL-II SER-GRN-VR



OVL-II ESR-GRN-VR

Finish Options:
Stainless Steel (SS)



OVL-II™ GRN Refrigerated Fountains

- Over 55% greater energy efficiency*
- Vandal-resistant SmartFlow™ bubbler reduces water usage by nearly 40%*
- Sophisticated oval styling
- Semi-circular pushbars for ease of operation
- Rated for Indoor Use
- Removable louvered front panel for easy servicing
- Optional cane apron: HTOVLAPR (Black)

* over average market performance

Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)
SINGLE UNITS					
OVL-II ER-GRN-VR		7.5	260	2.8	96
OVL-II ER-GRN-VR-WF	HWF172 Filter	7.5	260	2.8	98
BI-LEVEL UNITS					
OVL-II SER-GRN-VR		7.5	260	2.8	135
OVL-II SER-GRN-VR-WF	HWF172 Filter	7.5	370	4.0	137
OVL-II ESR-GRN-VR		7.5	260	2.8	135
OVL-II ESR-GRN-VR-WF	HWF172 Filter	7.5	370	4.0	137

GreenSpec® Listed Water Coolers

ADA WALL-MOUNTS



HVRGRN8



HVRGRN8-BL

HVRGRN Series

- Over 50% greater energy efficiency*
- Vandal-resistant SmartFlow™ bubbler reduces water usage by nearly 40%*
- Vandal-resistant pushbutton and pinned torx screws
- Satin finish resists stains and corrosion
- U.L. listed for Indoor and Outdoor service (Glass Filler models for indoor service only)
- Meets Adult or Child ADA
- Optional cane apron: 98324C (SS)

* over average market performance



Finish Options:
Stainless Steel (SS)

Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)
SINGLE UNITS					
HVRGRN8		8.0	260	2.8	66
HVRGRN8-WF	HWF172 Filter	8.0	260	2.8	70
HVRGRN8-GF-WF	HWF172 Filter & Glass Filler	8.0	260	2.8	72
BI-LEVEL UNITS					
HVRGRN8-BL		8.0	260	2.8	94
HVRGRN8-BL-WF	HWF172 Filter	8.0	260	2.8	97
HVRGRN8-BL-GF-WF	HWF172 Filter & Glass Filler	8.0	260	2.8	98

Barrier-Free Water Coolers



HAC-8FS-Q ADA



HAC-8FS-BL-Q ADA



HAC-8EE-BL-Q ADA

Finish Options:
Platinum Vinyl (PV)
Stainless Steel (SS)



HAC Series

- Easy-to-operate front and side pushbars with raised letters for the visually impaired
- Exclusive Halsey Taylor *Double Bubbler™*
- Rated for Indoor Use
- Large backplate opening for easier rough-ins
- Access to trap without removing side panels
- Meets Adult or Child ADA
- Optional cane aprons: 98312C (PV), 98324C (SS)

Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS			
						1500 Gal. Filter	Gooseneck Glass Filler	Easy-Flex or VR Bubbler	220 Volts
SINGLE UNITS									
HAC-8EE-Q	Sensor	8.0	370	4.0	74	🟢		🟢	
HAC-8FS-Q		8.0	370	4.0	72	🟢	🟢	🟢	🟢
HAC-8FS-WF-Q	HWF172 Filter	8.0	370	4.0	75	🟢	🟢	🟢	🟢
HAC-FS L/R		--	--	--	35	🟢	🟢	🟢	
HAC-FS-WF L/R	HWF172 Filter	--	--	--	38	🟢	🟢	🟢	
BI-LEVEL UNITS									
HAC-8EE-BL-Q	Sensor	8.0	370	4.0	95	🟢	🟢	🟢	
HAC-8FS-BL-Q		8.0	370	4.0	93	🟢	🟢	🟢	🟢
HAC-8FS-BL-WF-Q	HWF172 Filter	8.0	370	4.0	96	🟢	🟢	🟢	🟢
HAC-FS-DBL L/R		--	--	--	72	🟢	🟢	🟢	
HAC-FS-DBL-WF L/R	HWF172 Filter	--	--	--	75	🟢	🟢	🟢	
BI-LEVEL REVERSE UNITS									
HAC-8FS-BL-R-Q		8.0	370	4.0	93		🟢	🟢	🟢
HAC-FS-DBLR L/R		--	--	--	72		🟢	🟢	

🟢 Available option 🟢 Included option.

Voyager™ Series Barrier-Free Water Coolers

ADA WALL-MOUNTS



HTV8BL-WF-Q



Personalized graphics turn any Voyager™ unit into a truly unique communications tool!



HTV8-Q

HTV Series

- Ideal for educational and healthcare facilities
- Cabinet molded from durable polymer
- Impact and scratch resistant
- Exclusive Halsey Taylor *Double Bubbler™*
- Front panels remove for easy service
- Meets Adult or Child ADA
- Available with customized graphics in top (see detailed box)
- Optional cane apron: HTAPRHTV (Gray)



Finish Options:
Two-Tone Gray (TTG)

Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS			
						500 Gal. Filter	Gooseneck Glass Filler	Easy-Flex or VR Bubbler	220 Volts
SINGLE UNITS									
HTV4-Q		7.6	370	4.0	51	🟢	🟢	🟢	🟢
HTV8-Q		7.6	370	4.0	51	🟢	🟢	🟢	🟢
HTV8-WF-Q	HWF142 Filter	7.6	370	4.0	53	🟢	🟢	🟢	🟢
HTV8-EE-Q	Sensor	7.6	370	4.0	51	🟢	🟢	🟢	🟢
HTV L/R		-	-	-	27	🟢	🟢	🟢	🟢
BI-LEVEL UNITS									
HTV8BL-Q		7.6	370	4.0	78	🟢	🟢	🟢	🟢
HTV8BL-WF-Q	HWF142 Filter	7.6	370	4.0	80	🟢	🟢	🟢	🟢
HTV8BL-EE-Q	Sensor	7.6	370	4.0	80	🟢	🟢	🟢	🟢
HTV-DDBL L/R		-	-	-	54	🟢	🟢	🟢	🟢
BI-LEVEL REVERSE UNITS									
HTV8BLR-Q		7.6	370	4.0	78		🟢	🟢	🟢

🟢 Available option

ADA WALL-MOUNTS

Heavy-Duty Vandal-Resistant Water Coolers



HVR8HD ADA



HVR8HD-BL ADA

HVR Series

- Extreme vandal-resistant design with 14 Gauge Stainless Steel body
- Vandal-resistant pushbutton and pinned torx screws
- U.L. listed for Indoor and Outdoor service
- Satin finish resists stains and corrosion
- Meets Adult or Child ADA

Finish Options:
Stainless Steel (SS)



Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)
SINGLE UNITS					
HVR8HD	14 GA	8.0	370	4.0	73
HVRDHD L/R	14 GA	--	--	--	55
BI-LEVEL UNITS					
HVR8HD-BL	14 GA	8.0	370	4.0	110

Vandal-Resistant Water Coolers

ADA WALL-MOUNTS

HVR8 ADA



HVR8-BL ADA



HVR Series

- Vandal-resistant bubbler, pushbutton and pinned torx screws
- U.L. listed for Indoor and Outdoor service
- Satin finish resists stains and corrosion
- Meets Adult or Child ADA
- Optional louver screens to discourage tampering
- Optional cane apron: 98324C (SS)



Finish Options:
Stainless Steel (SS)

Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS		
						1500 Gal. Filter	Louver Screens	220 Volts
SINGLE UNITS								
HVR8		8.0	370	4.0	66	Available option	Available option	Available option
HVR8-WF	HWF172 Filter	8.0	370	4.0	70	Included option	Available option	Available option
HVR8-FR	Frost Resistant	8.0	620	6.2	68	Available option	Available option	Available option
HVR L/R		--	--	--	28	Available option	Available option	Available option
HVR-WF L/R	HWF172 Filter	--	--	--	32	Included option	Available option	Available option
BI-LEVEL UNITS								
HVR8-BL		8.0	370	4.0	94	Available option	Available option	Available option
HVR8-BL-WF	HWF172 Filter	8.0	370	4.0	98	Included option	Available option	Available option
HVR8-BL-FR	Frost Resistant	8.0	620	6.2	96	Available option	Available option	Available option
HVR-BL L/R		--	--	--	56	Available option	Available option	Available option
HVR-BL-WF L/R	HWF172 Filter	--	--	--	60	Included option	Available option	Available option
HVR-BLFR L/R	Frost Resistant	--	--	--	58	Available option	Available option	Available option
BI-LEVEL REVERSE UNITS								
HVR8-BLR		8.0	370	4.0	94	Available option	Available option	Available option
HVR-BLR L/R		--	--	--	56	Available option	Available option	Available option

Available option Included option.

ADA WALL-MOUNTS

OVL-II™ Barrier-Free Refrigerated Fountains



Great to pair with HydroBoost™ Bottle Fillers (see Page 4)



OVL-II SER-Q
(with Black Onyx basins)

OVL-II SER-Q



Finish Options:
Stainless Steel (SS)
Aztec Gold (AG)



OVL-II ER-Q



OVL-II SER-EE-Q

OVL-II™ Refrigerated Fountains

- Sophisticated oval styling
- Semi-circular pushbars for ease of operation
- Removable louvered front panel for easy servicing
- Exclusive Halsey Taylor *Double Bubbler™*
- Available with Black Onyx or Galaxy Gray Marblyte™ basins
- Rated for Indoor Use
- Meets Adult ADA
- Optional cane apron: HTOVLAPR (Black)

Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS		
						1500 Gal. Filter	Easy-Flex or VR Bubbler	220 Volts
SINGLE UNITS								
OVL-II ER-Q		7.5	370	4.0	96	🟢	🟢	🟢
OVL-II ER-EE-Q	Sensor	7.5	370	4.0	98	🟢	🟢	🟢
BI-LEVEL UNITS								
OVL-II SER-Q		7.5	370	4.0	135	🟢	🟢	🟢
OVL-II SER-EE-Q	Sensor	7.5	370	4.0	137	🟢	🟢	🟢
OVL-II ESR-Q					135			
OVL-II ESR-EE-Q	Sensor	7.5	370	4.0	137	🟢	🟢	🟢

🟢 Available option

OVL-II™ Barrier-Free Drinking Fountains

ADA WALL-MOUNTS



OVL-II™ Drinking Fountains

- Provides ambient temperature drink
- Exclusive Halsey Taylor Double Bubbler™
- Standard with surface mounting plate. Optional in-wall carrier support available (MPW100 single; MPW200 bi-level)
- Available with Black Onyx or Galaxy Gray Marblyte™ basins
- Rated for Indoor Use
- Meets Adult ADA
- Optional cane apron: HTOVLAPR (Black)
Not designed for freeze-protection units



Finish Options:
Stainless Steel (SS)
Aztec Gold (AG)

Model #	Standard Features	Overall Dimensions	Ship Weight (Lbs)	AVAILABLE OPTIONS		
				Filter*	Easy-Flex or VR Bubbler	Freeze Protection
SINGLE UNITS						
OVL-II E FTN		12-1/8"L x 6-1/2"H x 17-1/2"D	15	🟢	🟢	🟢
OVL-II EBP FTN	Wall Plate	19-3/4"L x 20-3/8"H x 18"D	29	🟢	🟢	🟢
OVL-II S FTN		12-1/8"L x 6-1/2"H x 13"D	13	🟢	🟢	🟢
OVL-II SBP FTN	Wall Plate	19-3/4"L x 20-3/8"H x 13-1/2"D	27	🟢	🟢	🟢
BI-LEVEL UNITS						
OVL-II SEBP FTN	Wall Plate	38-1/2"L x 20-3/8"H x 18"D	53	🟢	🟢	🟢
OVL-II ESBP FTN	Wall Plate	38-1/2"L x 20-3/8"H x 18"D	53	🟢	🟢	🟢

* When adding optional filter, use APHT access panel for servicing.

🟢 Available option

ADA WALL-MOUNTS

Contour™ Barrier-Free Refrigerated Fountains



Great to pair with HydroBoost™ Bottle Fillers (see Page 4)



HRF-SER-Q



HRF-EREE-Q

HRF Refrigerated Fountains

- Softly rounded corners
- Contoured basin minimizes splash
- Easy to operate pushbuttons
- Exclusive Halsey Taylor *Double Bubbler™*
- Satin finish stainless steel resists stains and corrosion
- Removable louvered front panel for easy servicing
- Rated for Indoor Use
- Meets Adult ADA
- Optional cane apron: 97258C (Black)



Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS			
						1500 Gal. Filter	Gooseneck Glass Filler	Easy-Flex or VR Bubbler	220 Volts
SINGLE UNITS									
HRF-ER-Q		7.5	370	4.0	100	☺	☺	☺	☺
HRF-EREE-Q	Sensor	7.5	370	4.0	100	☺		☺	
BI-LEVEL UNITS									
HRF-SER-Q		7.5	370	4.0	136	☺	☺	☺	☺
HRF-SEREE-Q	Sensor	7.5	370	4.0	136	☺	☺	☺	☺
HRF-ESR-Q		7.5	370	4.0	136	☺	☺	☺	☺

☺ Available option

Contour™ Barrier-Free Drinking Fountains

ADA WALL-MOUNTS



HRF-SEBP



HRF-E



Softly rounded corners

HRF Drinking Fountains

- Provides ambient temperature drink
- Exclusive Halsey Taylor *Double Bubbler*™
- Standard with surface mounting plate. Optional in-wall carrier support available (MPW101 single; MPW200 bi-level).
- Meets Adult ADA
- Optional cane apron: 97258C (Black)



Model #	Standard Features	Overall Dimensions	Ship Weight (Lbs)	AVAILABLE OPTIONS			
				Filter**	Gooseneck Glass Filler	Easy-Flex or VR Bubbler	Freeze Protection*
SINGLE UNITS							
HRF-E FTN		12-1/8"L x 6-1/2"H x 17-1/2"D	15	👉	👉	👉	👉
HRF-EBP FTN	Wall Plate	19-3/4"L x 20-3/8"H x 18"D	29	👉	👉	👉	👉
HRF-S FTN		12-1/8"L x 6-1/2"H x 13"D	13	👉	👉	👉	👉
HRF-SBP FTN	Wall Plate	19-3/4"L x 20-3/8"H x 13-1/2"D	27	👉	👉	👉	👉
BI-LEVEL UNITS							
HRF-SEBP FTN	Wall Plate	38-1/2"L x 20-3/8"H x 18"D	53	👉	👉	👉	👉
HRF-ESBP FTN	Wall Plate	38-1/2"L x 20-3/8"H x 18"D	53	👉	👉	👉	👉

* Frost Resistant not available with glass-filler models
 **When adding optional filter, use APHT access panel for servicing.

👉 Available option

ADA WALL-MOUNTS

Contour™ Child ADA Models



HCRF-EBP



HCRF-ER-Q

HCRF Series

- Ideal for early education and daycare facilities
- Softly rounded corners
- Exclusive Halsey Taylor *Double Bubbler™*
- Easy to operate pushbutton
- Rated for Indoor Use
- Optional cane apron: 97258C (Black)



HCRF Series

Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS		
						1500 Gal. Filter	Gooseneck Glass Filler	Easy-Flex or VR Bubbler
HCRF-ER-Q		7.5	370	4.0	99	🚰	🚰	🚰
HCRF-EBP	19-3/4"L x 20-3/8"H x 18"D	-	-	-	29	🚰*	🚰	🚰

*Optional 1500 gallon capacity filter requires APHT access panel

🚰 Available option

Contour™ 14 GA Drinking Fountains

ADA WALL-MOUNTS

HDF-BL-EBP



HDFF-BL-EBP



HDFF-EBP



HDF/HDFF Series

- 14 gauge heavy-duty construction
- Ideal for schools, stadiums, shopping malls, airports and other high-traffic areas
- Vandal-resistant pushbutton, bubbler and drain
- Provides ambient temperature drink
- Standard with surface mounting plate. Optional in-wall carrier support available on HDFF models (MPW101 single; MPW200 bi-level)
- Meets Adult or Child ADA
- Optional cane apron: HDFCANE (14 GA)

HDFF-EBP

HDF/HDFF Series



Model #	Standard Features	Overall Dimensions	Ship Weight (Lbs)	AVAILABLE OPTIONS			
				1500 Gal. Filter**	Gooseneck Glass Filler	Easy-Flex or VR Bubbler	Freeze Protection*
SINGLE UNITS							
HDF-EBP FTN	Slim Design	12-1/8"L x 4-3/8"H x 18"D	30	Available	Available	Available	Available
HDFF-EBP FTN		12-1/8"L x 6-1/2"H x 18"D	35	Available	Available	Available	Available
BI-LEVEL UNITS							
HDF-BL-EBP FTN	Slim Design	38-1/2"L x 20-3/8"H x 18"D	74	Available	Available	Available	Available
HDFF-BL-EBP FTN		38-1/2"L x 20-3/8"H x 18"D	80	Available	Available	Available	Available
HDFF-BLR-EBP FTN		38-1/2"L x 20-3/8"H x 18"D	80	Available	Available	Available	Available

* Freeze Protection option not available with glass-filler models
 ** When adding optional filter, use APHT access panel for servicing.

Available option Included option.

Contour™ Marblyte™ Fountains

Produced from Rapidly Renewable Agricultural Materials



HRFG-ER-Q


shown with optional vandal-resistant bubbler



HRFG-SEBP-VR



HRFG-EBP Black Onyx



Finish Options:
Black Onyx Marblyte™
Galaxy Gray Marblyte™



HRFG Series

- Durable and non-porous solid-surface polymer awarded with US Dept. of Agriculture BioPreferred designation
- Color consistent throughout fountain
- Softly rounded corners and contoured basin
- Easy to operate pushbuttons
- Suitable for educational facilities and public use areas
- Meets ADA guidelines

HRFG Refrigerated Fountains

Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS		
						Filter	Easy-Flex or VR Bubbler	220 Volts
SINGLE UNITS								
HRFG-ER-Q		7.5	370	4.0	100	☺	☺	☺
BI-LEVEL UNITS								
HRFG-SER-Q		7.5	370	4.0	136	☺	☺	☺
HRFG-ESR-Q		7.5	370	4.0	136	☺	☺	☺

HRFG Drinking Fountains

☺ Available option

Model #	Standard Features	Overall Dimensions	Ship Weight (Lbs)	AVAILABLE OPTIONS	
				Filter	Easy-Flex or VR Bubbler
SINGLE UNITS					
HRFG-E FTN		13-3/4"L x 7-1/8"H x 18-1/4"D	35	☺	☺
HRFG-EBP FTN	Marblyte Wall Plate	19-3/4"L x 20-3/8"H x 18-3/4"D	48	☺	☺
HRFG-S FTN		13-3/4"L x 7-1/8"H x 13-7/8"D	32	☺	☺
HRFG-SBP FTN	Marblyte Wall Plate	19-3/4"L x 20-3/8"H x 14"D	45	☺	☺
BI-LEVEL UNITS					
HRFG-SEBP FTN		38-1/2"L x 20-3/8"H x 18-3/4"D	65	☺	☺
HRFG-SEBP-VR FTN	VR Bubblers	38-1/2"L x 20-3/8"H x 18-3/4"D	65	☺	☺
HRFG-SEBP-VR-FR FTN	VR Bubblers, Freeze Protection	38-1/2"L x 20-3/8"H x 18-3/4"D	74	☺	☺

☺ Available option

Marblyte™ Fountains

WALL-MOUNTS

7120



7130



7120/7130 Fountain Bullets:

- Durable and non-porous solid-surface polymer awarded with US Dept. of Agriculture BioPreferred designation
- Designed for multiple users
- Resists damage and stands up to heavy, everyday use
- Single center drain simplifies new and retro-fit installations
- Vandal-resistant bubblers and bottom cover plate
- Meets ADA guidelines

2634 Fountain Bullets:

- Durable and non-porous solid-surface polymer awarded with US Dept. of Agriculture BioPreferred designation
- Nostalgic styling
- One-piece semi-recessed design with smooth edges
- Exclusive! Halsey Taylor Double Bubbler™
- Available with Easy-Flex or VR bubblers

2634



5405 Fountain Bullets:

- Gel-coated composite material
- Pushbutton bubbler

5405



Model #	Standard Features	Overall Dimensions	Ship Weight (Lbs)	AVAILABLE OPTIONS	
				Filter	Freeze Protection*
SINGLE STATIONS					
2634 FTN		12-1/8"L x 6-1/2"H x 17-1/2"D	15	🟢	
5405 FTN	Pushbutton Bubbler	19-3/4"L x 20-3/8"H x 18"D	29	🟢	
MULTI-STATIONS					
7120 FTN	VR Bubbler	38-1/2"L x 20-3/8"H x 18"D	53	🟢	🟢
7130 FTN	VR Bubbler	38-1/2"L x 20-3/8"H x 18"D	53	🟢	🟢

🟢 Available option

Backsplash Models



WC8A-Q Water Cooler

- One-piece stainless steel backsplash and basin
- Easy-to-operate front and side pushbars with raised letters for the visually impaired



WC8AFS-Q ADA



Exclusive
Halsey Taylor
Double Bubbler™



HBW8A-Q

HBW8A-Q Water Cooler

- Recessed appearance without entering the wall
- Extends only 9-1/2" from wall face
- Easy-clean basin with anti-splash rim
- Front pushbutton activation

Stainless Steel Fountain with Backsplash

- One-piece stainless steel backsplash and basin
- Easy-to-operate front and side pushbars with raised letters for the visually impaired

5701



Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS		
						500 Gal. Filter	Easy-Flex or VR Bubbler	220 Volts
SINGLE UNITS								
WC8AFS-Q ADA		7.5	370	4.0	70	☺	☺	☺
WCAFS L/R ADA		-	-	-	31	☺	☺	
HBW8A-Q		7.5	370	4.0	69			☺
HBW L/R		-	-	-	30			
5701 Ftn.		-	-	-	21			

Available option

Fully Recessed Models

RECESSED WALL MOUNTS



RC8A-Q



BFMR-Q

- Design allows for uninterrupted corridor space
- Ideal for high-traffic areas
- Optional pushbutton style glass filler available as special order
- Exclusive Halsey Taylor *Double Bubbler*™

BFM Model

- Meets ADA guidelines for parallel approach or forward approach when installed above a recessed wall opening
- BFM models designed for use above wheelchair access space

8880 FTN



RC8 Model



















- Meets ADA guidelines for parallel approach
- Optional Cup Dispenser with or without Cup Filler

8880 Model

- Meets ADA guidelines for parallel approach
- Optional cuspidor to mount on left or right*

* Cuspidor water pressure must be 40 lbs minimum



Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS		
						1500 Gal. Filter	Easy-Flex or VR Bubbler	220 Volts
BFMR-Q ADA 		7.5	370	4.0	91			
BFM L/R ADA		-	-	-	44			
RC8A-Q		7.5	370	4.0	89			
RC8A-Q w/14762	Cup Dispenser	7.5	370	4.0	121			
RC8A-Q w/14700	Cup Dispenser/Cup Filler	7.5	370	4.0	122			
8880 FTN		-	-	-	33			
8880 FTN w/10245	Cuspidor	-	-	-	66			

 Available option

Deluxe Water Coolers



WM8A-Q



WM14ABL-Q

Finish Options:
 Almond Vinyl (AV)
 Platinum Vinyl (PV)
 Slate Vinyl (SV)
 Stainless Steel (SS)



WM Series

- Pushbutton activation
- Rated for Indoor Use
- Easy-clean, anti-splash rim basin
- Exclusive Halsey Taylor *Double Bubbler™*

Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS				
						1500 Gal. Filter	Gooseneck Glass Filler	Easy-Flex or VR Bubbler	Back Panel	220 Volts
SINGLE UNITS										
WM8A-Q	HWF172 Filter	7.6	370	4.0	68	Available	Available	Available	Available	Available
WM8A-WF-Q		7.6	370	4.0	72	Included	Available	Available	Available	Available
WM14A-Q	Water Cooled	13.5	690	7.5	74	Available	Available	Available	Available	Available
WM14W-Q		14.0	600	6.5	75	Available	Available	Available	Available	Available
WM16A-Q		15.5	510	5.5	77	Available	Available	Available	Available	Available
WM L/R		--	--	--	--	52	Available	Available	Available	Available
BI-LEVEL UNITS										
WM14ABL-Q		13.5	690	7.5	96	Available		Available	Available	
WM16ABL-Q		15.5	510	5.5	98	Available		Available	Available	

Available option Included option.

Compact Water Coolers

WALL MODELS

SW8A-Q



SW8A-VR-Q



SW Series

- Compact cabinet
- Pushbutton activation
- Rated for Indoor Use
- Easy-clean, anti-splash rim basin
- Exclusive Halsey Taylor Double Bubbler™

Finish Options:
 Almond Vinyl (AV)
 Platinum Vinyl (PV)
 Slate Vinyl (SV)
 Stainless Steel (SS)



Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS				
						500 Gal. Filter	Gooseneck Glass Filler	Easy-Flex or VR Bubbler	Back Panel	220 Volts
SW4A-Q		4.0	230	2.5	60	Available		Available	Available	Available
SW8A-Q		7.6	370	4.0	68	Available	Available	Available	Available	Available
SW8VR-Q	VR Bubbler	8.0	370	4.0	70	Available		Available	Available	Available
SW14A-Q		13.5	690	7.5	72	Available		Available	Available	Available

Available option Included option.

Deluxe Water Coolers

SCWT Series

- Installs free-standing or wall tight
- Rated for Indoor Use
- Exclusive Halsey Taylor *Double Bubbler™*
- Easy-clean, anti-splash rim basin
- Optional factory-installed hot water dispenser (SCWT8A-CB-Q & SCWT14A-CB-Q)
- SCWT14A-VR-Q available in stainless steel finish only



SCWT8A-Q



Optional factory installed coffee bar

Optional Accessories

- Foot Pedal Kit - order 731470351550
- Sump Pump kit - order 731521351550



SCWT14A-VR-Q

Finish Options:
 Almond Vinyl (AV)
 Platinum Vinyl (PV)
 Slate Vinyl (SV)
 Stainless Steel (SS)



Kit contains all necessary material for installing fully operable foot pedal on all Halsey Taylor SCWT free-standing models (except coffee bar and water cooled units). Can be installed easily on-site.

Foot Pedal Kit

- Push rod
- Foot pedal
- Toe plate
- Mounting bracket
- Assorted hardware
- Installation instructions
- Shipping Weight: 2.75 lbs.

Use part #73-14703-51-550 when ordering.

Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS			
						Filter	Glass Filler	Easy-Flex or VR Bubbler	220 Volts
SCWT4A-Q		4.0	230	2.5	72	Available	Available	Available	Available
SCWT8A-Q		7.6	370	4.0	73	Available	Available	Available	Available
SCWT8A-WF-Q	HWF172 Filter	7.6	370	4.0	76	Included	Available	Available	Available
SCWT8A-CB-Q	Hot Water Dispenser	7.6	1120	10.5	76	Available	Available	Available	Available
SCWT14A-Q		13.5	690	7.2	76	Available	Available	Available	Available
SCWT14A-WF-Q	HWF172 Filter	13.5	690	7.2	79	Included	Available	Available	Available
SCWT14A-CB-Q	Hot Water Dispenser	13.5	1120	10.5	79	Available	Available	Available	Available
SCWT14A-VR-Q	VR Bubbler/Screws	13.5	690	7.2	75	Available	Available	Available	Available
SCWT14W-Q	Water Cooled	14.0	600	6.5	77	Available	Available	Available	Available
SCWT L/R		--	--	--	55	Available	Available	Available	Available

Available option Included option.

Free-Standing Outdoor Water Cooler

HOF

- Vandal-resistant design
- U.L. listed for Indoor and Outdoor service
- Ideal for outdoor recreational facilities

HOF14FR



Hazardous Environment Water Cooler

XP

- U.L. Rated for hazardous locations

XP8



S300-2E-Q

Economy Water Coolers

S-Series

- Compact Design
- Rated for Indoor Use

Sump Pump Kit available as optional accessory
(Order 731521351550)

HOF & XP
Finish Options:
Stainless Steel (SS)

S-Series
Finish Options:
Platinum Vinyl (PV)
Stainless Steel (SS)



Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS	
						Frost Resistant	220 Volts
HOF14A-Q	VR Bubbler™	13.5	690	7.5	90	🟢	🟢
XP8W-Q	Double Bubbler™	8.0	370	4.0	84	🟢	🟢

*115V models only **220 Volts / 60Hz only

🟢 Available option

Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	F.L. Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS	
						Gooseneck Glass Filler	220 Volts
S300-2E-Q	Double Bubbler™	2.8	230	2.5	54	🟢	🟢
S500-5E-Q	Double Bubbler™	5.0	230	2.5	60	🟢	🟢
S1000-10E-Q	Double Bubbler™	9.8	535	5.8	69	🟢	🟢
SD L/R	Double Bubbler™	-	-	-	30	🟢	🟢

🟢 Available option

OUTDOOR BOTTLE FILLING STATIONS

Endura II™ Outdoor Multi-Station Bottle Filling Stations/Fountains



4430BF1U



4420BF2



4420BF1UDB

- Bottle Filler plus Drinking Fountain creates a complete water station
- Configurable to meet your specific application
- Laminar flow to minimize splashing
- Front pushbutton with self-closing valve
- Vandal-resistant single-stream bubbler
- Durable cold-rolled steel construction
- Weather-resistant powder-coated textured finish
- Access panels for easy servicing
- Ideal for outdoor recreation areas



Model #	Standard Features	Overall Dimensions (Listed with BF in upper position)	Number of Bottle Filler Stations	Ship Weight (Lbs)
4420BF*	Dual Station ADA	29"L x 64"H x 14"D	1 or 2	205-255
4420BF*DB	Dual Station ADA w/Pet Fountain	29"L x 64"H x 26"D	1 or 2	190-240
4430BF*	Triple Station ADA	48"L x 64"H x 14"D	1, 2 or 3	280-380

*Model ID varies with bottle filler quantity and location selection. (Qty: 1, 2 or 3 as applicable; Location: U=Upper, M=Middle, L=Lower)

Endura II™ Outdoor Single Bottle Filling Stations

OUTDOOR BOTTLE FILLING STATIONS



4400BF





 4405BF



 4410BF



Model #	Standard Features	Overall Dimensions	Ship Weight (lbs)
4400BF	Pedestal	14"L x 64"H x 14"D	184
4405BF 	Wall Mount ADA	10"L x 33-7/16"H x 19-1/8"D	91
4410BF 	Pedestal ADA	29"L x 33-5/16"H x 14"D	203

OUTDOOR FOUNTAINS

Endura II™ Tubular Outdoor Drinking Fountains



4400 FTN

4400DB FTN



4410 FTN




4420 FTN



4420DB FTN



4430 FTN



4405 FTN



- Front pushbutton with self-closing valve
- Vandal-resistant single-stream bubbler
- Durable cold-rolled steel construction
- Weather-resistant powder-coated textured finish
- Access panels for easy servicing
- Ideal for outdoor recreation areas

Model #	Standard Features	Overall Dimensions	Ship Weight (Lbs)	AVAILABLE OPTIONS	
				Freeze Resistant	Sanitary Freeze Resistant
4400 FTN*	Single	14"L x 40-5/16"H x 14"D	134	🟢	🟢
4400DB FTN*	Single w/Pet Fountain	26"L x 40-5/16"H x 14"D	140		
4405 FTN	Single Wall Mount ADA	10"L x 10"H x 19-1/8"D	41	🟢	
4410 FTN	Single ADA	29"L x 33-5/16"H x 14"D	153	🟢	🟢
4420 FTN	Bi-Level ADA	29"L x 40-5/16"H x 14"D	156	🟢	🟢
4420DB FTN	Bi-Level ADA w/Pet Fountain	29"L x 40-5/16"H x 26"D	162		
4430 FTN	Triple Station ADA	48"L x 40-7/8"H x 14"D	230		

* Not ADA Complaint

🟢 Available option 🟡 Included option.

Endura II™ Outdoor Drinking Fountains Accessories


OUTDOOR FOUNTAINS



4460



97887C



97889C



97890C

Yard Hydrant Bullets:

- Allows ability to connect garden houses or fill pails quickly
- Durable cold-rolled steel construction
- Weather-resistant powder-coated textured finish
- Not for use in sub-freezing climates
- Ideal for irrigation purposes at golf courses, ball parks and other outdoor recreation areas

Hose Bib Bullets:

- Allows hose connection with Endura II™ fountain series (except 4405)
- Replaces existing access panel
- Weather-resistant powder-coated textured finish
- Not for use in sub-freezing climates
- Locking hose bib door can be secured with a padlock (not included)

Direct Bury Adaptor Bullets:

- Simplifies rough-in and installation for Endura II(tm) fountain series
- Not for use with freeze-resistant models or in sub-freezing climates
- Weather-resistant powder-coated textured finish
- Consists of adaptor panel, rods and installation hardware

Model #	Standard Features	Overall Dimensions	Ship Weight (Lbs)
4460 Yard Hydrant	Non-Locking	14"L x 30"H x 14"D	101
4461 Yard Hydrant	Locking	14"L x 30"H x 14"D	108
97887C Hose Bib Kit	Non-Locking		6
97889C Hose Bib Kit	Locking		9
97890C	Direct Bury Adaptor		40

OUTDOOR FOUNTAINS

Endura™ Outdoor Drinking Fountains



4710 Ftn



4715 Ftn



4705 Ftn



4720 Ftn



- Front pushbutton with self-closing valve
- Vandal-resistant *Double Bubbler™*
- Durable cold-rolled steel construction
- Weather-resistant powder-coated textured finish
- Access panels for easy servicing
- Ideal for outdoor recreation areas



Model #	Standard Features	Overall Dimensions	Ship Weight (Lbs)	AVAILABLE OPTIONS	
				Freeze Resistant	Sanitary Freeze Resistant
4705 Ftn	Single Wall Mount ADA	14"L x 10-7/8"H x 19"D	32	🟢	
4710 Ftn	Single ADA	14"L x 34"H x 26"D	84	🟢	🟢
4715 Ftn*	Single	12"L x 36"H x 12"D	62	🟢	🟢
4720 Ftn	Bi-Level ADA	14"L x 40"H x 26"D	100	🟢	🟢

* Not ADA Complaint

🟢 Available option 🟢 Included option.

Cast Iron Fountains and Ice Chilled Drinking Fountain

OUTDOOR FOUNTAINS



4617 Ftn



4880 Ftn



4520-68 Ftn



HTICF



Cast Iron

- Stainless steel basin
- Baked on forest green enamel finish
- Chrome-plated exposed fittings
- Automatic stream height regulator
- Pushbutton bubblers on Models 4616, 4617, 4520-68, 4521-68
- Vandal-resistant *Double Bubbler™* on Models 4880 and 4881

HTICF

- Designed specially for golf courses
- Rugged green polymer cabinet
- Water chilled through self-contained coils
- No electrical hook-ups
- Easy-slide ice drawer
- Optional bubbler cover assembly



Model #	Standard Features	Overall Dimensions	Ship Weight (Lbs)
CAST IRON FOUNTAINS			
4616 FTN		10"L x 30"H x 9-1/2"D	26
4617 FTN		10"L x 36"H x 9-1/2"D	27
4520-68 FTN		14"L x 30"H x 14"D	61
4521-68 FTN		14"L x 36"H x 14"D	63
4880 FTN	Freeze Resistant	14"L x 30"H x 14"D	85
4881 FTN	Freeze Resistant	14"L x 36"H x 14"D	87
ICE CHILLED FOUNTAIN			
HTICF FTN		18"L x 43"H x 18"D	95

STANDARD FOUNTAINS

Sierra™ Barrier-Free Outdoor Drinking Fountains



4590 Ftn



4591 Ftn



4595 Ftn



4593 Ftn



4592 Ftn



- Attractive weather-resistant Sierra stone aggregate
- Stainless steel basin
- Stainless steel access doors with vandal-resistant screws

Model #	Standard Features	Overall Dimensions	Ship Weight (Lbs)	AVAILABLE OPTIONS	
				Freeze Resistant	Sanitary Freeze Resistant
4590 FTN*	Single ADA	12-3/4"L x 36"H x 29-5/8"D	220	☺	☺
4591 FTN	Single	17"L x 35-1/4"H x 14"D	155		
4592 FTN	Single Wall Mount	12-3/4"L x 9"H x 11"D	30	☺	
4593 FTN*	Single Wall Mount ADA	12-3/4"L x 9"H x 17"D	44	☺	
4595 FTN*	Bi-Level ADA	12"L x 36"H x 31"D	175	☺	☺

* Available option

Available option

Multi-Station Stainless Steel Drinking Fountains

STANDARD FOUNTAINS



7020 Ftn



7030 Ftn

- Pushbutton single stream angle jet bubblers
- Built-in backsplash
- Durable satin finish stainless steel
- Automatic stream height regulator
- Includes bottom cover plate



Model #	Standard Features	Overall Dimensions	Ship Weight (Lbs)
7020 FTN	Two-Station	31"L x 15"H x 14"D	35
7030 FTN	Three-Station	52"L x 15"H x 14"D	50

STANDARD FOUNTAINS

Countertop Fountains



10000 Ftn



6000 Ftn



6028 Ftn



Countertop Fountains

- Ideal for countertop or other applications
- Durable stainless steel basins
- Removable strainer plate
- Automatic stream height regulator



Model #	Standard Features	Overall Dimensions	Ship Weight (Lbs)
10000 FTN	Pushbutton bubbler	13-1/4" Diameter x 5-1/4"D	6
6000 FTN	Pushbutton bubbler	12-1/4"L x 6-1/2"H x 8-1/4"D	5
6028 FTN	Double Bubbler™	22-1/2"L x 7-1/2"H x 10-1/4"D	10

Bracket Fountains



2501A Ftn

- Durable stainless steel basins
- Chrome-plated exposed fittings
- Removable chrome-plated strainer
- Automatic stream height regulator
- Model 4540 features self-closing lever handle stop



4540 Ftn

Fountain Heads



2507A Ftn Head

- Exclusive Halsey Taylor *Double Bubbler™*
- Chrome-plated fittings
- Self-closing lever handle valve
- Removable shut-off seat
- Volume regulator



2509 Ftn Head



Model #	Standard Features	Overall Dimensions	Ship Weight (Lbs)
BRACKET FOUNTAINS			
2501A FTN	Pushbutton bubbler	10"L x 8-3/8"H x 6"D	5
4540 FTN	Double Bubbler™	11-3/4"L x 8-3/8"H x 6"D	8
FOUNTAIN HEADS			
2507A FTN HEAD	1/4" NPT Supply	2"L x 5-1/8"H x 6-3/8"D	3
2509 FTN HEAD	3/8" NPT Supply	2"L x 5-5/8"H x 4-1/2"D	2

REMOTE CHILLERS



Pair with a fountain to deliver chilled water

Remote Chillers



SJ8GRN-Q



SJ1-Q



SJ32W-Q

Service Capacity:

SJ1-Q	1 Station
SJ2-Q	1 Station
SJ5-Q	1 Station
SJ8GRN-Q	1 Station
SJ8-Q	1 Station
SJ10-Q	2 Stations
SJ19-Q	3 Stations
SJ30-Q	3 Stations
SJ32W-Q	3 Stations



Remote Chillers

- Converts ambient temperature into chilled drinking water
- Ideal for use with drinking fountains and under-counter applications
- Heavy-duty galvanized steel construction
- Adjustable thermostat
- To be located within 15 feet of fountain
- Rated for Indoor Use

Model #	Standard Features	Rated GPH (Cooled to 50° F)	Rated Watts Usage	FL Amps	Ship Weight (Lbs)	AVAILABLE OPTIONS	
						Chiller Dimensions	Min. Wall Opening
SJ8GRN-Q	GreenSpec® Listed	8.0	260	2.8	48	13-1/2"W x 18-1/2"H x 11-1/4"D	18-3/4"W x 32"H x 13"D
SJ1-Q		1.5	155	1.7	33	17-1/8"W x 14"H x 6-5/16"D	For under sink or in cabinet mount
SJ2-8		2.5	185	2.1	48	13-1/2"W x 15-3/4"H x 10-1/2"D	16-1/2"W x 21-1/2"H x 13-1/2"D
SJ5-Q		5.7	230	2.5	72	19-1/2"W x 22"H x 8"D	21-1/2"W x 25"H x 11"D
SJ8-Q		8.0	370	4.0	47	13-1/2"W x 18-1/2"H x 11-1/4"D	18-3/4"W x 32"H x 13"D
SJ10-Q		9.6	535	5.8	73	19-1/2"W x 22"H x 8"D	21-1/2"W x 25"H x 11"D
SJ19-Q		19.0	830	9.0	100	23"W x 25-3/4"H x 10-1/8"D	26-1/4"W x 30"H x 14"D
SJ30-Q		29.5	1290	14.0	118	33-1/4"W x 16-1/8"H x 13-3/4"D	-
SJ32W-Q	Water Cooled	31.9	1012	16.0	120	33-1/4"W x 16-1/8"H x 13-3/4"D	-

Remote Chiller Accessories

ACCESSORIES

42612




42518




27107



26784C



42505



For use with Models SJ2-Q, SJ8GRN-Q and SJ8-Q

42612 Wall Box Assembly

- Allows chiller to be mounted behind a wall
- Includes stainless steel frame, grill and shelf with hooks & screws
- Order as part # 734261251550

27107 Shelf

- Allows chiller to be mounted on a wall
- Stainless steel shelf
- Order as part # 732710751550

For use with Models SJ5-Q, SJ10-Q and SJ19-Q

42518 Wall Box Assembly

- Allows chiller to be mounted behind a wall
- Includes galvanized steel frame, bracket hanger and screws
- Grill cover ordered separately
- Order as part # 734251843730

Grill Covers for 42518 Wall Box Assembly

- Designed for covering opening on 42518 wall box assembly
- Available in stainless steel (26784C) or platinum vinyl (26785C)

42505 Shelf and Cover

- Allows chiller to be mounted on a wall
- Includes platinum vinyl cover, galvanized steel shelf, steel anglebrackets, mounting bracket and screws
- Order as part # 734250548410



Glass Fillers and Water Filtration Systems



GLASS FILLERS

96852CA Universal Glass Filler Kit

- Lead-free
- Bright polished stainless steel construction gooseneck glass filler
- Push-down lever activation
- For use on various models as noted per series catalog pages
- Includes all necessary pieces for field installment
- 3/8" NPS Supply

2408 Push-Lever Glass Filler

- Lead-free
- Chrome-plated push-lever glass filler
- For use on fully recessed and backsplash models
- Factory installed only
- 3/8" NPS Supply



WATER FILTRATION SYSTEMS

HWF172 WaterSentry® VII Lead Reduction Filter

- Certified to NSF 53 for lead reduction
- Certified to NSF 42 for chlorine, particulate Class I, taste and odor reduction
- 1500 gallon filtration capacity
- Fits most Halsey Taylor units
- Replacement filter: 55897C



HWF172

HWF142 Aqua Sentry Cyst & Lead Reduction Filter

- Certified to NSF 53 for cyst and lead reduction
- Certified to NSF 42 for chlorine, particulate Class I, taste and odor reduction
- 500 gallon filtration capacity
- In-line filter for space-limited applications
- Replacement filter: 56191C



HWF142

Replacement Filters for HWF3000

- 3000 gallon filtration capacity
- Only for use on HydroBoost models
- Certified to NSF 53 for lead reduction
- Certified to NSF 42 for chlorine, particulate Class I, taste and odor reduction
- Single Replacement: 55898C
- Three-Pack Replacements: 55898C_3PK
- Twelve-Pack Replacements 55898C_12PK
- Twenty-Four Pack Replacements 55898C_24PK
- Forty-Eight Pack Replacements 55898C_48PK



55898C

Vandal-Resistant Kits and Bubblers



BUBBLERS

98533C Double Bubbler™ Kit

- Dual water streams converge to create a full, satisfying drink
- Exclusive patented design
- Includes 51544C bubbler, nipple and gasket

51544C



98481C Vandal-Resistant SmartFlow™ Bubbler

- Water-efficient flow reduces water usage by nearly 40%*
- Heavy-duty, chrome-plated unlead brass
- One-piece design
- Keyed into plate to prevent rotation and tampering
* over average market performance

98481C



97446C Vandal-Resistant Bubbler Kit

- Heavy-duty, chrome-plated unlead brass
- One-piece design
- Keyed into plate to prevent rotation and tampering
- Includes 45392C bubbler, nipple, tube and gasket

45392C



55905C Easy-Flex Double Bubbler™

- Flexes upon impact to help prevent serious injury
- Ideal for coolers and fountains servicing children

55905C



3041 Pushbutton Bubbler (Ordered as A54881)

- Single-stream angle jet projector
- Self-closing pushbutton
- Integral automatic stream regulator
- Chrome-plated unlead brass
- 3/8" NPS Supply

3041



98030C



15037C Bubbler Cover Assembly

- Prevents possible contamination from hazardous materials
- Two-piece design with integrated orifice
- Chrome-plated unlead brass
- 3/8" NPS Supply

15037C



98032C




60-09855-51-640




Vandal-Resistant Kits

Model to Order	Description	Kit includes:
98030C	Universal VR kit for use on most Halsey Taylor units	VR bubbler, nipple, lock washers, screws and drive bits
98032C	VR Small drain kit for units with 1-1/4" drains	VR one-piece drain and gasket
60-09855-51-640	VR drain kit for units with 2-7/8" drains	VR drain, allen-head screw and strainer plate
75520C	VR pinned Torx® bit T25	One T25 bit
75523C	VR pinned Torx® bit T20	One T20 bit


Cane Touch Aprons and Panel Kits



98312C




98324C




97258C



HDFCANE



HTAPRHTV



HTOVLAPR

Cane Touch Apron Kits

- Aligns leading edges of bi-level units
- Assists with compliance to the protruding objects requirements of ADA
- Includes installation hardware and instructions

APHT Access Panel Kit

- For units with traps behind the wall
- Allows quick access to plumbing connections and remote filter installations
- Stainless steel construction
- Includes installation hardware and instructions
- Size: 9"H x 9"W



APHT



HTRP2130

HTRP2130 Remodeling Panel

- Allows for easy retro-fit with HAC, HTV and HVR models
- Attractive gray color blends with any décor
- Constructed of durable, rust and corrosion resistant ABS
- Size: 30"H x 21"W

Cane Touch Aprons

Used with Model Series	Model to Order	Material
HAC PV	98312C	Platinum Vinyl Clad Steel
HAC SS	98324C	Stainless Steel
HDF	HDFCANE	14 Gauge Stainless Steel
HRF	97258C	Black ABS Plastic
HTV	HTAPRHTV	Gray Molded Polymer
HVR/ HVRGRN	98324C	Stainless Steel
OVL-II	HTOVLAPR	Gray ABS Plastic

Mounting Systems


In-Wall Carrier Mounting Systems

- Heavy gauge steel construction with corrosion-resistant coating
- Supports up to 300 lbs.
- Universal design
- Adjustable for adult or child installations
- Can install in minimum of 2" x 4" wall
- MPW plates can be installed directly to studs or with ML support legs



Mounting Frames

- Galvanized steel construction
- Included with appropriate models listed below



In-Wall Carrier Mounting Systems

Model to Order	Used with Model Series
MLP100	Single HAC, HTV, HVR/HVRGRN Coolers
MLP200	Bi-Level HAC, HTV, HVR/HVRGRN Coolers
MPW100	Single OVL-II Drinking Fountains
MPW101	Single HDFF and HRF Drinking Fountains
MPW200	Bi-Level OVL-II, HDFF and HRF Drinking Fountains
MPW201	7120 Drinking Fountains
ML100	Optional support legs with any MPW mounting plate



Mounting Frames

In-Wall System	Included with:
73-08732-51-730	8880 & 10245 Series
73-42532-51-550	BFM L/R Series
73-26543-51-551	BFMR Series
HCRFSGLFRM	HCRFER Series
73-42148-51-551	HRFER Series
HTDBLFRM	HRFSER Series
73-15876-51-550	OVL-II ER Series
73-15939-51-550	OVL-II SER and OVL-II ESR Series
73-26609-51-550	RC8 Series

Water Cooler Color Guide

Complement Any Decor With Colorful Ideas From Halsey Taylor!

Halsey Taylor has practical, as well as beautiful finish and color options. From our standard vinyl colors and premium metal finishes, to our stunning Aztec Gold and solid Marblyte™, Halsey Taylor offers colorful ideas for today's vibrant and distinct environments!



Molded Two-Tone Gray



Platinum Vinyl



Slate Vinyl




Almond Vinyl



Stainless Steel



Aztec Gold




Galaxy Gray Marblyte™




Black Onyx Marblyte™

Endura™ Drinking Fountains Color Guide


Halsey Taylor Endura™ and Endura™ II Steel Drinking Fountains are now available in a choice of 16 colors! In addition to our standard textured evergreen finish, choose from 15 new exciting color options all featuring a textured river finish.




Evergreen




Moss



Slate




Blue




Navy




Purple




Terracotta



Red



Brown




Maroon




Black




Orange



Yellow



Gray



Beige



Neutral

INDEX

Model

10000 FTN	34
2501A FTN	35
2507A FTN HEAD	35
2509 FTN HEAD	35
2634 FTN	19
4400BF-4430BF	26 - 27
4400-4430 FTNS	28
4460 / 4461 FTNS	29
4520-68 / 4521-68 FTNS	31
4540 FTN	35
4590-4595 FTNS	32
4616 / 4617 FTNS	31
4705-4720 FTNS	30
4880 / 4881 FTNS	31
5405 FTN	19
5701 FTN	20
6000 FTN	34
6028 FTN	34
7120 FTN	19
7130 FTN	19
7020 / 7030 FTNS	33
8880 FTN	21
BFMR	21
HAC	8
HBW	20
HCRF	16
HDF/HDFP	17
HOF	25
HRF	14 - 15
HRFG	18
HTHB-8	4
HTHB-HAC	5
HTHB-LR	4
HTHB-SJ8GRN	4
HTICF	31
HTV	9
HVR	11
HVR HD	10
HVRGRN	7
OVL-II	12 - 13
OVL-II GRN	6
RC8	21
SCWT	24
SJ CHILLERS	36
S-Series	25
SW	23
WC	20
WM	22
XP	25

Accessories

Bubblers	39
Cane Aprons	40
Chiller Shelves, Covers	37
Filtration	38
Ftn Direct Bury Kits	29
Ftn Hose Bib Kits	29
Glass Fillers	38
Mounting	41
Panel Kits	40
VR Kits	39

Page

34
35
35
35
19
26 - 27
28
29
31
35
32
31
30
31
19
20
34
34
19
19
33
21
21
8
20
16
17
25
14 - 15
18
4
5
4
4
31
9
11
10
7
12 - 13
6
21
24
36
25
23
20
22
25

Page

39
40
37
38
29
29
38
41
40
39



Halsey Taylor has the ideal model for almost any application...indoors and outdoors! Just as we have since 1912, we will continue to strive to be the pioneer for water cooler and drinking fountain innovation. We welcome your comments & suggestions.



Halsey Taylor[®]

Satisfying Thirsts Since 1912.

E-mail us at sales@halseytaylor.com
Visit us on the World Wide Web at halseytaylor.com

2222 Camden Court,
Oak Brook, Illinois 60523
Telephone: 630.574.3500 • Fax: 630.574.3503

©2011 Halsey Taylor

Note: This catalog supercedes all previously printed catalogs.

Form No. HTFLC4/11 (10M)

Continued product improvements makes specifications and products subject to change without notice.



Printed on recycled paper

Printed in U.S.A.