





THE MAG PHILOSOPHY



Mag Instrument is dedicated to the highest standards of integrity. We seek performance and a reputation reflecting the very best we can achieve. Each Mag Instrument flashlight represents a culmination of more than 30 years of research, development, testing and continuous state-of-theart refinement in every precision feature. We are proud to offer products of classic American design and are committed to remaining a U.S.-based manufacturer.

We believe the spirit and character of the company is most clearly defined and expressed by our founder, owner and president Anthony Maglica. Each flashlight is a result of his obsession with fine



engineering, craftsmanship and his commitment to perfection. An experimental machinist by training and a manufacturing innovator by practice, Mr. Maglica has guided his company's growth from a one-man machine shop in 1955 to an enterprise



Mag Instrument, Late 50's

that employs hundreds of dedicated employees today. But his work does not stop there. Mr. Maglica continues his commitment to quality by continually improving upon the product that bears his name. A prolific inventor, Mr. Maglica has over 100 United States patents to his name, plus a multitude of foreign patents.

Mag Instrument is proud to be a leader in the current renaissance in American manufacturing. Mr. Maglica himself, a fervent believer in the importance of manufacturing in the United States, insists that the manufacture of Mag Instrument's flashlights remain U.S.-based. He has dedicated himself to proving that American products can excel in the global marketplace by using technology to continuously improve quality and reduce costs. Over the last three decades, Mr. Maglica's innovations have enabled Mag Instrument to offer consumers a consistently better value than the competition.

Strengthen American Manufacturing

Mag Instrument is the only flashlight company with significant market share that still manufactures its entire line of flashlights in the United States. Unlike its competitors, Mag Instrument has chosen not to outsource the manufacturing of its flashlights to foreign countries in order to take advantage of cheap labor and less stringent environmental standards, which may also result in inferior quality. The outsourcing of manufacturing by other U.S. companies has caused hundreds of thousands, if not millions, of jobs in the United States to be lost. Indeed, if Mag Instrument had chosen the path of other flashlight companies, the jobs of hundreds of its employees in Ontario, California, would have been lost - with corresponding job losses, no doubt, at other U.S. companies that supply parts, materials and services to Mag Instrument.

TABLE OF CONTENTS

eatures & Benefits	2
NSI Standards	3
IAG-LED® Technology Story	4
laglite® XL100® LED Flashlight	6
lag-Lite® D Cell LED Flashlights	8
lini Maglite® AA Cell LED Flashlights	9
lag Charger® Rechargeable lashlight System (NiMH)	10
lag-Lite® D Cell Flashlights	12
lag-Lite® C Cell Flashlights	13
lini Maglite® 2-Cell AA Flashlight	14
lini Maglite® 2-Cell AAA Flashlight	16
olitaire® 1-Cell AAA Flashlight	17
eplacement Lamps	18
ccessories	19
remiums & Incentives (Corporate Gifts)	22
ustomer Service - Trade & onsumer Support / Website	24
The Community	26

Trademark Information

For warranty details, see your Mag-Lite® product retailer, the

package literature, or call Mag Instrument, Inc. at: 1-800-289-6241.

You may also email: salesdesk@magmail.com or visit our website

at www.maglite.com for more information. To find the warranty

terms applicable in a particular country, click on "Customer

Service" and select that country when prompted.

The distinctive shapes, styles and overall appearances of all Mag® flashlights, and the circumferential inscriptions extending around the heads of all Mag® flashlights, are trademarks of Mag Instrument, Inc. The circumferential inscription on the head of every flashlight signifies that it is an original Mag® flashlight and part of the Mag® family of flashlights. U.S. Trademark Registrations for the shape, style and overall appearance trademarks of Mag® flashlights and for circumferential inscription trademarks of Mag® flashlights include Nos. 1,808,998; 2,074,795; 2,687,693; 2,745,460; 2,765,978 and 2,765,979. The pair of bands encircling the barrel of the Mag Charger® flashlight is a trademark of Mag Instrument, Inc. ©2010 MAG INSTRUMENT, INC.

FLASHLIGHT FEATURES & BENEFITS



flashlight head

Step 1: Unscrew Step 2:



Step 2: Place head down on table



Step 3: Set flashlight into head



Mini Maglite® AA & AAA flashlights convert quickly to a free standing candle mode, for convenient, handsfree light whenever you need it!




The Solitaire® flashlight features an innovative extended key lead that allows the light beam and keys to be used together in the same direction.

Candle Mode

Mag-Lite® C & D Cell flashlights feature a Cam Action Fast Focusing Beam

Our exclusive cam-driven focusing system changes the beam from a wide angle flood to an intense spot with just a quick twist of the head.



Spot to Flood



- All Mag-Lite® flashlights feature a high intensity fast focusing adjustable beam.
- Design balanced optics and power for maximum performance
- Anodized inside and out for better corrosion resistance and durability
- Water and shock resistant
- High-grade rubber seals in every size flashlight
- Precision machined highstrength aluminum alloy cases
- Backed by Mag Instrument's Renowned Warranty Service.

Limited lifetime warranty in the Western Hemisphere; ten-year limited warranty elsewhere. See product packaging for details.

 All Mag® flashlights are designed and manufactured in the U.S.A. May contain some imported components.





performance-degrading deposits on the contacts. The result is an extremely durable, reliable switch.

Unique design provides battery protection


Constant battery contact

Mag-Lite[®] Switch

All Mag^o incandescent flashlights include a spare lamp safely secured inside the tail cap.



Spare Lamp




ANSI STANDARDS



INCHES

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20


THE MAG-LED® TECHNOLOGY STORY





Owner and Founder Anthony Maglica

Anthony Maglica, known for his obsession with precision engineering, craftsmanship and commitment to perfection, was not satisfied with the performance of a "regular" LED as a usable light source. Mr. Maglica set his sights on producing an LED light source that would have the kind of durability, reliability, and performance Maglite® flashlights are known for. With an emphasis on uncompromising performance, MAG-LED® Technology is the

result of that quest.







The next generation MAG-LED® Technology includes:

- A NEW Premium Performance Power LED
- A More Powerful Projecting LED Beam that focuses simply by rotating the head.
- Enhanced Balanced Optics™ Refining a concept pioneered by
 Mag Instrument, the "next
 generation" Mag® LED flashlight
 combines a newly re-designed
 reflector with a NEW premium
 performance white-light LED module
 platform in order to take advantage
 of significantly higher output
 intensity.
- Intelligent Energy Source
 Management The second
 generation Mag® LED flashlight
 includes a sophisticated electronic
 LED module which continuously
 monitors the balance between high
 brightness and efficient power usage
 allowing for prolonged battery life.
- Extended Battery Life Compared to incandescent flashlights of similar battery count and similar lumen output, the user can expect much improved battery longevity from this "next generation" flashlight.

PLUS: All of the quality features professionals and consumers expect from a Mag[®] flashlight:

- Rugged, machined aluminum construction with knurled design.
- Anodized inside and out for improved corrosion resistance.
- · Water and shock resistant.



XL100[®] AAA-CELL LED

Introducing the Maglite® LED FLASHLIGHT

Introducing the all new MAGLITE® XL100® LED Flashlight.

A revolutionary breakthrough in flashlight technology. Designed for optimum light output, the new MAGLITE® XL100® LED flashlight delivers user-friendly, performance oriented features in a sleek, tactical design. Engineered from the ground up, this advanced lighting instrument is driven by the next generation of MAG-LED® technology and includes the Advanced Flashlight User Interface™

The XL100® features a rear push-button tail cap switch coupled with five selectable modes, plus variable strobe rates, intensity level memory recall and lockout (prevents accidental operation). (see www.maglite.com/XL100_operation.asp)

STROBE,

NITE LITE

5 Selectable Modes NORMAL (on-off),

NEW!

Advanced Modes

1. Normal Mode (on-off) Adjustable Brightness with

2. Strobe Mode Adiustable Strobe Rate

- 3. Nite Lite Mode
- 4. Signal Mode On/Off with a Twist of the Wrist
- 5. SOS Mode Signals International Morse Code Distress Signal for SOS

Plus: Lockout (prevents accidental operation)

Rugged, machined aluminum construction

• Overall Length:*

 Barrel Diameter: Head Diameter:* Weight without battery:*

Weight with battery:*

· Batteries Required:

Anodized inside and out for improved corrosion resistance

Sealed at both ends with high-grade rubber o-rings and lip seals

olors subject to availability:

MAGLITE® XL100® LED 3-Cell AAA SPECIFICATIONS

4.8"

59 grams / 2.08 ounces

104 grams / 3.68 ounces

(3) AAA Size Alkaline (included)





SIGNAL, **& SOS** Plus: Lockout Rotate **Flashlight** Left or Right to Vary Power Level and Strobe Rate. NEW! Advanced Flashlight User Interface™

Blister Hang Pack

See Demo at www.maglite.com





The package image is a mockup for illustrative purposes only. Package graphics are in development and subject to change.

Presentation Box

Advanced Flashlight User Interface™

New MULTI-MODE

Introducing the Maglite® **LED FLASHLIGHT**

A revolutionary breakthrough in flashlight technology, the new MAGLITE® XL100® LED flashlight delivers user-friendly, performance oriented features in a sleek, tactical design. Engineered from the ground up, this advanced lighting instrument is driven by the next generation of MAG-LED® technology and includes the Advanced Flashlight User Interface™. The Maglite® XL100™ features a push-button tail cap switch coupled with five selectable modes, plus variable strobe rates, intensity level memory recall and lockout (prevents accidental operation). Normal (On/Off) - Variable brightness. Strobe - Variable strobe. SOS - Signals International Morse Code SOS. Nite Lite™ - Automatically dims to lowest setting. Signal - User initiated signal on-off.

> Rotate Flashlight Left or Right to Vary Power Level and Strobe Rate.



5 MODES

* All specifications shown are approximate. For concept purposes only, May be different at shipmen

MINI MAGLITE® AA-CELL LED

2 AA-Cell Flashlights with **MAG-LED**® Technology

2 & 3 D-Cell Flashlights with MAG-LED® Technology



PRODUCT DETAIL

2-Cell D Package Includes:

3-Cell D Package Includes:

Maglite® LED 2-cell D Flashlight

Maglite® LED 3-cell D Flashlight

INFORMATION BLISTER PACKS:

Mag-Lite® LED D-Cell flashlights are also offered in a variety of colors (refer to color quide below).


LUMENS

The Maglite® flashlight, renowned for its quality, durability, and reliability, is now available with the new MAG-LED™ Technology. Designed for professional and consumer use, Maglite® LED flashlights build on the experience in craftsmanship, engineering, and advanced technology evident in all Mag® flashlights. The Maglite® flashlight is internationally accepted as the Professional Flashlight[®]. Built tough enough to last a lifetime, its durability and patented features now combined with the new MAG-LED™ Technology make the Maglite® LED flashlight a technologically advanced lighting instrument. Available in 2 & 3 Cell D size, the benefits include:

- · A Powerful Projecting Beam that focuses simply by rotating the head.
- Balanced Optics™, combining a highly refined reflector with a quality LED, for a brilliant adjustable beam.
- Intelligent Energy Source Management balancing high brightness with extended battery life.

MAG-LITE® LED D-CFLL FLASHLIGHT

	2D		3D	
Overall Length	10 in.	254 mm	12-11/32 in.	313 mm
Barrel Diameter	1-9/16 in.	39.67 mm	1-9/16 in.	39.67 mm
Head Diameter	2-1/4 in.	57.00 mm	2-1/4 in.	57.00 mm
Weight without battery	14 oz.	402 g	15 oz.	445 g
Weight with battery	23 oz.	674 g	30 oz.	856 g
Energy Management	1		/	,
Balanced Optics	1	✓		,
Projecting Beam	/ /		,	
Focusing Beam	1	✓		,
Batteries Required	(2) D size alkaline		(3) D size	alkaline







PRODUCT DETAIL **INFORMATION BLISTER PACKS:**

2-Cell AA Holster Package Includes: Mini Maglite® LED 2-Cell AA Flashlight, black polypropylene belt holster & two AA-cell premium alkaline batteries.

MEW **MULTI-MODE ELECTRONIC SWITCH** 4 Modes

100% Power 25% Power **Blink** SOS

See Demo at

www.maglite.com

The Mini Maglite® LED flashlight delivers performance oriented features in a sleek compact design. This advanced lighting instrument is driven by the next generation of MAG-LED® Technology.

The benefits include:

- A Powerful Projecting LED Beam that focuses simply by rotating the head.
- Balanced Optics[™], combining a highly refined reflector with a new performance enhanced LED, yielding high output intensity.

2-cell AA Mini Maglite® LED Flashlight

- Intelligent Energy Source Management Refining a concept pioneered by Mag Instrument, the second-generation electronics in the 2-Cell AA flashlight let the user choose the power level.
- The Multi-function electronic switch offers two different power settings a maximum-power setting that yields maximum brightness and a 25% power setting to conserve battery power for reading at night, or for a prolonged
- Extended battery life Compared to the prior-generation Mini Maglite® 2AA LED flashlight, this next-generation flashlight yields much improved battery longevity even in the maximum-power mode. And at the 25% power setting, a fresh set of batteries should literally last for days of continuous operation.

MINI MAGLITE® LED AA FLASHLIGHT

	2AA
Overall Length	6.607 in. 167.8 mm
Barrel Diameter	.709 in. 18 mm
Head Diameter	1 in. 25.4 mm
Weight without battery	2.4 oz. 68.04 g
Weight with battery	4.15 oz. 117.75 g
Energy Management	✓
Balanced Optics	✓
Projecting Beam	1
Focusing Beam	1
Batteries Required	(2) AA size alkaline

Call: 1-800-289-6241, email: salesdesk@magmail.com or visit our website: www.maglite.com



MAG CHARGER® RECHARGEABLE FLASHLIGHT SYSTEM (NIMH)

FEATURES • Easily replaced high-intensity halogen lamp. • 1/4 turn, cam action focus, spot-to-flood.

- · Self-cleaning 3 position rotary switch: On, Off & Signal (Manual, Momentary On-Off).
- Charger operates on A/C or D/C current.
- · Flashlight can be charged in any position.

Mag Charger®

Rechargeable Flashlight Only (ARXX014)

12V DC Cigarette Lighter

Adapter (ARXX205)

- Highly polished, scientifically designed. metallic reflector, withstands extreme temperatures.
- · Tempered glass lens.
- · Durable extra hard anodized finish.
- Limited Lifetime Warranty in the Western Hemisphere; Ten-Year Limited Warranty Elsewhere.
- Individually serial numbered.
- · Flashlight designed and manufactured in U.S.A. May contain some imported components. Certain accessories imported.



Without question, our ultimate lighting tool. Refined and enhanced over many years of dedicated service, the Mag Charger® Rechargeable Flashlight System is chosen by professionals worldwide.



Spare Halogen Lamp Included in Tail Cap

 (2) Detachable mounting brackets included allows for multiple charging locations, quick movement from car to home

Mounts securely in any position







System No. 1 Available In Hang Pack



Now, Improved Performance with a High Capacity Rechargeable NiMH Battery!*

Versatile *Tight spot or wide-angle flood* Quick-focusing "continuous cam-action" operates with a quarter-turn of the flashlight head – *Charging Cradle* mounts securely in any position with minimal space, AC or DC – Flashlight can be charged in any position.

Reliable A proven performer all day, every day; all night, every night – Self-cleaning 3 position rotary switch: on, off & signal (manual, momentary on-off). A back-up Halogen lamp is stored in the tailcap.

Durable Sleek black finish, hard-anodizing inside and out for improved durability – Water resistant seals throughout to protect from weather and harsh environmental conditions.

Fit and Finish Precision machined high-strength aluminum alloy case — Individually serial numbered for identification.

Performance Next generation optical reflector A high-tech metallic reflector, combined with a tempered glass lens that delivers superior optical performance – Now, improved performance with a high capacity rechargeable NiMH battery*, providing over 1,000 hours of operational life.

Purchase with Confidence Mag's warranty (limited lifetime warranty in Western Hemisphere, ten-year limited warranty elsewhere) is backed by Mag's international network of Warranty Service Centers.

System No.1 Shown. 7 Different System Combinations Available In A Multi-colored Chipboard Display Carton, Model Numbers on Chart

MAG CHARGER® RECHARGEABLE FLASHLIGHT SYSTEM (NiMH)

Overall Length:	12-19/32 in.	319.79 mm
Barrel Diameter:	1-9/16 in.	39.67 mm
Head Diameter:	2-5/16 in.	58.72 mm
Weight without battery:	18 oz.	510 g
Weight with battery:	32 oz.	907 g
Battery voltage output:	6 volts	
Battery Required:	Five (5) 1/2 D size	
	NiMH Pack (Nickel	Metal Hydride)

	CHECK MARK SHOWS CONTENTS OF EACH SYSTEM							
		CITE	-CK WATT	COHOWS	CONTLIN	13 OI LA	CITOTOTE	. IVI
ITE	M SYSTEM NO.	1	2	3	4	5	6	7
NO	MODEL NO.	RN1019	RN2019	RN3019	RN4019	RN5019	RN6019	RN7019
1	Rechargeable Flashlight	1	1	✓	1	1	1	1
2	Charging Cradle	1	1	✓	1	1	1	1
3	Battery Pack (NiMH)	1	1	✓	1	1	1	1
4	Mounting Brackets (2)	1	1	1	1	1	1	1
5	120 Volt Converter	1		✓			1	
6	Cigarette Lighter Adapter, (12 Volt)	1	1		1			
7	230 Volt Converter (Euro Only)				1	1		
8	Straight Wire Only, (12 Volt)						1	1

* Extended On-Time - 34% increase in battery capacity. Requires full charge cycle. Peak Beam Candlepower and Battery Life Continuous on time are approximate and may vary between flashlights, lamps, and/or batteries.

All performance figures are approximate. Actual performance can vary due to manufacturing variations in flashlights, lamps and batteries. Note: the battery discharge rate when not in use is approximately 1% per day



Mag Instrument, Inc. is a proud participant in the RBRC (Rechargeable Battery Recycling Corporation). By recycling NiMH rechargeable batteries, you are helping to keep NiMH batteries out of the solid waste stream. When you throw away a NiMH battery, it eventually ends up in a landfill or municipal incinerator. By recycling your used NiMH batteries through Mag Instrument's Battery Recycling Program, you are helping to create a cleaner and safer environment for generations to come. For more information about the RBRC, visit www.rbrc.com

MAGLITE® C-CELL FLASHLIGHTS

Every Mag-Lite® flashlight embodies a precise balance of refined optics, efficient power, durability and quality. Each Mag-Lite® D-Cell flashlight includes two high intensity White Star® Krypton Gas Lamps for enhanced brilliance and extended range.

2-Cell D Mag-Lite®

Hang Pack

FEATURES

- · High-intensity krypton light beam
- 1/2 turn, cam action focus, spot-to-flood
- · Self-cleaning 3 position rotary switch: On, Off & Signal (Manual, Momentary On-Off)
- · Spare replacement lamp safely secured in the tailcap (see page 3)
- · High-strength aluminum alloy cases

3-Cell D/2-Cell AA Mag-Lite® Lite Pack

· O-ring sealed for water resistance



- · Individually serial numbered
- · All Mag® flashlights are designed and manufactured in the U.S.A. May contain some imported components.







Mag-Lite® D-Cell flashlights are also offered in a variety of colors (refer to color guide below).

Black - 2, 3, 4, 5, & 6 D-Cell Red - 2, 3, 4, 5, & 6 D-Cell Silver - 2 & 3 D-Cell Blue - 2, 3, & 4 D-Cell GUIDI Gray - 2, 3, & 4 D-Cell 8 07 00 UCP Camo - 3 D-Cell Only

MAG-LITE® D-CELL FLASHLIGHT

flashlight

See	nage	3	for	ANSI	Standard
JUU	paye	J	101	MINOI	Stalluaru

	2	2D	3	D	41	D	5	iD .	(SD
Overall Length:	10 in.	254 mm	12-11/32 in.	313 mm	14-23/32 in.	374 mm	17-1/8 in.	434 mm	19-1/2 in.	495 mm
Barrel Diameter:	1-9/16 in.	39.67 mm	1-9/16 in.	39.67 mm	1-9/16 in.	39.67 mm	1-9/16 in.	39.67 mm	1-9/16 in.	39.67 mm
Head Diameter:	2-1/4 in.	57.00 mm	2-1/4 in.	57.00 mm	2-1/4 in.	57.00 mm	2-1/4 in.	57.00 mm	2-1/4 in.	57.00 mm
Weight without battery:	14 oz.	402 g	15 oz.	445 g	17 oz.	496 g	19 oz.	547 g	21 oz.	598 g
Weight with battery:	23 oz.	674 g	30 oz.	856 g	36 oz.	1043 g	43 oz.	1233 g	50 oz.	1417 g
Battery voltage output:	3.0	volts	4.5 v	olts	6.0 v	olts	7.5 1	volts	9.0 \	rolts
Batteries Required:	(2) D size	e alkaline	(3) D size	alkaline	(4) D size	alkaline	(5) D size	alkaline	(6) D size	alkaline

FEATURES

- · High-intensity krypton light beam
- 1/2 turn, cam action focus, spot-to-flood
- · Self-cleaning 3 position rotary switch: On, Off & Signal (Manual, Momentary On-Off)
- · Smaller & lighter than the D cell
- · Spare replacement lamp safely secured in the tailcap (see page 3)

cell C Mag-Lite® flashlight

- High-strength aluminum alloy cases
- · O-ring sealed for water resistance
- · Optional xenon lamp (see page 16)
- · Limited Lifetime Warranty in the Western Hemisphere; Ten-Year Limited Warranty Elsewhere.
- Individually serial numbered
- All Mag® flashlights are designed and manufactured in the U.S.A. May contain some imported components.

The Mag-Lite® C-Cell flashlight embodies the same precise balance of refined optics, efficient power, durability and quality as the D-Cell Flashlights in a smaller, lighter weight design. Each Mag-Lite® C-Cell flashlight includes two high intensity White Star® Krypton Gas Lamps for enhanced brilliance and extended range.





D & C cell Mag-Lite® flashlights are available in hang packs or chipboard display cartons.

MAG-LITE® C-CELL FLASHLIGHT

See page 3 for ANSI Standards

	2C	3C	4C
Overall Length:	8-15/16 in. 227 mm	10-7/8 in. 276 mm	12-13/16 in. 325 mm
Barrel Diameter:	1-1/4 in. 31.75 mm	1-1/4 in. 31.75 mm	1-1/4 in. 31.75 mm
Head Diameter:	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm
Weight without battery:	11 oz. 311 g	12 oz. 340 g	13 oz. 368 g
Weight with battery:	15 oz. 445 g	19 oz. 541 g	22 oz. 637 g
Battery voltage output:	3.0 volts	4.5 volts	6.0 volts
Batteries Required:	(2) C size alkaline	(3) C size alkaline	(4) C size alkaline

^{*} Peak Beam Candlepower and Battery Life Continuous on time are approximate and may vary between flashlights, lamps, and/or batteries.



8 0100

9 Until its inception, no flashlight of this size incorporated the features, functions, and unique design elements of our Mini Maglite® AA flashlight. Now an icon of classic American design, and famous around the world for its brightness, quality, durability, and dependability.

Super Bright Xenon Lamp




Figure A Mini Maglite® AA flashlight spare lamp out of tail cap



• High-intensity xenon light beam

- 1/2 turn, twist focus, spot-to-flood (see fig. C)
- Candle Mode (see fig. B)
- Spare replacement lamp safely secured in the tailcap (see fig. A)
- · High-strength aluminum alloy case
- O-ring sealed for water resistance
- Vented tailcap (patented) reduces chance of gas buildup

- Compact/lightweight construction
- Limited Lifetime Warranty in the Western Hemisphere; Ten-Year Limited Warranty Elsewhere.
- · All Mag® flashlights are designed and manufactured in the U.S.A. May contain some imported components.





Step 1: Unscrew

flashlight head











PRODUCT DETAIL INFORMATION FOR **BLISTER PACKS:**

AA Standard Package Includes: Mini Maglite® 2-cell AA Flashlight & two AA-cell premium alkaline

AA Holster Package Includes: Mini Maglite® 2-cell AA Flashlight, black polypropylene belt holster & two AA-cell premium alkaline batteries.

AA Combo Package Includes: Mini Maglite® 2-cell AA Flashlight, lens holder/anti roll device, lens set (red, blue, & clear), wrist lanyard, pocket clip & two AA-cell premium alkaline batteries.

PRODUCT DETAIL INFORMATION FOR PRESENTATION BOX:

Mini Maglite® 2-Cell AA (Presentation Box) Includes: Mini Maglite® 2-cell AA Flashlight, two AA cell premium alkaline batteries and presentation box.

Figure C

(M2A016)



The Mini Maglite® flashlight also features a fast-focus beam that adjusts from spot-to-flood with a turn of the head.

MINI MAGLITE® 2-CELL AA FLASHLIGHT

5-3/4 in.	146.00 mm
23/32 in.	18.23 mm
1 in.	25.40 mm
2.1 oz.	60 g
3.8 oz.	107 g
3.0 volts	
Two (2) AA size alkaline	
	23/32 in. 1 in. 2.1 oz. 3.8 oz. 3.0 volts



GUIDI 8 10703

Red

Silver

Blue

Gray

MINI MAG-LITE® 2-CELL AAA FLASHLIGHT

SOLITAIRE® 1-CELL AAA FLASHLIGHT

The Mini Maglite® 2-Cell AAA flashlight has all the same features and functions as the Mini Maglite® AA flashlight in a smaller, lighter version for ease of use and storage.

FEATURES

- High-intensity light beam
- 1/2 turn, twist focus, spot-to-flood (see fig. C, page 13)
- Candle Mode (see fig. B, page 12)
- Spare lamp safely secured in the tailcap (see fig. A, page 12)
- · High-strength aluminum alloy
- O-ring sealed for water resistance
- Vented tailcap (patented) reduces chance of gas dublind
- Compact/lightweight construction
- Limited Lifetime Warranty in the Western Hemisphere; Ten-Year Limited Warranty Elsewhere.
- Flashlight designed and manufactured in the U.S.A. May contain some imported components.



Mini Maglite® AAA flashlight in

Presentation Box (M3A032) Red


Includes: Two AAA-cell premium

alkaline batteries and pocket clip


MINI MAGLITE® 2-CELL AAA FLASHLIGHT

Overall Length:	5 in.	127.00 mm
Barrel Diameter:	1/2 in.	12.70 mm
Head Diameter:	3/4 in.	19.00 mm
Weight without battery:	0.9 oz.	26 g
Weight with battery:	1.7 oz.	49 g
Battery voltage output:	3.0 volts	
Batteries Required:	Two (2) AAA size a	Ikaline











about three inches in length, the Solitaire® 1-Cell AAA flashlight offers the same precision engineering and craftsmanship found in every Mag-Lite® flashlight. With its unique shape, the Solitaire® flashlight fits conveniently into pockets, purses, attache cases, etc.

Weighing less than one ounce (with battery) and

FEATURES

- · High-intensity light beam
- · Twist focus, spot-to-flood
- · Innovative extended key lead allows the light beam and keys to be used together in the same direction
- · Spare lamp safely secured in the tailcap (see fig. A page 12)
- · High-strength aluminum alloy case
- O-ring sealed for water resistance
- Vented tailcap (patented) reduces chance of gas buildup
- · Compact/lightweight construction
- · Limited Lifetime Warranty in the Western Hemisphere; Ten-Year Limited Warranty Elsewhere.
- · Flashlight designed and manufactured in the U.S.A. May contain some imported components.

SOLITAIRE® 1-CELL AAA FLASHLIGHT

Solitaire® flashlight in Presentation Box

Includes: One AAA-cell

battery and key lead

premium alkaline

(K3A112) Blue


Overall Length:	3-3/16 in.	81.00 mm
Barrel Diameter:	1/2 in.	12.70 mm
Head Diameter:	1/2 in.	12.70 mm
Weight without battery:	0.4 oz.	13 g
Weight with battery:	0.8 oz.	24 g
Battery voltage output:	1.5 volts	
Battery Required:	One (1) AAA size a	alkaline





QUALITY REPLACEMENT LAMPS

The Ultimate Upgrade™ **Move Up To** Xenon! **Up To 100%** Brighter¹



* Mag-Lite® C and D-Cell Flashlight Mag-num Star® Xenon C and D-Cell Replacement Lamp (LMSA201-301-401-501-601) (2 through 6 cell)

Mag-num Star® lamps, peak beam candlepower ("PBC") of new (as of early 2003) Xenon Mag-num Star® lamp ranged from 100% higher for 2D-cell lamp to 27% higher for 6D-cell lamp, average PBC increase across the range of lamps (2D-cell through 6D-cell) being 59%. All performance figures are approximate. Actual performance can very due to manufacturing variations in

* Mag-Lite® C and D-Cell Flashlight White Star® Krypton C and D-Cell Replacement Lamp (LWSA201-301-401-501-601) (2 through 6 cell) 2 Per Pack

Mag-num Star® Xenon

lamps are now available

for C & D Cell genuine

Mag-Lite® flashlights. Upgrade today and

experience the next

generation in Mag®

lamp technology.



Maglite® C & D Cell

Krypton

White Star® **Replacement Lamps** Now Up To 69% Brighter²

White Star® Krypton lamps are installed as "original equipment" on all C & D cell genuine Mag-Lite® flashlights.

Measured against prior-generation White Star® lamps, peak beam candlepower ("PBC") of new (as of early 2003) White Star® lamp ranged from 69% higher for 3D-cell lamp to 20% higher for 2C-cell lamp, average PBC increase across the range of lamps (2-cell through 6-cell) being 48%. All performance figures are approximate. Actual performance can very due to manufacturing variations in flashlights, lamps, and/or batteries.



Quality and

dependability are the

flashlights. We insist upon the same quality and dependability for

hallmarks of our

every lamp and

accessory. Each

Maglite[®] lamp is

Mag-Lite® and Mini

work in conjunction

with the reflector to

deliver optimum

specifically designed to





Better, Brighter, **Next-Generation** Halogen Lamp³

The improved Mag-Lite® Halogen lamps now come as standard "factory equipment" on the Mag Charger® Rechargeable Flashlight System and are available separately.

Miniature

High Intensity

Mini Maglite® AA, Mini Maglite® AAA, and Solitaire® Flashlights




Mini Maglite® AA Flashlights 2-Cell AA Replacement Lamp (LM2A001) 2 Per Pack



MAGLITE 2-Cell AAA



Mini Maglite® AAA Flashlights 2-Cell AAA Replacement Lamp (LM3A001) 2 Per Pack



Solitaire® Flashlight 1-Cell AAA Replacement Lamp (LK3A001) 2 Per Pack



³ Compared to prior generation lamp, introduced in early 2002. The newest-generation lamp was found in June 2005 tests to produce a 25% increase in peak beam candlepower when installed in a Mag Charger® flashlight. All performance figures are approximate. Actual performance can vary due to manufacturing variations in flashlights, lamps and batteries

ACCESSORIES

Mounting Brackets

Available for D and C Cell Mag-Lite® and AA Mini Maglite® flashlights.



LED

Black Cordura® **Nylon Full Flap** Holster. Mini Maglite® 2-Cell AA LED Flashlight (AM2A056).



UCP Camo Cordura® Nylon Full Flap Holster, Mini Maglite® 2-Cell AA LED Flashlight (AM2A886)



Mag-Lite® D-Cell flashlight mounting bracket (ASXD026)

Mini Maglite® 2-Cell AA flashlight mounting bracket (AM2A496) (not shown)



Mini Maglite® **Belt Holsters**

Black Cordura® Nylon Full Flap Holster, Mini Maglite® 2-Cell AA Flashlight (AM2A056). Also available in black for Mini Maglite® 2-Cell AAA Flashlight (AM3A026)



Full Flap Holster, Mini Maglite® 2-Cell AA Flashlight (AM2A136)

Camo Cordura® Nvlon



- · Weather resistant,
- locked stitch, nylon thread Hook and loop interlocking front and back flaps for quick



UCP Camo Cordura® Nylon Full Flap Holster, Mini Maglite® 2-Cell AA Flashlight (AM2A886)



Black Leather Holster Mini Maglite® 2-Cell AA Flashlight (AM2A026)





Red (ASXX798)



with reflective tape for C-Cell & D-Cell only.

AA Cell

Infra-Red Lens



C & D Cell

Infra-Red Lens

D-Cell Accessory Pack

(ASXX376) Includes a rubber anti-roll device/lens holder; Red, Clear & Blue lenses & two D-Cell mounting brackets. (Anti-roll device and lenses also fit C-Cell flashlights)



C-Cell Leather Belt Holde Plain (ASXC046)

D-Cell Leather Belt Holder Plain (ASXD036) Basketweave (ASXD056) (not shown)



visible light. Mag[®] Infra-Red Lenses block 99-100% of the visible light from our flashlights allowing for a maximum of Infra-Red output while remaining extremely covert. These lenses tremendously improve the image received by night vision goggles, Starlight, Infra-Red and night vision scopes without showing your light source.

PREMIUMS, INCENTIVES AND CORPORATE GIFTS

Mag-Lite® Flashlights make "brilliant" corporate gifts. Thousands of organizations all over the world have discovered that our high perceived value and reputation for quality and design produce exceptional results. Our in-house customizing capabilities allow your company **IMPRINT AREA** name, logo, or message to become a permanent addition to any

Head Barrel Solitaire® N/A 5/16" x 1-1/4" Mini Maglite® AAA 7/16" x 5/8" 5/16" x 1-1/4" Mini Maglite® AA 5/8" x 3/4" 7/16" x 2-1/8" Mag-Lite® 2-Cell C 1-7/16" x 1" 3/4" x 2-3/4" Mag-Lite® 3-Cell C 1-7/16" x 1" 3/4" x 3-3/4" Mag-Lite® 2-Cell D 1-7/16" x 1" 1" x 2-3/4" Mag-Lite® 3-Cell D 1-7/16" x 1" 1" x 3-3/4"

Solitaire®/Victorinox®

Black Flashlight (K3A492) Special Colors on Request

Classic Knife Combination Pack,

SPECIAL OPTIONS:

engraving process.

The special options listed below are subject to: 10,000 unit minimum, 4-6 week leadtimes, and in some cases additional cost.

Mag-Lite® Flashlight. Your artwork

can be duplicated precisely with

our fully computerized laser

- Custom Flashlight colors
- Custom Hot Foil Stamping on Presentation Box



Mag-Lite® XL100® LED flashlight

with barrel engraving



Mini Maglite® AA flashlight with barrel engraving



Mini Maglite® AAA flashlight with head engraving



Solitaire® flashlight with barrel engraving



22

CUSTOMER SERVICE & CONSUMER SUPPORT

Commitment to Customer Service

Our award winning service is just one of the reasons that Maglite® Flashlight products continue to dominate the flashlight industry.

Visit our website for the latest information on Mag-Lite® products.





What's New

From the homepage find out what's new at maglite.com.



Need a Part? Need Service?

Ordering spare parts, locating the nearest warranty service center or troubleshooting your Mag-Lite® product is just a click away...

If your Mag-Lite® flashlight ever needs service... A network of Authorized Warranty Service Centers is there for you.


Visit maglite.com for the location nearest you.

Look for the window decal.




Consumer Support





Product Specs



See product specifications of all our Mag-Lite® and Mini Maglite® flashlights. From part numbers to the circumference of the D cell Mag-Lite® head, you'll find everything you ever wanted to know about Mag-Lite® products.

IN THE COMMUNITY



National Law Enforcement Officers Memorial





PAST, & PRESENT

Did you know there was a National Law Enforcement Officers Memorial established in 1991?

It honors all of America's federal, state and local law enforcers. Inscribed on the Memorial's blue-gray marble walls are the names of more than 17,000 officers who have been killed in the line of duty, dating back to the first known death in 1792.

Designed by Washington, D.C. architect Davis Buckley, the Memorial sits on three acres of federal park land called Judiciary Square. The site has served for some 200 years as the seat of our nation's judicial branch of government. A glance around the space finds plush carpets of grass, nearly 60,000 plants and 128 trees decorating the Memorial grounds. Each year, around the first of April, some 14,000 orange and yellow daffodils make the Memorial one of Washington's most spectacular attractions. Bordering the Memorial's beautifully landscaped park are two tree-lined "pathways of remembrance" where the names of the fallen officers are engraved.

Each of the pathway entrances are adorned with a powerful statuary of an adult lion protecting its cubs. The bronze statues were sculpted by Raymond Kaskey. They symbolize the protective role of our law officers and convey the strength, courage and valor that are the hallmarks of those who serve the law enforcement profession.

An inscription on the Memorial's east wall explains the uplifting spirit that is felt by every visitor to the Memorial: "In valor there is hope".

President George Bush, Sr. assisted in the dedication of the memorial in 1991. Mag was one of three original corporate sponsors to the Memorial Fund. John Wyatt, Vice President of Sales, attended the event on behalf of Mag and remarked at the time that, "Mag's contribution is our way of showing our gratitude for the support that Mag-Lite® flashlights have received from law enforcement officers across the nation." Mag has supplemented its initial commitment during the ensuing years in order to help ensure that the men and women who have laid down their lives for our protection will never be forgotten.

National Law Enforcement Officers Museum



THE FUTURE

Did you know there is going to be a National Law Enforcement Museum?

Overview

In 2000, a law (P.L. 106-492) passed by the United States Congress and signed by President Clinton authorized a national law enforcement museum to be built on federal property in Washington, D.C. The museum will be privately funded and will be developed, constructed, owned and operated by the National Law Enforcement Officers Memorial Fund (NLEOMF) — the same nonprofit organization that built and now oversees the National Law Enforcement Officers Memorial. Building and exhibit designs are being finalized. Precious artifacts that reflect the work of law enforcement, past and present, are being collected. And the "A Matter of Honor" fundraising campaign is underway. The museum will reach a broad and diverse audience, with attendance expected to be as high as half a million visitors a year, including 40,000 students on class trips.

The Need

The need for a museum first became evident soon after the National Law Enforcement Officers Memorial was completed and there was a keen interest expressed by many visitors in learning the stories behind the thousands of officers memorialized. In 1993, a small Memorial Visitors Center was established near the monument. By 1997, the museum vision had grown and the NLEOMF decided to make the creation of a "Smithsonian-like law enforcement museum" its number one long-term objective. The museum's mission is to increase public support for law enforcement and to promote law enforcement safety.

Dating back to the first fatality in 1792, more than 17,000 officers have sacrificed their lives in the line of duty. Yet despite the dangers and other difficulties of the job, there are more than 800,000 federal, state and local law enforcement officers serving proudly today in communities across America, putting their lives on the line for the safety and protection of others. It is an incredible story of service and sacrifice that, for the most part, has gone untold. As a result, many Americans continue to take our police officers for granted. The National Law Enforcement Museum will help to generate a better understanding and appreciation of the vital contributions our law officers have made to our nation.

"Clearly, the courage and sacrifice displayed by our law enforcement officers is having a profound and positive effect on our society," declared Senator Ben "Nighthorse" Campbell after the museum legislation passed. "Establishing this museum is the least we can do to honor them and ensure that their stories of heroism and sacrifice are never forgotten."

The Site

The museum will be located in the heart of our Nation's Capital in a historic setting called Judiciary Square (400 block of E Street, NW). Appropriately, the museum site is directly across the street from the National Law Enforcement Officers Memorial, which was established in 1991. This property is surrounded by court buildings, the original City Hall for the District of Columbia, and the National Building Museum. This is a thriving area of downtown Washington that already attracts millions of tourists each year.

Maglite® Proud to help.

In the spirit of continuing Mag's commitment, Mag Instrument is now both a Founding Partner of the National Law Enforcement Museum and a Founding Member of the NLEOMF, and has been a Sterling Circle Member of the NLEOMF since 2002. For more information: please visit www.maglite.com.