

*Polyform*

U. S. Ltd.®

THE GLOBAL STANDARD



BUOYS, FENDERS  
& ACCESSORIES

Phone: (253) 872-0300 | Toll Free 1-800-423-0664  
[www.PolyformUS.com](http://www.PolyformUS.com)

# FENDERS



## G series

Polyform's popular utility fender

### SPECIFICATIONS



	G-1	G-2	G-3	G-4	G-5	G-6
SIZE [diameter x length]	3.5" x 12.8" 8,9 x 32,5cm	4.5" x 15.5" 11,4 x 39,4cm	5.5" x 19" 14 x 43,3cm	6.5" x 22" 16,5 x 55,9cm	8.8" x 26.8" 22,3 x 68,1cm	11" x 30" 27,9 x 76,2cm
EYE DIAMETER	3/8" 0,95cm	1/2" 1,27cm	5/8" 1,27cm	3/4" 1,91cm	3/4" 1,91cm	7/8" 2,22cm
PIECES PER CARTON	12	12	6	6	4	4



## NF series

The next generation in utility fender

### SPECIFICATIONS




	NF-3	NF-4	NF-5
SIZE [diameter x length]	5.6" x 19" 14,3 x 48,3cm	6.4" x 21.6" 16,2 x 54,9cm	8.9" x 26.8" 22,5 x 67,9cm
EYE DIAMETER	5/8" 1,27cm	3/4" 1,91cm	3/4" 1,91cm
PIECES PER CARTON	6	6	4



## HTM series

Hang vertically or horizontally

### SPECIFICATIONS




	HTM-1	HTM-2	HTM-3	HTM-4
SIZE [diameter x length]	6.3" x 15.5" 16 x 39,4cm	8.5" x 20.5" 21,6 x 52,1cm	10.5" x 27" 26,7 x 68,6cm	13.5" x 34.8" 34,3 x 88,4cm
TUBE DIAMETER	5/8" 1,59cm	5/8" 1,59cm	5/8" 1,59cm	5/8" 1,59cm
PIECES PER CARTON	6	4	4	4

# F series

Classic European fender for the most demanding use

## SPECIFICATIONS



	F-1	F-02	F-2	F-3	F-4	F-5
SIZE [diameter x length]	6" x 24" 15,2 x 61cm	7.5" x 26" 19,1 x 66cm	8.2" x 25" 20,8 x 63,5cm	8.2" x 30" 20,8 x 76,2cm	8.5" x 40.5" 21,6 x 102,9cm	11" x 30" 27,9 x 76,2cm
EYE DIAMETER	0.7" 1,8cm	0.7" 1,8cm	0.9" 2,2cm	0.9" 2,2cm	0.9" 2,2cm	1.0" 2,4cm
VOLUME [gallons/lters]	2.2 gal. 8.2l	3 gal. 11.3l	3.5 gal. 13.2l	5.3 gal. 20.0l	9.3 gal. 34.9l	11.9 gal. 44.9l
PIECES PER CARTON	10	10	10	10	5	5



	F-6	F-7	F-8	F-10	F-11	F-13
SIZE [diameter x length]	11" x 42" 27,9 x 106,7cm	15" x 41" 38,1 x 104,1cm	15" x 58" 38,1 x 147,3cm	18" x 50" 45,7 x 127cm	21.2" x 57.5" 53,8 x 146,1cm	29" x 76.5" 73,7 x 194,3cm
EYE DIAMETER	1.0" 2,4cm	1.0" 2,4cm	1.0" 2,4cm	1.0" 2,4cm	1.1" 2,7cm	1.2" 3,0cm
VOLUME [gallons/lters]	19.8 gal. 74.8l	25.1 gal. 94.8l	39.6 gal. 149.7l	40.8 gal. 154.2l	63.7 gal. 240.4l	158.6 gal. 598.7l
PIECES PER CARTON	5	5	4	2	3	2

### Polyform Fender Color Chart

	BLACK	BLUE	BURGUNDY	CLASSIC RED	COBALT	FOREST GREEN	GRAY	NAVY	ORANGE	PURPLE	SAND	TEAL	WHITE	YELLOW	GREEN	SATURN YELLOW	RED
<b>G</b>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>NF</b>	●	●	●	●	●	●							●				
<b>HTM</b>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
<b>F</b>	●	●	●		●	●	●	●			●		●				●

### Fender Sizing Guide


BOAT SIZE	FENDER SELECTION
Up to 10'	G-1, A-0
10' to 20'	G-2, G-3, NF-3, S-1, A-0
20' to 30'	G-4, G-5, NF-4, NF-5, HTM-1, HTM-2, F-1, F-02, F-2, F-3, A-1
30' to 40'	G-6, HTM-3, HTM-4, F-4, F-5, F-6, A-2, LD-2
40' to 50'	HTM-4, F-6, A-3, LD-3
50' to 60'	F-7, F-8, A-4
60' to 70'	F-8, F-10, F-11, A-5
70' - Up	F-11, F-13, A-5, A-6, A-7

# BUOYS

## A series

The #1 buoy in the world

### SPECIFICATIONS




	A-0	A-1	A-2	A-3	A-4	A-5	A-6	A-7
<b>SIZE</b> [diameter x length]	8" x 11.5" 20,3 x 29,2cm	11" x 15" 27,9 x 38,1cm	14.5" x 19.5" 36,8 x 49,5cm	17" x 23" 43,2 x 58,4cm	20.5" x 27" 52,1 x 68,6cm	27" x 36" 68,6 x 91,4cm	34" x 44" 86,4 x 111,8cm	39" x 54" 99,1 x 137,2cm
<b>EYE</b> <b>DIAMETER</b>	0.6" 1,6cm	1.0" 2,5cm	1.125" 2,8cm	1.125" 2,8cm	1.125" 2,8cm	1.25" 3,0cm	1.5" 3,8cm	2" 5,0cm
<b>VOLUME</b> [gallons/liters]	1.6 gals. 5.9l	3.5 gals. 13.2l	8.2 gals. 30.8l	14.5 gals. 54.9l	22.5 gals. 84.8l	47.6 gals. 179.6l	95.1 gals. 359.2l	161.6 gals. 610.1l
<b>PIECES PER CARTON</b>	20	10	10	10	10	5	3	2

## LD series

The leading low drag buoy

### SPECIFICATIONS



	LD-1	LD-2	LD-3	LD-4
<b>SIZE</b> [diameter x length]	8.6" x 19" 21,9 x 48,3cm	11.5" x 24" 29,2 x 61cm	13.5" x 29" 34,3 x 73,7cm	15.5" x 37" 39,4cm x 94 cm
<b>EYE</b> <b>DIAMETER</b>	1.0" 2,5cm	1.0" 2,5cm	1.0" 2,5cm	1.0" 2,5 cm
<b>VOLUME</b> [gallons/liters]	3.5 gals. 13.0l	8.2 gals. 30.8l	14.5 gals. 54.9l	23.8 gals. 90l
<b>PIECES PER CARTON</b>	10	10	10	5

## S series

Boat guide buoy




S-1	
<b>SIZE</b> [diameter x length]	6" x 15" 15,2 x 38,1cm
<b>EYE</b> <b>DIAMETER</b>	1/2" 1,27cm
<b>VOLUME</b> [gallons/liters]	1.6 gals. 5.9l
<b>PIECES PER CARTON</b>	10

# CC series

Can be used in a variety of applications

## SPECIFICATIONS




	CC-1	CC-2	CC-3	CC-4	CC-5	CC-6
SIZE (diameter x length)	10.5" x 13" 26,7 x 33cm	14" x 16.5" 35,6 x 41,9cm	17" x 21" 43,2 x 53,3cm	20" x 25.5" 50,8 x 64,8cm	27" x 32.8" 68,6 x 83,3cm	32" x 43" 81,3 x 109,2cm
TUBE DIAMETER	1.5" 3,8cm	2.0" 5,0cm	2.0" 5,0cm	2.0" 5,0cm	3.0" 7,5cm	3.0" 7,5cm
VOLUME (gallons/liters)	3.2 gals. 12.2l	6.6 gals. 24.9l	14.5 gals. 54.9l	22.5 gals. 84.8l	44.9 gals. 169.6l	92.5 gals. 349.3l
SCHEDULE 40 PVC PIPE	1.25" ID 1.660" OD	1.5" ID 1.900" OD	1.5" ID 1.900" OD	1.5" ID 1.900" OD	2.5" ID 2.875" OD	2.5" ID 2.875" OD
PIECES PER CARTON	10	10	4	4	2	2



# CM series

Now with both galvanized & stainless irons

## SPECIFICATIONS



	CM-2 RED	CM-2 RED/SS	CM-3 RED	CM-3 RED/SS	CM-2 WHITE w/ STRIPE	CM-2 WHITE w/ STRIPE/SS	CM-3 WHITE w/ STRIPE	CM-3 WHITE w/ STRIPE/SS
SIZE (diameter x length)	13.5" x 18" 34,3 x 45,7cm	13.5" x 18" 34,3 x 45,7cm	17" x 22" 43,2 x 55,9cm	17" x 22" 43,2 x 55,9cm	13.5" x 18" 34,3 x 45,7cm	13.5" x 18" 34,3 x 45,7cm	17" x 22" 43,2 x 55,9cm	17" x 22" 43,2 x 55,9cm
VOLUME (gallons/liters)	6.6 gals. 24.9l	6.6 gals. 24.9l	14.5 gals. 54.9l	14.5 gals. 54.9l	6.6 gals. 24.9l	6.6 gals. 24.9l	14.5 gals. 54.9l	14.5 gals. 54.9l
TUBE DIAMETER	5/8" 1,6cm	5/8" 1,6cm	5/8" 1,6cm	5/8" 1,6cm	5/8" 1,6cm	5/8" 1,6cm	5/8" 1,6cm	5/8" 1,6cm
IRON LENGTH W/ SHACKLE	31" 78,7cm	31" 78,7cm	35" 88,9cm	35" 88,9cm	31" 78,7cm	31" 78,7cm	35" 88,9cm	35" 88,9cm



### Polyform Buoy Color Chart


	BLACK	BLUE	GREEN	ORANGE	RED	SATURN YELLOW	WHITE	YELLOW
A	●	●	●	●	●	●	●	●
LD	●	●	●	●	●	●	●	●
S		●	●		●		●	●
CC					●		●	
CM					●		●	

Other Polyform colors available by request.


# DOCK GUARDS

## PG series

Heavy duty dock protection



### SPECIFICATIONS



	PG-1	PG-2	PG-3	PG-4
SIZE (style)	10" Dock Corner	18" Straight	3" x 10' Extrusion	3-1/4" x 6' Extrusion
COLOR	White	White	White	White
PIECES PER CARTON	10	10	10	8

## ACCESSORIES

### #10 inflation adapter

Inflation adapter is specifically designed to fit all Polyform buoys and fenders.

PIECES/CARTON: 50



### #20 patch kit

Very successful when used for repairing small punctures. Large cuts, or repairs to buoys and fenders used in extremely severe applications may not patch successfully. If there is a question or concern regarding repairs, contact your local Polyform representative or call the factory direct.


PIECES/CARTON: 12



### #30 hand pump

Specially designed for inflating Polyform products. Can also be used on other inflatable products such as air mattresses and toys.

PIECES/CARTON: 6



### #31 mini pump

When combined with our inflation adapter, it's a handy pump for quick air additions to all Polyform products.

PIECES/CARTON: 30



### #50/52 galvanized shackle

A handy addition to our A, F and LD Series products for improved performance in tough applications. PVC bushing distributes load over entire ropehold area for maximum performance and longevity. Choose between a 1-1/4" [#50] or 1" [#52] bushing. Limited 3 year warranty.

PIECES/CARTON: 50



### #51/53 stainless steel shackle

Made from stainless steel, this shackle shares all the features and specifications of the galvanized shackle, with your choice of 1-1/4" [#51] and 1" [#53] bushings. Limited 3 year warranty.

PIECES/CARTON: 50



	50 GALV	51 SS	52 GALV	53 SS
BUSHINGS	1-1/4" Bushing	1-1/4" Bushing	1" Bushing	1" Bushing
FITS	A-2, A-3, A-4	A-2, A-3, A-4	A-1, LD-2, LD-3, F-2, F-3, F-4, F-5, F-6, F-7, F-8, F-10, F-11, LD-1	A-1, LD-2, LD-3, F-2, F-3, F-4, F-5, F-6, F-7, F-8, F-10, F-11, LD-1
PIECES PER CARTON	50	50	50	50

### #42 marking ink

This product permanently fuses to the product and withstands ultraviolet rays and saltwater. Use of a product other than Polyform's may void the warranty. 1 liter available in blue ink [#42].

PIECES/CARTON: 12



### #70 fender adjuster

Made from UV resistant vinyl with stainless steel hardware. Adjust fender height instantly, with no knots! Accepts fender lines up to 5/8-inch in diameter. Limited 3 year warranty.

PIECES/CARTON: 12



### #75 line holder

This versatile line holder keeps line and cords neat and easily accessible. Made from UV resistant vinyl with stainless steel hardware. Limited 3 year warranty.

PIECES/CARTON: 12



## EFC series Elite Fender Covers

Available in black with gold embroidery



	EFC-1	EFC-2	EFC-3	EFC-03	EFC-4	EFC-5	EFC-6	EFC-7
FITS	F-1, G-4, HTM-1, NF-4	F-2, G-5, HTM-2, NF-5	G-6, HTM-3	F-3	HTM-4	F-5	F-6	F-7
PIECES PER CARTON	24	24	24	24	12	12	12	12

	EFC-8	EFC-10	EFC-11	EFC-13	EFC-A2	EFC-A3	EFC-A4	EFC-A5	EFC-A6	EFC-A7
FITS	F-8	F-10	F-11	F-13	A-2	A-3	A-4	A-5	A-6	A-7
PIECES PER CARTON	12	12	12	6	8	5	10	8	6	N/A

## FF series Fender Covers

Available in black, green and navy.



	FF-A4	FF-A5	FF-A6	FF-F1 / G4	FF-F2	FF-F3 / G5	FF-F4
FITS	A-4	A-5	A-6	F1G-4	F-2	F-3 & G-5	F-4
PIECES PER CARTON	5	4	3	12	10	8	7

	FF-F5	FF-F6	FF-F7	FF-F8	FF-F10	FF-F11	FF-HTM-2	FF-HTM-3	FF-HTM-4
FITS	F-5	F-6	F-7	F-8	F-10	F-11	HTM-2	HTM-3	HTM-4
PIECES PER CARTON	8	7	7	5	4	3	9	8	6

## TFR series True Fit fender holders

Kits to hold 2 and 3 fenders are available, complete with all connectors.

	TFR-170	TFR-230	TFR-280	TFR-360	TFR-402	TFR-403	TFR-404
FITS	F-1, G-4, HTM-1, NF-4	F-2, F-3, G-5, HTM-2, NF-5	F-5, G-6, HTM-3, NF-5	HTM-4	7/8 to 1" Rail	All Holders	1-1/8" to 1-1/4" Rail
DIAMETER	6.75" 170mm	9" 230mm	12" 280mm	14" 360mm	—	—	—
PIECES PER CARTON	12	12	12	4	12	12	12

KIT WITH 2 FENDER HOLDERS: also contains 3 TFR-402s and 1 TFR-403s. KIT WITH 3 FENDER HOLDERS: also contains 4 TFR-402s and 2 TFR-403s.



## WS series Waterski buoy

Available in red, green and yellow



WS-1	
SIZE (diameter x length)	8" x 8.5" 20,3 x 21,6cm
EYE DIAMETER	3/8" 0,95cm
VOLUME (gallons/liters)	1,6 gals. 5,9l
PIECES PER CARTON	60

# STANDARD PACKAGING INFORMATION

ITEM #	UNITS PER CARTON	LBS. PER TOTAL CASE	CUBIC FT. PER CARTON
<b>A SERIES BUOY</b>			
A-0	20	30.0	2.2
A-1	10	26.0	1.7
A-2	10	47.0	2.7
A-3	10	72.5	4.3
A-4	10	100.5	5.2
A-5	5	107.5	6.6
A-6	3	118.3	9.2
A-7	2	125.5	12.1
<b>LD SERIES BUOY</b>			
LD-1	10	32.0	2.2
LD-2	10	52.0	3.3
LD-3	10	80.0	6.0
LD-4	5	63.0	6.6
<b>F SERIES FENDER</b>			
F-1	10	28.0	2.0
F-02	10	36.0	3.3
F-2	10	44.0	3.3
F-3	10	58.0	4.0
F-4	5	43.0	3.7
F-5	5	39.0	3.3
F-6	5	56.0	4.0
F-7	5	61.5	6.6
F-8	4	86.0	6.6
F-10	2	43.2	3.3
F-11	3	84.4	6.6
F-13	2	141.4	9.2
<b>G SERIES FENDER</b>			
G-1	12	9.4	1.2
G-2	12	16.4	2.2
G-3	6	13.4	2.3
G-4	6	18.1	3.1
G-5	4	20.6	4.9
G-6	4	29.0	7.9
<b>HTM SERIES FENDER</b>			
HTM-1	6	16.6	2.6
HTM-2	4	20.8	3.6
HTM-3	4	34.8	7.0
HTM-4	4	47.0	12.6
<b>NF SERIES FENDER</b>			
NF-3	6	15.3	2.3
NF-4	6	20.2	3.1
NF-5	4	24.1	4.9
<b>CM MOORING BUOY</b>			
CM-2	1 [domestic]	11.7	1.9
CM-2	5 [export]	54.5	6.6
Iron [CM-2]	1	6.2	0.2
CM-3	1 [domestic]	14.5	1.9
CM-3	5 [export]	68.5	6.6
Iron [CM-3]	1	6.5	0.2
<b>CC SERIES BAR BUOY</b>			
CC-1	10	41.5	4.3
CC-2	10	60.5	5.2
CC-3	4	35.0	3.3
CC-4	4	50.3	6.6
CC-5	2	54.0	6.6
CC-6	2	86.4	9.2
<b>S SERIES BUOY</b>			
S-1	10	17.0	1.2
<b>DOCK GUARDS</b>			
PG-1	10	20.0	1.4
PG-2	10	20.0	1.4
PG-3	10	60.0	3.3
PG-4	8	50.0	2.1
<b>WATERSKI MARKER</b>			
WS-1	60	44.0	1.8

ITEM #	UNITS PER CARTON	LBS. PER TOTAL CASE	CUBIC FT. PER CARTON
<b>ELITE FENDER COVERS</b>			
EFC-1	24	14.5	1.0
EFC-2	24	20.1	2.4
EFC-03	24	16.3	1.8
EFC-3	24	25.0	2.4
EFC-4	12	19.5	2.4
EFC-5	12	24.5	1.0
EFC-6	12	17.6	1.4
EFC-7	12	18.0	1.7
EFC-8	12	24.5	2.1
EFC-10	12	24.5	2.2
EFC-11	12	35.5	3.3
EFC-13	6	34.8	2.5
EFC-A2	8	5.9	0.7
EFC-A3	5	5.7	0.7
EFC-A4	10	13.8	1.8
EFC-A5	8	19.9	1.8
EFC-A6	6	16.3	1.8
EFC-A7	N/A	N/A	N/A
<b>FF FENDER COVERS</b>			
FF-A4	5	9.6	1.8
FF-A5	4	11.2	1.8
FF-A6	3	10.8	1.8
FF-F1/G4	12	4.4	0.7
FF-F2	10	4.1	0.7
FF-F3/G5	8	3.9	0.7
FF-F4	7	10.2	1.8
FF-F5	8	9.0	1.8
FF-F6	7	10.5	1.8
FF-F7	7	11.5	1.8
FF-F8	5	10.9	1.8
FF-F10	4	11.5	1.8
FF-F11	3	11.2	1.8
FF-HTM-2	9	4.2	0.7
FF-HTM-3	8	10.6	1.8
FF-HTM-4	6	10.2	1.8
<b>TRUE-FIT FENDER HOLDERS</b>			
TFR-170	12	14.0	2.9
170-2-Kit	1	4.0	0.8
170-3-Kit	1	5.0	0.8
TFR-230	12	15.0	2.8
230-2-Kit	1	4.0	1.5
230-3-Kit	1	6.0	1.5
TFR-280	12	23.0	5.8
280-2-Kit	1	5.0	2.9
280-3-Kit	1	8.2	2.9
TFR-360	4	8.9	3.7
TFR-402	12	3.1	0.2
TFR-403	12	2.3	0.2
TFR-404	12	3.4	0.2
<b>ACCESSORIES</b>			
#10 Inflation Adapter	50	1.0	0.1
#20 Patch Kit	12	2.0	0.1
#30 Pump	6	6.2	0.7
#31 Mini Pump	30	3.0	0.2
#42 Ink [liter]	12	29.0	0.7
#50 Galv. Shackles	50	60.6	1.6
#51 SS Shackles	50	60.6	1.6
#52 Galv. Shackles	50	60.6	1.6
#53 SS Shackles	50	60.6	1.6
#70 Fender Adjuster	12	4.5	0.3
#75 Line Holder	12	2.5	0.5

# WARRANTY

## POLYFORM U.S. LIMITED WARRANTY

### WHAT THIS WARRANTY COVERS

Polyform U.S. warrants its products to be free of defects in workmanship and material under normal use and service and when used for the purposes and under the conditions for which they are intended.

### WHAT THIS WARRANTY DOES NOT COVER

This warranty does not apply to any problem caused by (1) improper inflation of any product, including under or over inflation (please refer to inflation guide for maximum inflation values); (2) cuts, punctures, or exposures to chemicals that degrade or discolor plastics; (3) harm caused by animals, birds, fish; (4) intentional damage by people; (5) abuse, neglect, accident, misuse, alteration, acts of god, unauthorized repair, improper handling, or improper use; or (6) unusual conditions such as severe storms, hurricanes, extreme temperatures, UV light breakdown, or ultraviolet rays. Also, the warranty does not cover cosmetic flaws that result from normal wear and tear under ordinary use and do not affect the performance or use of the product.

POLYFORM U.S. SHALL NOT BE LIABLE FOR INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGE OR PENALTIES AND DOES NOT ASSUME ANY LIABILITY OF PURCHASER TO OTHERS FOR INJURY TO PERSON OR PROPERTY. IN THOSE STATES WHERE THE LAW DOES NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY.

Because it is impossible for Polyform U.S. to know the exact purposes for which you acquired the Polyform U.S. product or the uses to which you will put the product, Polyform U.S. shall not be responsible for the selection of the product for its installation and use. While every reasonable effort has been made to insure that you will receive a product that you can use and enjoy, Polyform U.S. does not warrant that the product will meet your requirements.

NO WORDS, ACTIONS, DESCRIPTIONS, MODELS, SAMPLES OR OTHER SELLER CONDUCT WILL CREATE AN EXPRESS WARRANTY BEYOND THE TERMS DESCRIBED HERE.

### HOW LONG COVERAGE LASTS

The warranty on A Series Buoys, LD Series Buoys, F Series Fenders, G Series Fenders, HTM Series Fenders, NF Series Fenders, CC Series Bar Buoys and S Series Buoys lasts as long as the original purchaser owns the above referenced Polyform U.S. product. This warranty terminates if the original purchaser sells or transfers the product.

CM Mooring Buoys, Elite Fender Covers, FF Fender Covers, True Fit Fender Holders, Shackles, Fender Adjusters, Line Holders, pumps, dock guards, and WS-1 buoys have a LIMITED THREE YEAR WARRANTY starting the date the Polyform U.S. product is purchased. This warranty terminates if the original purchaser sells or transfers the product. The user of a CM Mooring Buoy should check regularly the shackle and mooring hardware for structural integrity.

In those states where the law does not allow limitations on the duration of an implied warranty, the above limitation may not apply.

### WHAT POLYFORM U.S. WILL DO

Obligation under this warranty is limited to repair, replacement, or credit for the defective product at the discretion of Polyform U.S.

### HOW TO GET SERVICE

Purchaser should return the defective product to the location where the purchase was made, along with a copy of the original sales receipt documenting the date of purchase and the Polyform U.S. item number, as well as a description of the conditions in which the product was used and the alleged defect MUST accompany all warranty claims.

Polyform U.S. shall have the right to inspect said product and Purchaser shall, if requested, return the defective product to Polyform U.S. Polyform U.S. is not responsible for postage on the return of defective products. No return merchandise will be accepted without prior authorization.

### YOUR RIGHTS UNDER STATE LAW

This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

# INFLATION GUIDE

Note: When inflating with an air compressor, set the PSI to 2 lbs. pressure.

PRODUCT	MAX. CIRCUMFERENCE	PRODUCT	MAX. CIRCUMFERENCE	PRODUCT	MAX. CIRCUMFERENCE	PRODUCT	MAX. CIRCUMFERENCE
<b>A SERIES BUOY</b>		<b>F SERIES FENDER</b>		<b>G SERIES FENDER</b>		<b>CC SERIES BAR BUOY</b>	
A-0	25.1 in. 63.8cm	F-1	18.8 in. 47.9cm	G-3	17.3 in. 43.9cm	CC-1	33.0 in. 83.7cm
A-1	34.5 in. 87.7cm	F-02	23.6 in. 59.8cm	G-4	20.4 in. 51.8cm	CC-2	44.0 in. 111.7cm
A-2	45.5 in. 115.6cm	F-2	25.7 in. 65.4cm	G-5	27.6 in. 70.2cm	CC-3	53.4 in. 135.6cm
A-3	53.4 in. 135.6cm	F-3	25.7 in. 65.4cm	G-6	34.5 in. 87.7cm	CC-4	62.8 in. 159.5cm
A-4	64.4 in. 163.5cm	F-4	26.7 in. 67.8cm	<b>HTM SERIES FENDER</b>		CC-5	84.8 in. 215.3cm
A-5	84.8 in. 215.3cm	F-5	34.5 in. 87.7cm	HTM-1	19.8 in. 50.2cm	CC-6	100.5 in. 255.2cm
A-6	106.8 in. 271.2cm	F-6	34.5 in. 87.7cm	HTM-2	26.7 in. 67.8cm	<b>CM SERIES MOORING BUOY</b>	
A-7	122.5 in. 311.0cm	F-7	47.1 in. 119.6cm	HTM-3	33.0 in. 83.7cm	CM-2	42.4 in. 107.7cm
<b>LD SERIES FENDER</b>		F-8	47.1 in. 119.6cm	HTM-4	42.4 in. 107.7cm	CM-3	53.4 in. 135.6cm
LD-1	27.0 in. 68.6cm	F-10	56.5 in. 143.6cm	<b>NF SERIES FENDER</b>		<b>S SERIES FENDER</b>	
LD-2	36.1 in. 91.7cm	F-11	66.6 in. 169.1cm	NF-3	17.6 in. 44.7cm	S-1	18.8 in. 47.9cm
LD-3	42.4 in. 107.7cm	F-13	91.1 in. 231.3cm	NF-4	20.1 in. 51.0cm	<b>WATERSKI MARKER</b>	
LD-4	48.7 in. 123.6cm			NF-5	27.9 in. 71.0cm	WS-1	25.1 in. 63.8cm



**POLYFORM U.S. (800) 423-0664**

7030 South 224th Street | Kent, WA 98032 USA

Phone: (253) 872-0300